



LACUNA
STAY PROTECTED



KATALOG LIČNE ZAŠTITNE OPREME

PERSONAL PROTECTIVE EQUIPMENT CATALOGUE



WE PROTECT YOU OUTSIDE
YOU FEEL GREAT INSIDE.



LACUNA

STAY PROTECTED

KATALOG LIČNE ZAŠTITNE OPREME
PERSONAL PROTECTIVE EQUIPMENT CATALOGUE

DOBRODOŠLI U LACUNA GRUPU

WELCOME TO LACUNA GROUP

Partnerski odnos s našim distributerima, u cilju zadovoljstva i poverenja krajnjih korisnika!

Lacuna grupa je internacionalna kompanija koja u svom poslovanju objedinjuje razvoj, proizvodnju, doradu, prodaju, distribuciju i promociju.

Naši proizvodi podeđeni su u 3 grupe:

Zaštitna opreme na radu
Odeća i obuća za slobodno vreme
Radno-zaštitne tkanine/materijali

Lacuna **WORKTIME**, sinonim je za sigurnost i zaštitu a u svom asortimanu zaštitne opreme na radu (Personal Protective Equipment), uključuje kompletnu zaštitu, u skladu s propisanim normama i potrebama profesionalaca i poslodavca. WORKTIME asortiman uključuje i kolekciju Corporate Wear - profesionalnu radnu odeću za ugostiteljstvo, medicinu i wellness osoblje kao i radno zaštitne tkanine/materijale.

Lacuna **FREETIME**, odeća i obuća zaštitnih i tehničkih karakteristika, namenjena je zaštiti u svakodnevnim aktivnostima. Raznolikost materijala omogućava da svaku rekreaciju i slobodno vreme pretvorite u zadovoljstvo.

Pratimo svaku tržišnu potrebu logističkom podrškom i stručnim osobljem, a svojim poslovnim partnerima osiguravamo konkurentnost.

Partnership with our distributors, to the satisfaction and trust of end-users!

Lacuna group is an international company that in its business combines the development, production, finishing, sale, distribution and promotion.

Our products are divided into 3 groups:

Professional Protective Equipment (PPE)
Freetime Equipment
Professional Work Wear Fabric

Lacuna **WORKTIME** is a synonym for safety and protection with **Personal Protective Equipment (PPE)** product range that offer complete safety, in accordance with prescribed standards and the needs of each professional and employer. WORKTIME assortment includes also Corporate Wear collection – Professional work wear clothing for HoReCa, Medicine and Wellness personnel as well as Professional Work Wear Fabrics.

Lacuna **FREETIME**, clothing and footwear designed to protect you in everyday activities. Variety and quality of materials allows each recreation and leisure to be turned into pleasure.

We follow each market with logistic support and professional personnel in order to ensure competitiveness to our business partners.

MISIJA I VIZIJA

MISIJA

Profesionalnim pristupom, kvalitetnim proizvodima i inovativnim rešenjima u proizvodnji, osigurati našim korisnicima prvenstveno **sigurnost i zaštitu te zadovoljstvo i udobnost na radnom mestu i u slobodno vreme**.

Razvijanje i unapređenje poslovanja uvođenjem i primenom novih materijala, proizvoda, tehnologija i procesa, kao i podizanje nivoa kvaliteta usluga u cilju opravdavanja poverenja sadašnjih i budućih kupaca, dobavljača i zaposlenih.

VIZIJA

Zadržati poziciju tržišnog lidera i kontinuirano nuditi kvalitetne proizvode kreirajući trendove.

Profesionalan i pouzdan partner po vašem izboru na području sigurnosti, kvaliteta i zaštite na vašem radnom mestu, dok naši artikli pružaju udobnost nošenja, moderan dizajn istovremeno pružajući sigurnost kako na radnom mestu tako i u svakodnevnim aktivnostima.

MISSION AND VISION

MISSION

Professional approach, quality products and innovative solutions in production, primarily to provide our customers with **safety, satisfaction and comfort in the workplace and in your free time**.

Developing and improving with introduction and application of new materials, products, technologies and processes, with a tendency to raise the quality of services in order to justify the trust and loyalty of current and future customers, suppliers and employees.

VISION

To hold a position of market leader offering quality products, while creating trends.

Professional and reliable partner of your choice in the field of safety, quality and protection at your workplace, providing wearing comfort, modern design, at the same time ensuring a high standard of safety and protection at workplace and in everyday activities.



LACUNA
STAY PROTECTED

VREDNOSTI DO KOJIH DRŽIMO

Kupac u centru pažnje.

Stećeno iskustvo s godinama poslovanja omogućava rad s profesionalnim kadrom i blagovremenim kontaktom. Sa zadovoljstvom možemo konstatovati kako pristup u kom je kupac u centru pažnje i postaje naš zaštitni znak. Zajedno s Vama postali smo konkurentni na tržištu i prepoznatljivi po kvalitetu, sigurnosti, dobro razgranatoj distributivnoj mreži i prihvatljivim cenama. Lacuna grupa poseban naglasak stavlja na sigurnost kako na radu tako i u svakodnevnim aktivnostima.

Naše osoblje tu je za Vas.

Odgovoricom na svaki Vaš upit i učiniti sve da svaki naš kupac postane trajni partner u našem poslovanju. Svakodnevno težimo daljem razvoju osnovnih vrednosti u kojima smo se prepoznali, a to su lojalnost, partnerstvo, profesionalnost, feksibilnost, inovativnost, kreativno stvaranje, kvalitet, praćenje trendova i novih tehnologija, dok su naše usluge uvek orijentisane ka kupcu uz individualni pristup.

VALUES WE HOLD ON TO

Customer is always at the center of attention.

Experience gained through the years in business allows us to work with the professional staff and to be prompt in dealing with every contact. We are pleased to claim that the approach in which the customer is the focus became our trademark. Together with you, we have become competitive on the market and recognized for the quality, safety, well-branched distribution network and reasonable prices. Lacuna Group places particular emphasis on security at work and in everyday activities.

Our personnel is there for you.

We will respond to every inquiry and we will do everything to make our customer become a permanent partner in our business. Every day we strive for the further development of our core values: **loyalty, partnership, professionalism, flexibility, innovation, creative production, quality, tracking trends and new technologies**, while our services are always oriented towards the customer with an individual approach.



LACUNA WEB SHOP

MESTO ZA KUPOVINU
GDE VAM JE
DOSTUPNO SVE I
ODMAH



LACUNA WEB SHOP

A PLACE WHERE YOU
CAN FIND EVERYTHING
AND IMMEDIATELY

Razvoj on-line kupovine postao je sastavni deo poslovanja svake savremene kompanije.

Lacuna grupa prati tehnološke trendove i uložila je u digitalizaciju poslovanja i svoj proizvodni asortiman ponudila na WEB SHOP platformi

Prednosti Lacuna B2B/Internet platforme za kupce:

- Brza i jednostavna selekcija proizvoda, pretraživanje i naručivanje
- Dostupnost ključnih informacija prilikom naručivanja
- Dostupnost količine robe na lageru
- Informacija u vezi s aktuelnim planiranim terminima dolazaka robe u skladište
- Kontrola vlastitih cena i rabatne politike
- Pregled novih artikala u ponudi,
- Detaljne informacije o proizvodima, bojama, veličinama, opisima, slikama, tehničkim karakteristikama...
- Olakšana selekcija proizvoda prilagođenih za maloprodaju
- Istorija svih porudžbina kupca
- Status isporuke robe koja uključuje pregled aktuelne isporuke i pregled svih povezanih dokumenata iz proteklog perioda.

The development of online trade has become an integral part of every modern business.

Lacuna Group follows technological trends and has invested in digitalization of business and offers its product range on WEB SHOP platform

Advantages of Lacuna B2B / Internet platform for customers:

- Fast and easy product search, selection and ordering
- Key ordering information are available
- Availability of items quantity in the warehouse
- Information regarding the current scheduled for items arrival to warehouse
- Control of own prices and rebate policy
- Overview of new products offer
- Detailed product information, colors, sizes, descriptions, images, technical features ...
- Selection of products tailored for retail
- History of all customer orders
- Items delivery status, which includes a review of actual delivery, as well as an overview and all related documents from the past period.

LACUNA WORKTIME – SINONIM ZA SIGURNOST I ZAŠTITU

SPECIJALIZOVANA, TEHNIČKA ZAŠTITA

Odeća i obuća za sigurnost i zaštitu na radu.

Zaštitna oprema na radu (PPE)

CORPORATE TIME

Profesionalna radna odeća za **ugostiteljstvo, medicinu i wellness osoblje**.

ISTAKNUTA TEHNIČKA REŠENJA.

Prodaja specijalizovanih radno-zaštitnih tkanina za svakodnevnu zaštitu u svim uslovima.

Radno-zaštitne tkanine

SERTIFIKOVANI ASORTIMAN

Kompletna zaštita na radu, u skladu s propisanim normama i potrebama svakog pojedinca i poslodavca.

LACUNA WORKTIME – A SYNONYM FOR SAFETY AND PROTECTION

SPECIALIZED, TECHNICAL PROTECTION

Clothing and footwear for safety and protection at work.

PPE (Professional protective equipment)

CORPORATE TIME

Professional working clothing for HoReCa, Medicine and Wellness personnel.

FEATURED TECHNICAL SOLUTIONS

Sale of specialized protective working fabrics for everyday protection in all conditions.

Professional Work Wear Fabric.

CERTIFIED ASSORTMENT

Complete safety at work, in accordance with prescribed standards and the needs of each individual and the employer..

LACUNA FREETIME – UV ZAŠTITA I PROMOTIVNI TEKSTIL

CAREWEAR UV

Predstavlja kvalitetnu zaštitnu odeću za decu i odrasle koja štiti od štetnog UV zračenja (sprečavaju **99% UVA i UVB zraka**).

PROMOTIVNI TEKSTIL

Odeća i obuća namenjena zaštiti u svakodnevnim aktivnostima.

Odeća i obuća za slobodno vreme.

PROMOVIŠITE SVOJ BREND

Usluga SITO i DIGITALNE ŠTAMPE, VEZA I AMBLEMA po porudžbini.

LACUNA FREETIME – UV PROTECTION AND PROMOTIONAL TEXTILE

CAREWEAR UV

Stands for quality UV protective garment that protects you from harmful UV rays (prevents 99% UVA and UVB rays).


PROMOTIONAL TEXTIL

Clothing and footwear intended to protect in everyday activities.

Freetime Equipment.

PROMOTE YOUR BRAND


Service of custom SCREEN/SIEVE AND DIGITAL PRINT, EMBROIDERY and AMBLEM



LACUNA WORKTIME ASORTIMAN

INDUSTRIJSKA ZAŠTITA

- ZAŠTITA GLAVE, OČIJU, SLUHA
- HI-VIZ ODEĆA VISOKE VIDLJIVOSTI
- JEDNOKRATNI HIGIJENSKI PROIZVODI
- SPECIJALIZOVANA OPREMA ZA RAD NA VISINAMA
- OSTALA RADNA I ZAŠTITNA OPREMA



CORPORATE TIME

- GASTRO KOLEKCIJA – PROFESIONALNA RADNA ODEĆA ZA UGOSTITELJSTVO
- ZAŠTITA DISAJNIIH PUTEVA I HIGIJENA RUKU
- ZAŠTITA RUKU – RUKAVICE
- SEZONA – OUTDOOR ZAŠTITNA ODEĆA
- ZAŠTITA NOGU – CIPELE



INDUSTRIJALNA ZAŠTITA

- HEAD, EYES AND EARS PROTECTION
- HI-VIZ HIGH VISIBILITY CLOTHING
- DISPOSABLE HYGIEN PRODUCTS
- SPECIJALIZOVANA OPREMA ZA RAD NA VISINAMA
- OTHER WORKING AND PROTECTIVE EQUIPMENT



CORPORATE TIME


- GASTRO COLLECTION – PROFESSIONAL WORKWEAR FOR HORECA
- CAREWARE MEDICAL – PROFESSIONAL WORKWEAR FOR MEDICINE AND WELLNESS INDUSTRY
- SPECIALIZED FABRICS
- TENCATE® SPECIALIZED WORKING FABRICS



LACUNA FREETIME ASORTIMAN


UV ZAŠTITA, ECO/ORGANIC

- CAREWEAR
- ECO/ORGANIC TEKSTIL



SLOBODNO VРЕME


- FREETIME LETO T-SHIRT I POLO MAJICE
- CAREWEAR UV
- UV ZAŠTITNE KAPE I MAJICE
- GETOUT UV – UV ZAŠTITNE KAPE
- OSTALA OPREMA ZA SLOBODNO VРЕME
- TREKKING ŠAPOVI I CIPELE



- PROMOTIVNI TEKSTIL
- MAJICE
- KECELJE
- PEŠKIRI
- TORBE

UV PROTECTION, ECO/ORGANIC

- CAREWEAR
- ECO/ORGANIC TEXTILE



LEISURE TIME

- FREETIME SUMMER T-SHIRT I POLO SHIRTS
- CAREWEAR UV
- UV PROTECTIVE HATS AND T-SHIRTS
- GETOUT UV – UV PROTECTIVE HATS
- OTHER FREETIME EQUIPMENT
- TREKKING STICKS AND FOOTWEAR
- FREETIME WINTER SOFTSHELL HOODIES & SWEATSHIRTS BODY WARMER WINTER HATS / CAPS
- PROMOTIONAL TEXTILE
- T-SHIRTS / POLO / OTHER APRONS TOWELS BAGS

LACUNA FREETIME ASSORTMENT

SERTIFIKACIJA PROIZVODA

PRODUCT CERTIFICATION


LACUNA GRUPA - Pratimo izmene zakona i u skladu s tim prilagođavamo poslovanje.

Lacuna artikli imaju sve potrebne sertifikate i dokumente koji nasim poslovnim partnerima omogućuju nesmetanu distribuciju kompletног prodajnog assortimenta.

Lacuna proizvodi pravilno, su označeni u skladu sa vazecim pravnim propisima kojih se na njih odnose. Na taj način ispunjeni su svi tehnički uslovi koje nalaže zakon za nesmetano odvijanje poslovanja.

Stalnim pracenjem zakonskih propisa, izmena i dopuna zakona pravovremeno prilagođavamo svoje poslovanje kao i poslovanje naših poslovnih partnera.

Svi potrebeni dokumenti dostupni su nagim distributerima.



LOGISTIČKO DISTRIBUTIVNA I PROIZVODNA PODRŠKA

Svojim poslovnim partnerima osiguravamo konkurentnost! Asortimanom koji uključuje kompletnu zaštitu na radu, U skladu sa propisanim standardima i potrebama svakog pojedinca i poslodavca.

Asortiman koji pruža zaštitu kako za vreme radnog vremena tako i u svakodnevnim aktivnostima.

Povezivanje potreba tržišta i prilagođavanje assortimenta tim potrebama. Stučno osoblje odgovoriće na svaki Vaš upit.

Blagovremenost pri svakoj isporuci koja osigurava zajednički uspeh poslovanja. Isporuku svih zahteva na nivou od preko 97% ukupno zaprimljenih naloga.

Logističko distributivna i proizvodna podrška našim poslovnim partnerima osigurava sigurnost poslovanja.

Poslovnim partnerima osigurali smo smanjenje vlastitih potreba za skladišnim prostorom, a ujedno i ukupni trošak poslovanja.

Regionalni distributivni centar

Smešten u Svetom Križu Začretju, prostire se na više od 4000 m² sa više od 3500 paletnih mesta.

Svaki radni dan isporučujemo robu svojim voznim parkom i uz pomoć logističkih partnera!

LOGISTIC DISTRIBUTION AND MANUFACTURING SUPPORT

Lacuna provides competitiveness to our business partners ! Assortment that includes a complete safety at work, in accordance with prescribed standards and the needs of each individual and the employer.

Assortment that provides protection both during working hours and in daily activities.

Following market needs and adjustment of the assortment to those needs.

Professional staff will respond to your every inquiry.

Promptness at each delivery, which provides a common business success.

Delivery of all request at the level of over 97% of total orders received.

Logistics, distribution and manufacturing support to our business partners to ensure business security.

To our business partners we ensured the reduction of needs for storage space, and also the total cost of operation process.

Regional distributive center

Located at Sveti Križ Začretje, covers more than 4000 m² with more than 3500 pallets.

We deliver and supply goods every weekday with our own car fleet and with the help of logistics partners!



LACUNA SHOWROOM I RADIONICA ZA ŠIVENJE

LACUNA SHOWROOM

Worktime & Freetime prezentacijska zona za lakšu prezentaciju i rad s krajnjim korisnicima.

Prezentacijski prostor, na površini od 300m², u regionalno-distributivnom centru Sv. Križ Začretje, oslikava naš idejno prezentacijski koncept.

Moderno uređen showroom u Zagrebu i Beogradu, na površini od 350m². Lacuna kancelarije prikazuju našu viziju moderno uređenog prostora kao idejno prezentacijski koncept.

LACUNA RADIONICA ZA ŠIVENJE

Sopstveni proizvodi pogon radno zaštitne odeće omogućava nam prilagođavanje potrebama naših partnera - distributera.



LACUNA SHOWROOM & SEWING ROOM

LACUNA SHOWROOM

Worktime & Freetime presentation zone for easier presentation and work with end users.

Presentation space area of 300m², the regional distribution center located at Sv. Križ Začretje, reflects our preliminary presentation concept.

Modern showroom furnishing in Zagreb and Belgrade, on the surface of 350m². Lacuna offices reflects our vision of contemporary developed space .

LACUNA SEWING FACILITY

Own production of protective clothing allows us to adapt to the needs of our partner distributors.

SOPSTVENA PROIZVODNJA / ŠTAMPA/VEZ/AMBLEM / EMBLEM

Unutar našeg proizvodnog pogona, prilagođavamo se potrebama naših partnera - distributera. Visoki kvalitet materijala, kvalitet šivenja, poštovanje rokova isporuka i savremeni dizajn, faktori su za koje smo uvereni da umnogome pomažu našim distributerima u radu sa krajnjim korisnicima

SITO ŠTAMPA

Sopstveni pogon za sito štampu, omogućava našim distributerima da blagovremeno i konkurentno odgovore na sve potrebe krajnjih korisnika po pitanju količinskih i cenovnih zahteva. Najmodernejom automatskom „karusel“ mašinom i vrhunskom opremom, koristeći repromaterijale najpoznatijih svetskih proizvođača, obavljamo uslugu sitoštampe svih motiva po Vašoj želji.

DIGITALNA ŠTAMPA

Sopstveni pogon za digitalnu štampu, omogućava našim distributerima da blagovremeno i konkurentno odgovore na specifične potrebe krajnjih korisnika! Na sopstvenoj digitalnoj opremi vrhunskog kvaliteta, omogućujemo ispis željenih motiva na tekstilnoj podlozi po Vašoj želji. Od višebojnih korporativnih logotipa, specifičnih grafičkih motiva ili fotografija po Vašem izboru koje stručno obrađujemo u Photoshopu – sve su to mogućnosti koje nudimo. Digitalni ispis vodenim bojama visoke perivosti i postojanosti, idealan je za manje tiraže ili motive koji imaju veći spektar boja.

VEZ i amblem po porudžbini

Višegodišnje iskustvo u usluzi mašinskog veza / amblema koji obavljamo najmodernijom tehnologijom i vrhunskim repromaterijalima omogućuje izvrstan kvalitet usluge i postojanost apliciranih motiva na tekstilnom assortimanu po Vašem izboru. Stručan tim ljudi izradiće grafičku pripremu klasičan vez, 3D vez, amblem ili bilo kakvu drugu vrstu usluge po Vašoj želji.

OWN PRODUCTION / PRINT / EMBROIDERY / EMBLEM

Within our manufacturing plant, we are adapting to the needs of our partner distributors. High quality materials, quality sewing, reliable delivery and contemporary design greatly assist our distributors while working with end users.

SCREEN PRINTING

Own sieve printing operation, allows our dealers to promptly and competitively respond to the needs of end users in terms of quantity and price requirements. With automatic carousel machine and top-quality equipment, using the world's most famous manufacturers of raw materials, we provide screen printing services for all the motives of your choice.

DIGITAL PRINTING

Own digital printing operation, allows our dealers to promptly and competitively respond to the specific needs of end users. Our own digital equipment of superior quality, allows us to print the desired motif on a textile backing of your choice. From multicolored corporate logos, specific graphic motifs or pictures of your choice by professional processing in Photoshop - these are all features that we offer. Digital print with watercolors of high washability and durability, ideal for smaller print runs or motifs that have a greater range of colors.

EMBROIDERY and emblem upon the order

Own embroidery operation, allows our dealers high quality embroidery logos and promptness in delivery which ultimately affects the end user satisfaction. Years of experience in the service of mechanical embroidery/ emblem that we perform with help of the most advanced technology and excellent raw materials for excellent service quality and durability when applied to textile motifs range of your choice. Professional team will prepare prepress and classic embroidery, 3D embroidery, emblem or any other type of service according to your wishes.



POSTANITE DISTRIBUTER LACUNA GRUPE

Postanite deo LACUNA DISTRIBUTIVNOG LANCE uspešnog tima i rastite zajedno s nama. Podržaćemo Vas, edukovati, stajati iza svakog obećanja jer poverenje i korektni pristup osnova su kvalitetnog poslovnog odnosa.

KLJUČNI FAKTORI ZAJEDNIČKOG USPEHA:

- ✓ Stručno osoblje pozivnog centra odgovoriće na svaki Vaš upit
- ✓ Profesionalni prodajni predstavnici za svakodnevnu podršku
- ✓ Dostupnost proizvoda u svakom trenutku
- ✓ Asortiman koji u potpunosti odgovara potrebama kupaca
- ✓ Širina i kvaliteta asortimana Lacuna WORKTIME, CORPORATE TIME i FREETIME
- ✓ Izvanredna akcijska ponuda s najpovoljnijim cijenama na tržištu
- ✓ Najpovoljniji odnos cene i kvaliteta
- ✓ Jednostavno naručivanje uz kontrolu procesa isporuke
- ✓ Mogućnost B2B web porudžbine s prioritetom u isporuci
- ✓ On-line info i kontrola dostupnosti lagera
- ✓ Brzina isporuke do 48h maksimalno za sve lager artikle
- ✓ Besplatna dostava za sve porudžbine u minimalnoj vrednosti

Sopstveni proizvodni kapaciteti za proizvodnju radno-zaštitne odeće unutar Lacuna grupe olakšavaju Lacuna distributerima rad sa krajnjim korisnicima

PROIZVODNJA

U okviru našeg proizvodnog pogona, prilagođavamo se potrebama naših partnera - distributera. Visoki kvalitet materijala, kvalitet šivenja, poštovanje rokova isporuka i savremeni dizajn, faktori su za koje smo uvereni da umnogome pomažu našim distributerima u radu sa krajnjim korisnicima

SITO ŠTAMPA

Sopstveni pogon za sito štampu, omogućava našim distributerima da blagovremeno i konkurentno odgovore na sve potrebe krajnjih korisnika po pitanju količinskih i cenovnih zahteva.

DIGITALNA ŠTAMPA

Sopstveni pogon za digitalnu štampu, omogućava našim distributerima da blagovremeno i konkurentno odgovore na specifične potrebe krajnjih korisnika.

VEZ I AMBLEM PO PORUDŽBINI

Sopstveni pogon za vez omogućava našim distributerima visoki kvalitet natpisa u vezu i brzinu pri isporuci, što konačno utiče na zadovoljstvo krajnjeg korisnika.

LACUNA / DISTRIBUTER / KRAJNI KORISNIK 360 PROCES



BECOME LACUNA GROUP DISTRIBUTOR

Become a part of **LACUNA'S SUPPLY CHAIN** successful team and grow with us. We will support you, educate you, stand behind every promise, because trust and fair play are the basis of quality business relationship.

KEY FACTORS FOR MUTUAL SUCCES:

- ✓ Professional call center staff will respond to every inquiry
- ✓ A professional sales representatives for daily support
- ✓ Product availability at any time
- ✓ Assortment range that fully meets customers needs
- ✓ Width and quality of Lacuna WORKTIME, CORPORATE TIME & FREETIME assortment range
- ✓ Outstanding special offers with the best prices on the market
- ✓ The most favorable price-quality ratio
- ✓ Easy order and control of delivery process
- ✓ B2B web orders are always the highest priority in the delivery
- ✓ On-line product availability info and control
- ✓ Delivery up to a maximum of 48 hours for all stock products
- ✓ Free delivery for all orders in the minimum value

Own production capacities for personal protective clothing within Lacuna group to facilitate Lacuna partners working with end users

PRODUCTION

Within our manufacturing plant, we are adapting to the needs of our partner distributors. High quality materials, quality sewing, reliable delivery and contemporary design factors for which we are convinced that greatly assist our distributors while working with end users.

SCREEN PRINTING

Own screen printing operation, allows our dealers promptly and competitively respond to the needs of end users in terms of quantity and price requirements.

DIGITAL PRINTING

Own digital printing operation, allows our dealers promptly and competitively respond to the specific needs of end users.

EMBROIDERY and emblem upon the order

Own embroidery operation, allows our dealers high quality embroidery logos and promptness in delivery which ultimately affects the end user satisfaction.

LACUNA / DISTRIBUTOR / END USER 360 PROCESS



Partnerski odnos s našim distributerima, u cilju zadovoljstva i poverenje krajnjih korisnika.

Partnership with our distributors, to the satisfaction and trust of end-users.



SADRŽAJ TABLE OF CONTENT

ZAŠTITA OČIJU EYES PROTECTION	18
VARILAČKA ZAŠTITA GLAVE I OČIJU WELDING HEAD AND EYES PROTECTION	34
ZAŠTITA GLAVE I SLUHA HEAD AND HEARING PROTECTION	40
ZAŠTITA DISAJNIH PUTEVA RESPIRATORY PROTECTION	52
HIGIJENA RUKU / SREDSTVA ZA ISPIRANJE OČIJU HAND HYGIENE / EYES RINCE SOLUTIONS	70
JEDNOKRATNI HIGIJENSKI PROIZVODI DISPOSABLE HYGIENE PRODUCTS	82
ZAŠTITNE CIPELE SAFETY SHOES	94
ZAŠTITA RUKU – ZAŠTITNE RUKAVICE HAND PROTECTION – PROTECTIVE GLOVES	136
OPREMA ZA RAD NA VISINI HEIGHT SAFETY EQUIPMENT	186
RADNA ODEĆA WORKWEAR	206
KIŠNI PROGRAM RAINWARE	258
MULTINORM ODEĆA MULTINORM WEAR	262
HI VIZ ODEĆA VISOKE VIDLJIVOSTI HIGH VISIBILITY CLOTHES	282
CORPORATE WEAR CORPORATE WEAR	312
SEZONSKA ZAŠTITNA ODEĆA SEASONS OUTDOOR CLOTHES	354
OPREMA ZA SLOBODNO VРЕME EQUIPMENT FOR FREETIME PROMOTIVNI TEKSTIL PROMOTIONAL TEXTILE	396
POLICE/CERADE/OSTALA OPREMA SHELVES/TARPAULIN/OTHER EQUIENT	412
PROMOTIVNI MATERIJALI PROMO MATERIALS	418



STAY PROTECTED

Worktime

ZAŠTITA OČIJU EYES PROTECTION

ZAŠTITA PROTIV UV-A I UV-B ZRAKA

Smanjivanje zaštitnog ozonskog omotača naglašava sve veći značaj zaštite od sunca. Ljudsko oko i koža veoma su osetljivi na visoku energiju zraka sadržanih u ultraljubičastom (UV) spektru. Čak i za vreme naobljačenja, UV zaštita je izuzetno bitna jer oblaci absorbuju vidljivu svetlost, ali veoma malo UV. Oči su još više izložene prilikom planinarenja ili u okruženju u kom se UV reflektuje kroz sneg, vodu, pesak, kroz providne zidove, prozore ili ogledala (npr. voda reflektuje 5 do 10% UV zraka; pesak 20%, sneg 85%). U planinama, količina UV zračenja raste 10% na svakih 1000 metara. Iz ovih razloga naše zaštitne naočare LUX OPTICAL filtriraju 99,9% UV zraka.

SPECIFIKACIJA

Polarizovana sočiva

Polarizovani filteri pružaju veću udobnost u zonama sa visokim nivom reflektovanja svetla (zgrade sa zidovima ogledalima, voda, lagani pesak, sneg...), kao i bolju percepciju reljefa i kontrasta.

UV400

Dodatna zaštita do 400 nm protiv plavog svetla, koji prati ultraljubičaste zrake (do 380 nm) i sertifikovana je 100%-na zaštita protiv UV zraka.

IR

Infrared (infra crveni) zraci prate vidljivu crvenu svetlost, nevidljive su ljudskom oku i vode zagrevanju isijavajućih površina i tela.

EN1836 sočiva

Sočiva sunčanih naočara štite nosioca protiv opasnih efekata sunčevih zraka. Evropski standard EN1836 klasificiše sočiva u 5 kategorija, koje se razlikuju prema postotku apsorbujućeg svetla preko sočiva.

PAŽNJA: sva sočiva u kategoriji 1 i više nisu prikladna za vožnju noću. Sočiva u kategoriji 4 nisu pogodna za vožnju. Fil-trirani UV zraci skupljaju se unutar sočiva (mineralno ili organ-ski). Nezavisne su od boje senke.

KATEGORIJA CATEGORY

RAZRED CLASS

ABSORBCIJA SVETLA ABSORPTION OF LIGHT

KARAKTERISTIKE FEATURES

	0	0:20%	Komfor i dizajn Comfort and design
	1	20:57%	Niska sunčeva svetlost Low sun light
	2	57:82%	Srednja sunčeva svetlost Medium sun light
	3	82:92%	Jaka sunčeva svetlost Strong sun light
	4	92:97%	Najveća sunčeva svetlost Extreme sun light

PROTECTION AGAINST UV-A AND UV-B RAYS

The decrease of the protective effect of the ozone layer implements that protection against the sun becomes more and more important. Effectively, the eyes (and our skin) are very sensible to high energy rays which exist in the ultraviolet (UV) spectre. Even in cloudy weather, the UV protection is essential because the clouds absorb visible light, but very little UV. The eyes are even more exposed when we are in mountains or in environments where the UV are reflected by snow, water, sand, reverberation from clear walls, windows or mirrors (for example: water reflect 5 to 10% of UV rays; sand 20%; snow 85%). Furthermore, in mountains, the quantity of received UV raises 10% every 1000 metres. This is why all our safety glasses LUX OPTICAL filters out 99.9% of UV rays.

SPECIFICATION

Polarized lenses

Polarized filters provide bigger comfort in zones with high reflexion level of light (buildings with mirror walls, water, light sand, snow...) and a better perception of the relief and contrasts.

UV400

An additional protection up to 400 nm against the blue light, which follows the ultraviolet (up to 380 nm) and is certified to protect 100% against UV rays.

IR

The infrared rays follow the visible red light, but are invisible for human eyes and lead to a warming up of irradiated surfaces and bodies.

EN1836 lenses

The lenses of sun shine glasses are made to protect the wearer against the dangerous action of sunlight rays. The European standard EN1836 classifies the lenses in 5 categories which are distinguished according to the percentage of light absorbed by the lens.

Attention: all lenses from category 1 and over are unsuitable for driving at night. Lenses of category 4 are not suitable for traffic driving. The filtration of UV rays takes place inside the lens (mineral or organic). It is independent from the shade colour.

BOJA SOČIVA LENS COLOUR	BROJ CE SKALE CE SCALE NUMBER	EN NORMA EN STANDARD	% VIDLJIVE PROVIDNE %VISIBLE LIGHT TRANS- MITSANCE	EN 1636 KAT. EN 1636 CAT.	KARAKTERISTIKE FEATURES
IR3	3	EN169	8-18%	N/A	Pogodna za indirektnu izloženost okolini sa niskim do srednjim nivoima IR zračenja (npr. livenje metala, lemljenje, sečenje...) Suitable for indirect exposure in environments with low to medium levels of IR radiation i.e. metal pouring, gas soldering, cutting and brazing.
IR5	5	EN169	1.18-3.16%	N/A	Pogodna za okolinu izloženu niskim do srednjim nivoima IR zračenja (npr. livenje metala, lemljenje, sečenje...) Not appropriate neither for drivers nor traffic driving.
Provodna clear	2-1.2	EN170	90%		Osnovna karakteristika je da pruža maksimalnu vidljivost. Unutrašnje sočivo pogodno za mehaničke poslove, tamnije prostore i poslove koji se obavljaju noću. General purpose that offers maximum visibility. Indoor lens, suitable for mechanical work, or dusk, dawn and night time activities. An excellent safety lens for mechanical protection.
Žuta Amber	2-1.2	EN170	89%		Maksimalno poboljšanje kontrasta boja u slabo osvetljenim prostorijama, npr. skladištu. Zastavlja 87% plave svetlosti; osigurava svetlij pogled u ranu jutro ili kasno uveče, kod naobljačenja, magle. Preporučuje se vozačima koji voze noću, mehaničkim radnicima.
I/O ogledala I/O mirror	5-1.7	EN172 UV400	53%		Maximum enhancement of contrast in low light environments i.e warehouse. Blocks out 87% blue light with unparalleled level of detail definition and color recognition. Provides brighter view in early morning or late evening, and in cloudy, foggy, or hazy days. Recommended for night shift workers, surface inspection, mechanical work.
Smeda Brown	5-2.5	EN172	23%		Provodna UV400 sočiva sa laganim zlatnim premažom za upotrebu u zatvorenim kao i otvorenim prostorima. 100% zaštita protiv štetnih UV-A i UV-B zraka. Daje stvarnu percepciju boja. Najčešće korišćena za osobe koje se kreću između zatvorenih i otvorenih prostora; npr. vozači viljuška, dostavljači...
Srebrno ogledalo Silver mirror	5-2.5	EN172	20%		Clear UV400 lens with light gold coating for indoor and outdoor use. 100% protection from harmful UV-A and UV-B rays. Presents true colour perception. Commonly used where it is required to move between indoor and outdoor applications, i.e. fork lift truck or delivery men/women
Plava ogledala Blue mirror	5-2.5	EN172	20%		Poboljšava percepciju prilikom promene svetla i senke, posebno u šumskom okruženju. Malu transmisiju svetla poboljšava oštrinu vida i percepkciju boja.
Tamna Smoke	5-2.5	EN172	17%		Enhances perception in changing light and shadow, especially for forest environments. A low light transmission color that heightens visual acuity and improves color perception and compliments all light conditions.
Zelena Green	3-3	EN170 UV400	16%		Redukuje sunčev odsjaj i intenzivno sunčevu svetlost. Tamna sočiva bez degradacije boja. Često korišćene za aktivnosti na otvorenim i izuzetnim sunčanim uslovima, pogotovo za radnike na otvorenom.
Crveno ogledalo Fire red mirror	1	EN172	14%		Reduces sunglare and intense sunlight. Dark lens without colour degradation. Popularly used for outdoor applications in full sun condition, especially for outdoor workers.
Tamna Dark smoke	5-4.1	EN172	6%		Redukuje sunčev odsjaj i intenzivno sunčevu svetlost. Tamna sočiva bez degradacije boja. Često korišćene za aktivnosti na otvorenim i izuzetnim sunčanim uslovima. Idealne za aktivnosti na vodi, poput ribolova kao i za razne druge vodene aktivnosti, vožnju i letenje.
Polarizovana tamna Polarized dark smoke	5-4.1	EN172	6%		Štiti oči od jakog sunčevog odsjaja i visokih nivoa opasnih vidljivih svetlosti i ultra ljubičastih zračenja bez distorzije (iskriviljenja) percepcije boja. Idealne na otvorenom, posebno za sunčane dane i jaku sunčevu svetlost, ali ne poboljšava vid. Opšta svrha je kao zaštitna sočiva.



LACUNA

WORKTIME

OZNAKE NA OKVIRIMA

FRAME MARKING

Oznake na okvirima označavaju:

- Identifikacija proizvođača
- Broj norme
- Simbol za otpornost na udar (videti * niže)
- Simbol CE
- * - F označava da ovaj predmet štiti od udaraca srednje jačine koji potiču od čestica koje putuju velikom brzinom
- * - S označava da okvir ima pojačanu opštu čvrstinu

OZNAKA STAKALA

Oznake na staklima:

- Broj stepena zaštite stakala
- Oznaka dobavljača
- Optička klasifikacija
- Otpor na udar
- Simbol CE

1 označava optičko svojstvo klase 1

F označava da taj predmet štiti od udaraca srednje snage koji potiču od čestica koje putuju velikom brzinom

• označava da okvir ima pojačanu opštu čvrstinu

• Obojena stakla sa oznakom boje broj 2-1.2 filtriraju 99% UV zraka do 80 mm ali ne štite od direktnog sunčevog svetla.

• Osenčena stakla sa oznakom boje broj 5-2.5 nude odgovarajuću zaštitu od direktnog sunčevog svetla

• Zelena stakla sa oznakom 5 štite od infracrvenih zraka (IR) za vreme zavarivačkih i lemljačkih radova, sve do maksimalnog volumena plina od 200 litara/sat...

The marking on the frame shows:

- Identification of the manufacturer.
- Number of the standard.
- Symbol for impact resistance (see * below)
- CE symbol
- * -F indicates this eye protector provides protection against low energy impact from high speed particles.
- * -S indicates the frame is classified as having General Increased Robustness.

LENS MARKING

The marking on the lens shows:

- Lens scale number.
- Identification of the distributor.
- Optical class.
- Impact resistance.
- CE symbol.

1 indicates class 1 optical quality

(1= for permanent usage and precise work)

F indicates that the eye protector provides protection against low energy impact from high speed particles at room temperature only

S indicates the lens is classified as having general Increased robustness.

- Clear lens marked with shade number 2-1.2 filters out 99% of harmful UV radiation to 380 nm but do not protect against sunglare.
- Smoke lens marked with shade number 5-2.5 offers adequate protection against sunglare.
- Green lens marked 5 offers protection against Infra Red Radiation (IR) during welding and braze welding operations to a maximum gas flow rate of 200 liters/hour.

OTPORNOST NA UDARCE / IMPACT RESISTANCE

POKRIVENI RIZICI / COVERED RISKS

Jaki udarci / High energy impact

Srednje jaki udarci / Medium energy impact

Slabi udarci / Low energy impact

Pojačana čvrstoća / Increased robustness

Maksimalna brzina / Maximum velocity (m/s)

	Simbol / Symbol
190	A
120	B
45	F
12	S

SPECIFIKACIJA MOGUĆIH OPCIJA / SPECIFICATION OF POSSIBLE OPTIONS

RIZICI / COVERED RISKS

Otpornost na ogrebotine / Hard Coated lens

Otpornost na paru /isparavanje / Anti-fog coated lens

Otpornost na udarce pri visokoj temperaturi / Temperatures between -5° (± 2°) & 55° (± 2°)

Otpornost na tečnosti / Protection against liquids

Otpornost na prašinu / Protection against big dusts

OPTIČKA SVOJSTVA STAKALA (OPTIČKA KLASA) / OPTICAL FORCE TOLERANCE

TOLERANCIJE OPTIČKE SNAGE / OPTICAL FORCE TOLERANCE

± 0.06 (za stalno nošenje / permanent wearing)

± 0.12 (povremeno nošenje / occasional wearing)

± 0.25 (nošenje u izuzetnim prilikama / exceptionel wearing)

Simbol / Symbol

K
N
T
3
4

Simbol / Symbol

1
2
3

NORME ZA NAOČALE

SVI NAŠI MODELI SU ISPITANI EN 166: 2001-169-170-172

ODRŽAVANJE VAŠIH ŠTITNIKA ZA OČI

Ovi štitnici za oči treba da se drže izvan direktnog sunčevog svetla i izvan dodira sa abrazivnim sredstvima. Stakla se čiste mekom krpm i blagom sapunicom, a mogu se dezinfikovati uobičajenim sredstvom koje se koristi u domaćinstvu.

VAŽNO UPOZORENJE

- Proverite da li je oznaka zamenskih stakala ista kao i na okvirima, pre nego što ih stavite
 - Materijal korišćen za ovu zaštitu može kod nekih osjetljivih osoba izazvati alergijsku reakciju
 - Ako dođe do alergijske reakcije, odmah se posavetujte s lekarom
 - Stakla koja imaju ogrebotine ili male mrlje moraju se odmah zameniti. Ovaj zaštitni predmet se nosi u originalnoj vrećici.
 - Ovaj model overio je: INSPEC Certification Limited, The-BucklandWharf, Aylesbury, Buckinghamshire, HP22 5LQ, Engleska
 - Naši modeli su pregledani i ispitani od strane ovlašćenog tela.
- Sertifikati i ovore
- ISO 9002
 - AUSTRALIEN STANDARDS
 - CE

EN 166

Specifikacija Specification (optical quality, resistance to usual risks, mechanical risks, resistance to impact)

EN 169

Filteri za zavarivanje Welding filters

EN 170

Filteri za ultraljubičaste zrake Ultraviolet filters

EN 172

Filteri koji štite od sunca, za industrijsku upotrebu Sunglare filters for industrial use

EN 175

Oprema za zavarivačke radove Welding equipments

EN 379

Filteri za zavarivanje, varijabilan stepen zaštite ili dvostruki stepen zaštite Welding filters with variable shade or dual shade

EN 1731

Mrežasta zaštita lica Mesh faceshield

EN 1836

Filteri za zaštitu od sunca, za slobodno vreme i sport Sunglare filters for leisure and sport



INDUSTRIJA PRIMJENE INDUSTRY APPLICATION



Poljoprivreda / vrtlarstvo
Agriculture / gardening



Laka industrija
Light industry



Građevina
Construction industry



Pomoći poslovi / zanati
Auxiliary operations / crafts



Usluge / logistika
Services / logistics



Teška industrija
Heavy industry



RETAIL
MALOPRODAJA
Artikl je prilagođen maloprodaji
The item is customized to retail



TOP
QUALITY
Visokokvalitetni proizvodi nastali kao rezultat razvoja, inovacije i dugogodišnjeg iskustva.
High-quality products resulting from development, innovation and years of experience.



NOVO
NEW
Oznaka za nove artikle u katalogu
New items in the catalog



EUROPE
Artikl proizveden u Evropi
The item produced in Europe

EYE PROTECTOR STANDARDS

ALL OUR MODELS HAVE BEEN TESTED TO EN166: 2001-169-170-172

MAINTENANCE OF YOUR EYEPROTECTOR

The eyeprotector should be stored away from direct sunlight and abrasive chemicals. The lens should be cleaned with a soft cloth in warm soapy water. The eyeprotector can be disinfected with any common household disinfectant.

IMPORTANT

- Ensure that replacement lens' marking is the same as the frame before fitting to the eye protector.
- The materials used in the eyeprotector may cause an allergic reaction to the skin of susceptible wearers
- If any reaction is observed, doctor's advise should be sought immediately
- Scratched or pitted lens should be replaced immediately.
- Under normal usage and correct storage the product should offer sufficient protection for two years. The eyeprotector should be transported in the bag that it was originally supplied in.
- Our models are certified by notified bodies.

Certificates

- ISO 9002
- Australian Standards
- CE
- CSA: Conform to CSA standards



LACUNA

WORKTIME

LUX OPTICAL	FREELUX	62136	62148	LUX OPTICAL	STYLUX	60510	60513	
SPORT I DIZAJN Ram: Najlon, neklizajuće ležište za nos Strane: Najlon sa mekanim PVC završetkom Okular: Polikarbonat Debljina: 2,3 mm Težina: 25g Zaštita: Bočna Originalno pakovanje: 1/120	SPORT AND DESIGN Frame: Nylon, Anti-slide nose Temple: Nylon with soft PVC end Lens: Polycarbonate Thickness: 2,3 mm Weight: 25g Protection: Side protection Original packaging: 1/120	(3) ★ ⚡ A	(4) ★ ⚡ A ⚡	DIZAJN I UDODNOST Ram: Najlon, neklizajuće ležište za nos Strane: Najlon, regulacija dužine Okular: Polikarbonat, otporan na ogrebotine Debljina: 2,2 mm Zaštita: Bočna Težina: 29g Originalno pakovanje: 1/120	DESIGN AND COMFORTABLE Frame: Nylon, anti-skid nose-pad Temple: Nylon, angle and length adjust Lens: Polycarbonate, Thickness: 2,2 mm Weight: 29 g Protection: Wraparound with side protection Original packaging: 1/120	OJAČANO HARD COATED RETAIL MALOPRODAJA	OJAČANO HARD COATED	
LUX OPTICAL	THUNDERLUX	62580	62583	LUX OPTICAL	STYLUX	60516	ARDON	
THUNDERLUX Ram: polikarbonat Strane: Polikarbonat; Sočiva: Polikarbonat debljine 2,2 mm; Zaštita: lateralna, podesiv uložak za nos, Težina: 25g; Originalno pakovanje: 10/120 kom	THUNDERLUX Frame: polycarbonate Temple: polycarbonate Lenses: polycarbonate thickness of 2.2 mm Protection: lateral, adjustable cartridge nose Weight: 25g Original packaging: 10/120	(3) ★ ⚡ A	(3) ★ ⚡ A	DIZAJN I UDODNOST Ram: Najlon, neklizajuće ležište za nos Strane: Najlon, regulacija dužine Okular: Polikarbonat, otporan na ogrebotine Debljina: 2,2 mm Zaštita: Bočna Težina: 29g Originalno pakovanje: 10/120	DESIGN AND COMFORTABLE Frame: Nylon, anti-skid nose-pad Temple: Nylon, angle and length adjust Lens: Polycarbonate, Thickness: 2,2 mm Weight: 29 g Protection: Wraparound with side protection Original packaging: 10/120	OJAČANO HARD COATED	ZAŠTITNE NAOĆARE V7000 Opis: Providna sočiva Oznaka rama: 2-1.2 1 FT O Standard: EN 170 Originalno pakovanje: 10/250	PROTECTIVE GLASSES V7000 Description: Clear lens Lens markings: 2-1.2 1 FT O Norm: EN 170 Original packaging: 10/250
LUX OPTICAL	STREAMILUX	62593	ASTRILUX	60520	LUX OPTICAL	PSI	6PSIO	
SPORT I DIZAJN Ram: crni polikarbonat i crveni TPR (termoplastična guma), podešavajući; Sočiva: polikarbonat 2,1 mm, sivi; Optika: protiv magljenja; Težina: 28g; Zaštita: mehanički rizici, sunčeva svetlost; Standard: EN 166, EN 172; Originalno pakovanje: 1/120	SPORT AND DESIGN Frame: black polycarbonate and red TPR (thermoplastic rubber), adjustable; Lens material: polycarbonate 2,1 mm, smoke; Optics: anti-fog; Protection: mechanical risks, sunlight; Standard: EN 166, EN 172; Weight: 28 g; Original packing: 1/120	PROTIV ZAMAGLJIVANJA ANTI FOG NOVO NEW RETAIL MALOPRODAJA	DIZAJN I UDODNOST Ram: Polikarbonat Strane: Najlon, regulacija dužine Okular: Polikarbonat Debljina: 2,2 mm Težina: 28g Zaštita: Bočna Originalno pakovanje: 10/120	DESIGN AND COMFORTABLE Temple: Nylon, length position adjust Okular: Polycarbonate, Thickness: 2,2 mm Weight: 28 g Protection: Wraparound with side protection Original packaging: 10/120	RETAIL MALOPRODAJA PROTIV ZAMAGLJIVANJA ANTI FOG			

FREELUX / THUNDERLUX / STREAMILUX / ASTRILUX**CE EN 166**

Boja rama Frame colour	Sivo /Crna State /Black	Mat Crna Matt Black/Blacl	Providna Clear	Mat srebrna / Crvena Matt silver / Red	Siva Smoke	Plava Blue
Kod Ref	62136	62148	62580	62583	62593	60520
Oznaka rama Frame markings	F - CAT. 3	F - CAT. 4	F-CAT 0	F - CAT. 3	F-CAT. 3	FT
Boja sočiva Lens colour	Tamna Smoked & Hard Coated	Tamna i ojačana Dark smoked and hard coated	Providna i ojačana Clear /Hard coated	Crvena Red mirror	Siva, ojačana Smoked, hard coated	Providne, protiv zamagljivanja Clear, anti-fog
Oznaka sočiva Lens markings	5-3.11FK	5-4.11FK	2-1.2 1FK	5-3.11FK	5-3.11FK	2-1.2 1FTK
Evropski standard sočiva Lens standard	EN12312 EN172	EN12312 EN172	EN170	EN172	EN172	EN170

STYLUX / PSI / V7000**CE EN 166**

Boja rama Frame colour	Plava Blue	Crna Dark	Plava Blue	Providna Clear	Crna Black	Crna Black
Kod Ref	60510	60513	60516	E4006	6PSIO	6PSI3
Oznaka rama Frame markings	FT	FT	FT	FT	SFT	SFT
Boja sočiva Lens colour	Providne Clear, hard coated	Tamne Smoke, hard coated	Žute Yellow, hard coated	Providne Clear	Providne Clear	Tamna Smoke
Oznaka sočiva Lens markings	2-1.2 1FTK	5-3.11 FTK	2-1.2 1FTK	2-1.2 1FT 0	2-1.2 1SFTK	5-3.11 SFTK
Evropski standard sočiva Lens standard	EN170	EN 172	EN170	EN170	EN170	EN172





PHI / TAU / THETA						CE EN 166					
Boja rama Frame colour			Providna Clear	Siva Grey	Crna Black	Crna Black					
Kod Ref	6PHIO	6PHI3	6TAU0	6TAU3	6THEO	6THE3					
Oznaka rama Frame markings	SFT	SFT	SFT	SFT	SFT	SFT					
Boja sočiva Lens colour	Providna Clear	Tamna, Smoke	Providna Clear	Tamna Smoke	Providna Clear	Tamna, Smoke					
Oznaka sočiva Lens markings	2-1.2 1 SFTK	5-3.11 SFTK	2-1.2 1 SFTKN	5-3.11 SFTKN	3-1.2 1 SFTKN	5-3.11 SFTKN					
Evropski standard sočiva Lens standard	EN170	EN172	EN170	EN172	EN170	EN172					



RHO / MIRALUX / SOFTILUX						CE EN 166					
Boja rama Frame colour			Plava Blue	Crna Black	Crna Black	Providna Clear					
Kod Ref	6RH0	6RH03	60530	60533	60560	60563					
Oznaka rama Frame markings	SFT	SFT	F	F	FT	FT					
Boja sočiva Lens colour	Providna Clear	Tamna Smoke	Providna Clear, hard coated	Tamne Smoke, hard coated	Providna Clear, hard coated	Tamna Smoke, hard coated					
Oznaka sočiva Lens markings	2-1.2 1 SFTK	5-3.11 SFTK	2-1.2 1 FTK	5-3.11 FTK	2-1.2 1 FTK	5-3.11 FTK					
Evropski standard sočiva Lens standard	EN170	EN172	EN 170	EN172	EN170	EN172					



LIGHTLUX / V8000 / SABLUX							CE EN 166						
Boja rama Frame colour	Providna Clear	Crna Black	Crna Black	Bezbojna Clear	Bezbojna Clear	Plava Blue	Boja rama Frame colour	Providna Clear	Crna Dark	Žuta Yellow	Crna Dark	Crna Dark	Crna Dark
Kod Ref	62630	62633	E4004	E4009	60350	60353	Kod Ref	6SIG0	6SIG3	60550	60556	60553	60554
Oznaka rama Frame markings	F	F	FT	FT	FT	FT	Oznaka rama Frame markings	SFT	SFT	FT	FT	FT	F - CAT. 4
Boja sočiva Lens colour	Providna Clear	Tamna, Smoke	Bezbojna, protiv zamagljivanja Clear, anti-fog	Providna Colourless and anti-fog	Providna Clear, hard coated	Tamna Smoke, hard coated	Boja sočiva Lens colour	Providna Clear	Tamna Smoke	Providna Clear, anti-fog	Žuta, protiv zamagljivanja Yellow, anti-fog	Tamna, protiv zamagljivanja Smoke, anti-fog	Tamna, protiv zamagljivanja, dark smoke, anti-fog
Oznaka sočiva Lens markings	2-1.2 1FK	5-31 1FK	2-1.2 1 FT 0	2-1.2 1 FT 0	2-1.2 1FTK	5-3.1 1FTK	Oznaka sočiva Lens markings	2-1.2 1 SFTKN	5-3.1 1 SFTKN	2-1.2 1FTN	2-1.2 1FTN	5-3.1 1FTN	5-4.1 1FTN
Evropski standard sočiva Lens standard	EN 170	EN172	EN170	EN170	EN170	EN172	Evropski standard sočiva Lens standard	EN170	EN172	EN170	EN170	EN172	EN 12312 EN172



Boja rama Frame colour	Providna Clear	Crna Dark	Žuta Yellow	Crna Dark	Crna Dark	Crna Dark
Kod Ref	6SIG0	6SIG3	60550	60556	60553	60554
Oznaka rama Frame markings	SFT	SFT	FT	FT	FT	F - CAT. 4
Boja sočiva Lens colour	Providna Clear	Tamna Smoke	Providna Clear, anti-fog	Žuta, protiv zamagljivanja Yellow, anti-fog	Tamna, protiv zamagljivanja Smoke, anti-fog	Tamna, protiv zamagljivanja, dark smoke, anti-fog
Oznaka sočiva Lens markings	2-1.2 1 SFTKN	5-3.1 1 SFTKN	2-1.2 1FTN	2-1.2 1FTN	5-3.1 1FTN	5-4.1 1FTN
Evropski standard sočiva Lens standard	EN170	EN172	EN170	EN170	EN172	EN 12312 EN172



LACUNA

WORKTIME

LUX OPTICAL	GAMMA	6GAM0	6GAM3	ARDON	V10-000	E4001	ARDON	V2011	E4020							
Strane: Najlon, podesiva dužina i kut Sočiva: Polikarbonat Debljina sočiva: 2,5 mm Težina: 38g Originalno pakovanje: 10/120	Temple: Nylon, adjustable length and angle Lens: Polycarbonate, Lens thickness: 2,5 mm Weight : 38 g Original packaging: 10/120			PROVIDNE, PODESIVE STRANE U 4 POZICIJE Oznaka rama: FT Oznaka sočiva: 2-1.2.1 FT O Okular: polikarbonat Standard: EN 170 Pakovanje: 10/250 PROTECTIVE GLASSES V10-000 Description: Clear, adjustable angle and lenght Frame markings: FT Lens marking: 2-1.2.1 FT O Lens: polycarbonate Norm: EN 170 Packing: 10/250			NAOČARE ZAŠTITNE V2011 Opis: Prozirne leće Oznaka rama: FT Oznaka sočiva: 2-1.2.1 FT O Karakteristike: Podesiva dužina Standard: EN 170 Pakovanje: 10/250 PROTECTIVE GLASSES V2011 Description: Clear lens Frame makrings: FT Lens markings: 2-1.2.1 FT O Features: Adjustable angle and lenght Norm: EN 170 Packing: 10/250									
LUX OPTICAL	PIVOLUX	60326	60325	ARDON	V1011E	E4012	LUX OPTICAL	VRILUX	60332							
ERGONOMIČNE Ram: Najlon Strane: Najlon, podesiva dužina Okular: Polikarbonat Debljina: 2,4 mm Težina: 38g Zaštita: Bočna Originalno pakovanje: 1/120	ERGONOMIC Frame: Nylon Temple: Nylon, length adjust Lens: Polycarbonate, Thickness: 2,4 mm Weight: 38g Protection: Wraparound with angle side protection Original packaging: 1/120			NAOČARE ZAŠTITNE ZA POSETIOCE V1011E Opis: Prozirne leće naločale za posjetitelje Oznaka rama: FT Oznaka sočiva: 2-1.2.1 FT O Standard: EN 170 Originalno pakovanje: 10/250 PROTECTIVE GLASSES FOR VISITORS V1011E Description: Clear lens, visitor glasses Frame markings: FT Lens markings: 2-1.2.1 FT O Norm: EN 170 Original packaging: 10/250			PRILAGODLJIVE Ram: Najlon Strane: Najlon, okretljiva s podesivom dužinom Okular: Polikarbonat, otporan na ogrebotine Debljina: 2,4 mm Težina: 39g Zaštita: Bočna Originalno pakovanje: 10/120	DESIGN, PERFECTLY ADJUSTABLE Frame: Nylon Temple: Nylon, angle and length adjust Lens: Polycarbonate, Thickness: 2,4 mm Weight: 39g Protection: Wraparound with angle side protection Original packaging: 10/120								
LUX OPTICAL	ECOLUX	60360	60363	LUX OPTICAL	VISILUX	60401	VISILUIX T	60403								
ERGONOMIČNE Ram: Najlon Strane: Najlon, podesiva dužina Okular: Polikarbonat Debljina: 2,4 mm Težina: 34g Zaštita: Bočna Originalno pakovanje: 1/120	ERGONOMIC Frame: Nylon Temple: Nylon, length adjust Lens: Polycarbonate, Thickness: 2,4 mm Weight: 34g Protection: Wraparound with angle side protection Original packaging: 1/120			OMOGUĆUJU NOŠENJE KOREKTIVNIH NAOČARA ISPOD Ram: Polikarbonat Strane: Polikarbonat Okular: Bezbojan polikarbonat Debljina: 2,2 mm Zaštita: Bočna Težina: 45g Originalno pakovanje: 1/120 OVER-SPECTACLE OR VISITOR SPECTACLES. ALLOWS TO WEAR CORRECTIVE GLASSES Allows to wear corrective glasses Frame: Polycarbonate Temple: Polycarbonate Lens: Polycarbonate, Thickness: 2,2 mm Weight: 45g Protection: Wraparound with angle side protection Original packaging: 1/120			OMOGUĆUJU NOŠENJE KOREKTIVNIH NAOČARA ISPOD Ram: polikarbonat; Sočiva: polikarbonatne; Strane: polikarbonat; Okular: bezbojan, polikarbonat; Debljina: 2,2 mm; Težina: 45 g; Zaštita: bočna; Boja sočiva: tamna; Originalno pakovanje: 1/120 OVER-SPECTABLE OR VISITOR SPECTACLES. ALLOWS TO WEAR CORRECTIVE GLASSES Allows to wear corrective glasses Frame: polycarbonate; Lens: polycarbonate; Temples: polycarbonate; Screen: colourless, polycarbonate; Thickness: 2,2 mm; Weight: 45 g; Protection: side; Colour lens: colourless; Original packaging: 1/120									
GAMMA / PIVOLUX / ECOLUX				CE EN 166				CE EN 166								
Boja rama Frame colour	Crna Black	Crna Black	Plava Blue	Plava Blue	Plava Blue	Crna Black	Boja rama Frame colour	Crna Bright black/ Black	Crna Black	Boja rama Frame colour	Crna Black	Providna Clear	Crna Black	Providna Clear	Crna Black	
Kod Ref	6GAM0	6GAM3	60326	60325	60360	60363	Kod Ref	E4001	E4020	Oznaka rama Frame markings	FT	FT	FT	F	FT	FT
Oznaka rama Frame markings	SFT	SFT	FT	FT	F	F	Oznaka rama Frame markings	FT	FT	Boja sočiva Lens colour	Providna Clear, anti-fog	Providna Clear, anti-fog	Providna, ojačana Clear, hard coated	Providna, protiv zamagljivanja Clear, anti-fog	Providna Clear	Tamna, ojačano Smoke, hard coated
Oznaka sočiva Lens markings	2-1.2.1 SFTK	5-3.11 SFTK	5-3.11 FTK	2-1.2.1 FTK	2-1.2 F	5-3.11F	Boja sočiva Lens colour	Providna Clear, anti-fog	Providna Clear, anti-fog	Oznaka sočiva Lens markings	2-1.2.1 FT O	2-1.2.1 FT O	2-1.2.1 FT O	2-1.2.1 FN	2-1.2.1 FT	5-3.11FTK
Evropski standard sočiva Lens standard	EN170	EN172	EN172	EN170	EN170	EN172	Evropski standard sočiva Lens standard	EN170	EN170	Evropski standard sočiva Lens standard	EN170	EN170	EN170	EN170	EN170	EN172

LUX OPTICAL	CHIMILUX	60599	60600
VRLO UDOLNE Ram: Meki PVC Provetravanje: 4 prozračna otvora protiv ulaska prašine i hemikalija Držanje: Gumena podesiva traka Okular: Bezbojni polikarbonat Težina: 80g Originalno pakovanje: 1/200	VERY COMFORTABLE Frame: Soft PVC Ventilation: 4 ventilations against entry of dust and chemical splashes Headband: Adjustable tightening elastic Lens: Clear polycarbonate Weight: 80g Original packaging: 1/200	<p>PODESIVO ADJUSTABLE PROTIV ZAMAGLJIVANJA ANTI FOG PODESIVO ADJUSTABLE RETAIL MALOPRODAJA</p>	<p>PROTIV ZAMAGLJIVANJA ANTI FOG PODESIVO ADJUSTABLE RETAIL MALOPRODAJA</p>

LUX OPTICAL	MONOLUX	60590	ARDON	G3011	E4018
STANDARDNE, S PROVETRAVANJEM Ram: Meki PVC Strane: Kroz bočne rupice Držanje: Gumena podesiva traka Okular: Bezbojni acetat Težina: 60g Originalno pakovanje: 1/100	ERGONOMIC Frame: Nylon Temple: Nylon, length adjust Lens: Polycarbonate, Thickness: 2,2 mm Weight: 60g Protection: Wraparound with angle side protection Original packaging: 1/120	<p>PODESIVO ADJUSTABLE RETAIL MALOPRODAJA</p>	NAOČARE ZAŠITNE G3011 Opis: Standardne sa provetrvanjem, providna sočiva Oznaka rama: 1 BT 9 O Karakteristike: Krilna kroz bočne rupice Standard: EN 170 Originalno pakovanje: 10/120	PROTECTIVE GLASSES G3011 Description: Standard google with Air ventilation, Clear lens Lens markings: 1BT 9 O Features: By side holes Norm: EN 170 Original packaging: 10/120	<p>PODESIVO ADJUSTABLE UV</p>

LUX OPTICAL	HUBLUX	60660	STORMLUX	60650
PANORAMSKE, PROTIV ZAMAGLJIVANJA Omogućavaju nošenje korektivnih naočara Ram: Meki PVC Ventilacija: 4 indirektna ventila Držanje: Gumena podesiva traka Okular: Bezbojni polikarbonat Težina: 141g Originalno pakovanje: 10/50	PAN ORAMIC, ANTI-FOG Allows the wearing of corrective glasses below Frame: Soft PVC Ventilation: 4 ventilations against entry of dust and chemical splashes Headband: Adjustable tightening elastic Lens: Clear polycarbonate Weight: 141g Original packaging: 10/50	<p>PROTIV ZAMAGLJIVANJA ANTI FOG PODESIVO ADJUSTABLE TOP QUALITY</p>	ZAŠITNE NAOČARE S VIZIROM, PROTIV ZAMAGLJIVANJA Mogućnost nošenja respiratora i korektivnih naočara, zaštita protiv prskanja Ram: polikarbonat i acetat Ventilacija: 3 indirektna ventila Držanje: gumena podesiva traka Težina: 172 g Standard: EN160, EN170 Pakovanje: 1/36	<p>SAFETY GLASSES WITH VISOR, ANTI-FOGABILITY TO WEAR RESPIRATORS AND CORRECTION GLASSES Anti-sprayingframe: polycarbonate and acetateventilation 3 indirect valvesholding: rubber adjustable tapeweight 172 g Norm: en160, en170 Packing: 1/36 </p>

CHIMILUX / MONOLUX / HUBLUX / STORMLUX							CE EN 166
Boja rama Frame colour	Zelena Green	Zelena Green	Providna Clear	Providna Clear	Providna Clear	Crna Black	
Kod Ref	60599	60600	60590	E4018	60660	60650	
Oznaka rama Frame markings	3B	3B	BT	BT	3.4 BT	BT 34	
Boja sočiva Lens colour	Providna Clear	Providna, protiv zamaglivanja Clear, anti-fog	Providna Clear	Providna Clear	Providna, protiv zamaglivanja Clear, anti-fog	Providna Clear	
Oznaka sočiva Lens markings	1B	1B	2.1.2 1BT	1 BT 9 O	2-1.2 2 BN	2-1.2/ 1BT N	
Evropski standard sočiva Lens standard	EN 166	EN 166	EN170	EN170	EN170	EN166 EN170	





STAY PROTECTED

Worktime

VARILAČKA ZAŠTITA GLAVE I OČIJU WELDING HEAD AND EYES PROTECTION





LACUNA

WORKTIME

LUX OPTICAL

SALAMANDER

SALAMANDER MASKA
Solarna čelija
Zatamnjivanje: od 9 do 13
Blago zatamnjene: 3,4
Dimenzija prozora za gledanje: 97x47 mm
Brzina izmjene: 1/25000 S
Broj zatvarača: 2
Nisko amperni TIG rang 5
Kaciga od poliamida/najlona
Spoljna kontrola zatamnjivanja
Podesiva kaciga
Opcija: grind mod
Težina: 440 g
Originalno pakovanje: 1/10

SALAMANDER MASK
Solar cell
Variable shades from 9 to 13
Slight shade: 3,5
Size of the view window : 97x47mm
Changing time 1/25 000S
2 captors
Low amperage TIG rated 5A
Helmet in polyamide/nylon
External shade control
Adjustable helmet
Option: Grind mode
Weight: 440g



66800



Maska / Helmet Čelija / Cell
CE EN 175 CE EN 379

LACUNA WORKTIME

MASKA RUČNA

VARILAČKA MASKA – RUČNA
Maska: izrađena od tvrdog PVC-a sa unutrašnjim držačem
Ekran: termoplastika
Dimenzijske stakla: 90x110 mm,
Težina: 300g
Originalno pakovanje: 1/50

INNER HANDLE
WELDING MASK
Held with hand inside
Screen: Thermoplastic
Glass: 105x50 mm, interchangeable - 66200
90x110 mm, interchangeable - 10030.2
Weight: 300g
Original packaging: 50



501

CE EN 166
EN 175

LACUNA WORKTIME

MASKA ZA GLAVU

VARILAČKA MASKA – ZA GLAVU
Maska za glavu: izrađena od tvrdog PVC-a, izrađena od termoplastike sa staklenim vlaknima, podesiva
Držanje: isporučuje se s priteznim zupčastim podesivim remenom
Dimenzijske stakla: 110x90 mm
Težina: 360g
Originalno pakovanje: 1/20

WELDING HEADSET MASK WITH FIXED GLASS
Hood: Thermoplastic melted with glassfibres, liftable, sold with headguard
Maintain: Adjustable by rack
Glass: fix, 105x90 mm, interchangeable – 66500
Fix, 110x90 mm, interchangeable – 10630.2
Weight: 360g
Original packaging: 1/150



S800

CE EN 166
EN 175

LACUNA WORKTIME

STAKLA

STAKLA ZA VARILAČKU MASKU
PROVIDNA I TAMNA

WELDING MINERAL GLASS SCREENS
CLEAR AND DARK



CE EN 169

DIN	/PROVIDNA	/DIN9	/DIN10	/DIN 11	/DIN12	/DIN 13
Dimenzija 110*90	11156	11178.9	11178.10	11178.11	11178.12	11178.13
Standard	CE EN 166	CE EN 169				

LUX OPTICAL

LUXAVIS

STAKLA ZAMJENJAVA
Okular: polikarbonat (carborock) bezbojan, ispušten
Zaštita: Bočna
Težina: 40g
Originalno pakiranje: 20/200
ZAMJENSKI BEZBOJNI OKULAR ZA LUXAVIS
Originalno pakovanje: 20/200



INTERCHANGABLE LENSES BY SCREW
Lens: Polycarbonate (Carborock), rounded
Protection: Side protection
Weight: 40g
Original packaging: 20/200
CLEAR SPARE LENSES FOR LUXAVIS
Original packaging: 20/200



60840

CE EN 170

LUX OPTICAL

LUXAVIS 5

STAKLA ZAMJENIVA
Okular: Neaktinski, taman, ispušten, zatamnenost 5
Zaštita: Bočna
Težina: 80g
Originalno pakovanje: 20/200
ZAMJENSKI BEZBOJNI OKULAR ZA LUXAVIS 5
Originalno pakovanje: 20/200



INTERCHANGABLE LENSES BY SCREW
Lens: Inactinic, rounded
Weight: 80g
Original packaging: 20/200
CLEAR SPARE LENSES FOR LUXAVIS 5
Original packaging: 20/200



60845

CE EN 169



SODLUX / LUXAVIS / LUXAVIS 5

CE EN 166

Boja rama Frame colour	Crna Black	Crna Black
Kod Ref	60840	60845
Oznaka rama Frame markings	S	S
Boja sočiva Lens colour	Providna, ojačano Clear, reinforced solidity	IR5, ojačano IR5, reinforced solidity
Oznaka sočiva Lens markings	1S	5 2
Evropski standard sočiva Lens standard	EN170	EN 169

LUX OPTICAL

DOULUX A

60800

VARILAČKE
Ram: ABS
Provetravanje: Bočno
Držanje: Gumena podesiva traka
Okular:
 Ø50, Protan 5
Težina: 80g
Originalno pakovanje:
 25/200

WELDING
Frame: ABS
Ventilation: Sides
Lens: Ø50, Protan 5
Headband:
 Adjustable elastic
Weight: 80g
Original packaging:
 25/200



CE EN 169

LUX OPTICAL

DOULUX P

60801

PLASTIČNI RAM
Ram: Plastični
Provetravanje: Bočno
Držanje: Gumena podesiva traka
Okular:
 Ø50, Protan 5
Težina: 80g
Originalno pakovanje:
 25/200

PLASTIC FRAME
Frame: Plastic
Ventilation: Sides
Lens: Ø50, Protan 5
Headband:
 Adjustable elastic
Weight: 80g
Original packaging:
 25/200



CE EN 169

LUX OPTICAL

STAKLA

63000

63005

STAKLA ZA VARILAČKE
NAOČARE Ø 50
 63000 - providna,
 63005 - tamna
Originalno pakovanje:
 20/250

WELDING GLASS
SCREENS Ø 50
 63000 - clear,
 63005 - dark
Original packaging:
 20/250



DOULUX A / DOULUX P

CE EN 166

Boja rama
Frame colour

Crna
 Black

Crna
 Black

Kod
Ref

60800

60801

Oznaka rama
Frame markings

F

S

Boja sočiva
Lens colour

IR5, ojačano
 IR5, reinforced solidity

IR5, ojačano
 IR5, reinforced solidity

Oznaka sočiva
Lens markings

5 1

5 2

Evropski standard sočiva
Lens standard

EN 169

EN 169





STAY PROTECTED

Worktime

ZAŠTITA GLAVE I SLUHA HEAD AND HEARING PROTECTION



EVROPSKI STANDARD ZA ZAŠTITU SLUHA

Evropski standard 2003/10/EC koji se tiče minimalnih zahteva za zdravlje i sigurnost, a odnosi se na izloženost radnika (rizicima koji proizlaze iz fizičkih aspekata – buke – ili rizika koji bi mogli proizaći zbog izloženosti) buci a posebno rizika od oštećenja sluha, stupio je na snagu 15. februara 2006. Novi standard spušta granicu zvuka štetnog za sluh za 5 dB i sadrži sledeća ograničenja nivoa dnevne izloženosti buci, vremenski meri nivoe izlaganja buci u nominalnom okviru osmočasovnog radnog dana i pokriva sve vrste buke koje su prisutne na radu, uključujući i povremenu buku:

- gde su radnici izloženi buci koja prelazi 80 dB, poslodavac će osigurati individualne štitnike za sluh koji će biti dostupni radnicima
 - gde su radnici izloženi buci koja iznosi ili prelazi 85 dB, koristiće se individualni štitnici za sluh
- Ovaj novi standard uvodi takođe i granične vrednosti izloženosti kao što sledi:**
- ni pod kojim uslovima izloženost radnika buci ne može preći vrednost buke od 87 dB.

Pri primeni graničnih vrednosti izloženosti buci, u samom određivanju efektivne izloženosti radnika buci uzeće se u obzir buka ublažena nošenjem individualnih štitnika. Individualni štitnici za sluh biće odabirani prema tome u kojoj su meri uklonili rizik za sluh ili smanjili isti rizik na minimum.

Nošenje dvostrukе zaštite

Nošenje dvostrukе zaštite sluha (štitnika i čepića) može postati neophodno kada je u pitanju naročito bučna radna okolina (120 dB i više). Studije su pokazale da je ublažavanje koje se postiže takvom kombinovanom zaštitom bilo manje od zbira efekata koje omogućava svaka od njih. To je objašnjeno mehaničko-akustičnim uparivanjem koje postoji između uređaja, a naročito zbog visokih frekvencija (do gornje granice) zahvaljujući prolazu zvuka kroz vodič kostiju što dovodi do kratkog spoja u zaštiti, bez obzira na nivo te zaštite. Maksimum ublažavanja koje se postiže za vreme testova gde su se kombinovali štitnici i čepići za uši je oko 40 dB.

STANDARDI

EN 352 > Evropski standard za zaštitu sluha sačinjen je iz nekoliko delova zbog sigurnosti i testiranja na različitim tipovima individualnih štitnika za sluh.

U ovom katalogu nalaze se:

EN 352-1 štitnici za uši
EN 352-2 čepići za uši
EN 352-3 kaciga s montiranim štitnicima
EN 352-4 nivo-zavisni štitnici
EN 352-8 štitnici s ugrađenim radio prijemnikom
EN 166 > Specifikacije za individualnu zaštitnu opremu za oči i lice.

Određuje se specifikacija za konstrukciju i sprovođenje (optičke karakteristike kao što su snaga, transmisija i difuzija faktora svetla, mehaničke karakteristike kao što su čvrstoća, termalna stabilnost i otpor).

EN 1731 > Štitnici za oči i lice, za industrijsku i ne-industrijsku upotrebu, zaštitu od mehaničkih rizika i/ili od vrućine.

EN 812 > Ovim standardom specifikovani su fizički kao i zahtevi u vezi sa sprovođenjem, metode testiranja i zahteve za kapice koje se koriste u industriji, a otporne su na jake udarce. Kapice otporne na udarce namenjene su za ograničenu zaštitu glave, u okolnostima kada može doći do jakih udaraca, dovoljno snažnih da se radnik povredi ili onesposobi. U suštini su namenjeni okolnostima u kojima predmeti ne mogu pasti. Kapice nisu namenjene zaštititi od efekta padajućih objekata kao ni visećih ili pokretnih tereta. Kapice otporne na udarce ne mogu ni u kom slučaju zameniti zaštitnu industrijsku kacigu koja je u skladu s EN 397 standardom. EN 397 > Evropski standard EN 397 specifikuje zahteve u vezi sa metodama testiranja kao i zahteve za zaštitne kacige koje se koriste u industriji. Te kacige štite od padajućih objekata.

SNR = indeks globalnog slabljenja; pokazuje broj dB koje oprema može zaštiti. Nije precizan indeks


SNR = global weakening index; shows the number of dB that the equipment can protect against. It is not a precise index

HML sistem omogućava definiciju SNR-a. SNR označava 3 parcijalna slabljenja indeksa koji fluktuiraju u zavisnosti od nivoa frekvencija:

nisko low L – srednje medium M – visoko high H.

The HML system enables the SNR definition. SNR stands for 3 partial weakening indexes which fluctuate depending on the level of frequencies:
low L – medium M – high H.

SNR: 27.5 dB	H: 31	M: 21	L: 12					
Frekvencija Frequency	63	125	250	500	1000	2000	4000	8000
Prigušenje Mean attenuation	12.8	10.5	17.0	23.7	30.1	33.0	39.1	40.9
St. odstupanje Standard deviation	3.4	3.0	3.1	4.2	3.1	4.0	3.0	4.9
Stvarna zaštita Effective protection	9.4	7.5	13.9	19.4	27.0	29.0	36.1	36.0



EUROPEAN DIRECTIVE FOR HEARING PROTECTION

The European Directive 2003/10/EC on the minimum health and safety requirements regarding the exposure of workers (to the risks arising from physical agents (noise) arising or likely to arise from exposure) to noise and in particular the risk to hearing has entered into force on 15 February 2006. This new directive reduces the limit of harmful sounds with 5 dB and contains the following limits for a daily noise exposure level time weighted average of the noise exposure levels for a nominal eighthour working day covering all noises present at work, including impulsive noise:

- Where noise exposure exceeds 80 dB, the employer shall make individual hearing protectors available to workers
- Where noise exposure matches or exceeds 85 dB, individual hearing protectors shall be used

This new directive introduces also the notion of Exposure Limit Values as follows :

- Under no circumstances shall the exposure of the worker exceed the exposure limit values of 87 dB.

When applying the exposure limit values, the determination of the worker's effective exposure shall take account of the attenuation provided by the individual hearing protectors worn by the worker. The individual hearing protectors shall be so selected as to eliminate the risk to hearing or to reduce the risk to a minimum.

Wearing a double protection

The wearing of a double hearing protection (earmuffs plus earplugs) can be made necessary for executing particularly noisy works (120 dB and more). Studies have made evident that the attenuation made by such combined protection was lower than the sum of the attenuations provided by each one of them. This is explained by the mechanical-acoustic coupling which exists between the devices but also more particularly for high frequencies, by a upper limit due to the passage of sound through bone conduction and which in some way short-circuits the protection, how high it might be. The maximum attenuations obtained during the tests of combining earmuffs and earplugs is around 40 dB.

Source : INRS, ND 1789-140-90

STANDARDS

EN 352 > The European Standard for protectors against noise is made in several parts for the safety and testings on the different types of individual noise protectors.

In this catalogue you will find:

EN 352-1 : Earmuffs
EN 352-2 : Earplugs
EN 352-3 : Helmet mounted earmuffs
EN 352-4 : Level-dependent earmuffs
EN 352-8 : Earmuffs with entertainment radio.
EN 166 > Specifications for individual protective equipments for eyes and face. Determines the specifications for construction and performances (optical properties like strength, transmission and diffusion of light factors, mechanical properties like solidity, thermal stability and resistance).

EN 1731 > Eye and face protectors of mesh type, for industrial and non industrial use, protection against mechanical risks and/or against heat.

EN 812 > The EN 812 standard specifies the physical and performance requirements, test methods and marking requirements for shock-proof caps (bump caps) used in industry. The shock-proof caps for industry are meant to give limited protection of the wearer's head when it hits hard and immobile object with sufficient force to cause tearing up or other superficial injuries to the user or knock him out. They are essentially intended for inside use where objects cannot fall down. A shock-proof cap is not intended to protect against the effects of falling objects neither against hanging or moving burdens. The shock-proof caps must not under any case replace a protective industrial helmet complying with the EN397 standard.

EN 397 > The European standard EN 397 specifies the physical and performance requirements, test methods and marking requirements for protective helmets used in industry. These helmets protect against falling objects.

INDUSTRJA PRIMENE INDUSTRY APPLICATION



Poljoprivreda / vrtlarstvo
Agriculture / gardening



Laka industrija
Light industry



Usluge / logistika
Services / logistics



Gradičina
Construction industry



Pomoći poslovi / zanati
Auxiliary operations / crafts



Teška industrija
Heavy industry



RETAIL
MALOPRODAJNA
Artikli je prilagođeni maloprodaji
The item is customized to retail



TOP
QUALITY
Visokokvalitetni proizvodi nastali kao rezultat razvoja, inovacije i dugogodišnjeg iskustva.
High-quality products resulting from development, innovation and years of experience.



NOVO
NEW
Oznaka za nove artikle u katalogu
New items in the catalog



EUROPE
Artikli proizvedeni u Evropi
The item produced in Europe



LACUNA

WORKTIME

EARLINE ČEPIĆI ZA UŠI 30205

Čepići za uši EARLINE od poliuretana
BIP
EN 352 -2
SNR : 36 dB
Originalno pakovanje: 200/2000



Foamed polyurethane EARLINE ear
BIP
EN 352 -2
SNR : 36 dB
Original packaging: 200/2000



CE EN 352 -2

EARLINE ČEPIĆI ZA UŠI 30215

Čepići za uši EARLINE od poliuretana,
rinfusa
BIP
EN 352 -2
SNR : 36 dB
Originalno pakovanje: 500/5000



Foamed polyurethane EARLINE ear
plugs, bulk
BIP
EN 352 -2
SNR : 36 dB
Original packaging: 500/5000



CE EN 352 -2

EARLINE ČEPIĆI ZA UŠI 30220

Čepići za uši poliuretan, luk od polipropilena
BIP
EN 352 -2
SNR : 20 dB
Originalno pakovanje: 40/400



Plugs in foamed polyurethane,
headband in polypropylene
BIP
EN 352 -2
SNR : 20 dB
Original packaging: 40/400



CE EN 352 -2

EARLINE ČEPIĆI ZA UŠI 30221

Zamenski čepići za uši od
poliuretana za 30220
BOP
EN 352 -2
SNR : 20 dB
Originalno pakovanje: 200/2000



Ear caps used in foamed polyurethane
for 30220
BOP
EN 352 -2
SNR : 20 dB
Original packaging: 200/2000



CE EN 352 -2

SNR: 20dB H: 25 M: 15 L: 13 30220; 30221

Hz	63	125	250	500	1000	2000	4000	8000
Fréquence	63	125	250	500	1000	2000	4000	8000
dB	24.8	22.6	15.6	13.8	21.6	33.0	38.4	40.2
St. odstupanje	5.8	6.1	4.6	3.8	3.6	5.5	1.7	3.8
Stvarna zaštita	19.0	16.5	11.0	10.0	18.0	27.5	36.7	36.4

EARLINE ČEPIĆI ZA UŠI 30206

Čepići za uši, EARLINE sa vezicom
BIP
EN 352 -2
SNR : 36 dB
Originalno pakovanje: 150/1500



Foamed polypropylene EARLINE ear
plugs, with cord
BIP
EN 352 -2
SNR : 36 dB
Original packaging: 150/1500



CE EN 352 -2

SNR: 36dB H: 36 M: 33 L: 32 30205; 30208; 30206; 30215; 30218

Hz	125	250	500	1000	2000	4000	8000
Fréquence	125	250	500	1000	2000	4000	8000
dB	36.5	34.2	39.1	37.8	39.6	44.9	46.2
St. odstupanje	4.7	4.5	4.8	5.8	4	6.4	6.2
Stvarna zaštita	31.7	29.7	34.2	32	35.5	38.5	40.1

EARLINE ČEPIĆI ZA UŠI 30105

Čepići za uši EAR SOFT
EN 352-2
SNR : 36 dB
H:34 M:34 L:31
Originalno pakovanje: 250/1000



EAR Soft polyurethane sponge ear
plugs
EN 352-2
SNR : 36 dB
H:34 M:34 L:31
Original packaging: 250/1000



CE EN 352 -2

EARLINE ČEPIĆI ZA UŠI 30102

Čepići za uši EAR CABOCORD s vezicom
EN 352-2
SNR : 29 dB
H:25 M:26 L:23
Originalno pakovanje: 200/2000



PVC EAR Cabocord ear plugs
EN 352-2
SNR : 29 dB
H:25 M:26 L:23
Original packaging: 200/2000



CE EN 352 -2

EARLINE ČEPIĆI ZA UŠI

Čepići za uši EAR SOFT s vezicom
EN 352-2
SNR : 32 dB
H:33 M:28 L:25
Originalno pakovanje: 1/50

EAR SOFT ear plugs with cord
EN 352-2
SNR : 32 dB
H:33 M:28 L:25
Original packaging: 1/50



CE EN 352 -2

EAR DOPUNA

Dopuna - Čepići EAR
SOFT POLIURETAN
EN 352 -2
Originalno pakovanje: 1/500



Recharger for demijohn
30112 - Ear plugs EAR SOFT
PolyurEthane
EN 352 -2
Original packaging: 1/500



30115

CE EN 352 -2



LACUNA

WORKTIME

EARLINE MAX 200 31020
Antifon MAX 200**Standardni**

Školjka od crvenog ABS-a
Jastučić od PVC-a, poput kože
Držač podesiv u 3 položaja

Težina: 166 gr

SNR 27,6 dB

Originalno pakovanje:
1/60
**Earmuff MAX 200****Standard**

Red ABS shells.
PVC cushions with leather touch.
Extent headband with 3 positions.
Weight : 166 gr

SNR 27,6 dB

Original packaging:

1/60



CE EN 352-1

ARDON 4EAR M20 C4004
Antifon 4EAR M20**Standardni**

Školjka od crvenog
ABS-a
Jastučić od PVC-a, poput kože
Podesiv držač

SNR 27,6 dB

Originalno pakovanje:
1/60


CE EN 352-1

EARLINE MAX 300 31030
Antifon MAX 300**Udobni**

Školjka od plavog ABS-a
Jastučić od PVC-a, poput kože
Držač podesiv u 3 položaja

Težina: 186 gr

SNR 23,9dB

Originalno pakovanje:

1/60



CE EN 352-1

EARLINE MAX 200 31020

SNR: 27,6 dB H: 33 M: 24 L: 15

	Frekvencija	63	125	250	500	1000	2000	4000	8000	
Hz	Frequency									
dB	Prigušenje	18,1	15,0	18,3	26,8	37,5	29,5	35,8	36,1	
dB	Mean attenuation									
dB	St. odstupanje	4,1	2,7	3,3	2,0	4,1	2,9	3,3	5,8	
dB	Standard deviation									
St. odstupanje	Stvarna zaštita	14	12,3	15,0	24,8	33,4	26,6	32,5	30,3	
Stvarna zaštita	Effective protection									

EARLINE MAX 400 31040

SNR: 27,5 dB H: 31 M: 21 L: 12

	Frekvencija	63	125	250	500	1000	2000	4000	8000	
Hz	Frequency									
dB	Prigušenje	12,8	10,5	17,0	23,7	30,1	33,0	39,1	40,9	
dB	Mean attenuation									
dB	St. odstupanje	3,4	3,0	3,1	4,2	3,1	4,0	3,0	4,9	
dB	Standard deviation									
St. odstupanje	Stvarna zaštita	9,4	7,5	13,9	19,4	27,0	29,0	36,1	36,0	
Stvarna zaštita	Effective protection									

Earmuff MAX 400
Confortable,
Adaptable with headgear
Yellow ABS shells
PVC cushions with leather touch
Soft comfortable extend headband
Weight : 178 gr
SNR 27,5dB
Original packaging: 1/60



CE EN 352-1

EARLINE MAX 500 31050

SNR: 32,1 dB H: 33 M: 24 L: 15

	Frekvencija	63	125	250	500	1000	2000	4000	8000	
Hz	Frequency									
dB	Prigušenje	20,5	17,0	22,9	31,3	39,5	37,4	43,0	40,8	
dB	Mean attenuation									
dB	St. odstupanje	4,3	3,4	2,8	2,5	3,0	4,6	3,1	5,1	
dB	Standard deviation									
St. odstupanje	Stvarna zaštita	16,2	13,6	20,1	28,8	36,5	32,8	39,9	35,6	
Stvarna zaštita	Effective protection									

Earmuff MAX 500
High performance
Yellow ABS shells
PVC cushions with leather touch
Foldable and extent headband,
pocket model
Weight : 178g
SNR 32,1dB
Original packaging: 1/60



CE EN 352-1

EARLINE MAX 700 31070

SNR: 30dB H: 33 M: 27 L: 19

	Frekvencija	125	250	500	1000	2000	4000	8000	
Hz	Frequency								
dB	Prigušenje	14,9	21,2	28,1	34,3	32,7	39,7	36,3	
dB	Mean attenuation								
dB	St. odstupanje	3,1	2,8	2,7	2,4	2,3	2,6	4,4	
dB	Standard deviation								
St. odstupanje	Stvarna zaštita	11,8	18,4	25,4	31,9	30,4	37,1	31,9	
Stvarna zaštita	Effective protection								

Earmuff MAX 700
**High performance, very
comfortable**
Ear cups in ABS
PVC cushions with leather touch
Extent headband
Double headband allowing to wear
another safety equipment (helmet,
browguard, welding helmet..)
Weight : 234 gr
SNR 30 dB
Original packaging: 1/60



CE EN 352-1

ZAŠTITNI KAČKET

Zaštitni kačket sa unutrašnjom zaštitom od udaraca.
Ne štiti od padajućih predmeta.
 Koristi se za zaštitu u zatvorenim prostorima.
 Unutrašnji materijal: 65% poliestersko vlakno,
 35% najloško vlakno
Unutrašnji materijal: plastična školjka od ABS-a
 Metalni otvori za vazduh
 Regulator veličine
Spoljni materijal: 100% pamuk
Originalno pakovanje: 1/60



57300 plava 57302 zelena 57303 žuta 57305 crvena 57306 crna 57307 hi-viz žuta 57308 hi-viz narandžasta



LACUNA WORKTIME

ZAŠTITNA KACIGA WT

Zaštitna kaciga WT
Zaštitna kaciga
 Materijal: polipropilen
 Podesiva po opsegu glave
 Uložak za upijanje znoja
 Težina: 356 g
 UV zaštita, 440 V
Originalno pakovanje: 1/24



652111 bela 652112 crvena 652113 plava 652114 žuta 652115 narandžasta



ARDON SH-1

Zaštitna kaciga SH-1
Materijal: ABS
Boje: bela, žuta, plava, crvena, narandžasta, zelena
Opis: zaštitna kaciga, posebno dizajniran za vrhunsku udobnost s ventilacijom, kružić za regulaciju veličine
Svojstva: otporna na temperaturu -20°C to +50°C, vek trajanja 5 godina
Norma: EN 397
Originalno pakovanje: 1/120



D1002 bela D1002 plava D1002 žuta



CE EN 812

ADRIATIC

EURO PROTECTION
Zaštitna kaciga
 Materijal: polipropilen
 Podesiva po opsegu glave
 Uložak za upijanje znoja 37cm
 Težina: 370 g
Originalno pakovanje: 1/24



65100 bela 65101 plava 65102 zelena 65103 žuta 65104 narandžasta 65105 crvena



EURO PROTECTION
Safety helmet
 Cap shield made in polyethylene
 Ajustable (2 to 2 mm)
 Sweatband BASANE 37 cm
 Side airholes
Weight : 370 gr
Original packaging: 1/24



VEZICE ZA KACIGU CHIN STRAP FOR SAFETY HELMETS

Vezice za kacigu
Chin strap for safety helmets
 65150 vezica
Originalno pakovanje: 1/100

65153 elastična
Originalno pakovanje: 1/100

65150 chin strap
Original packaging: 10/100

65153 elastic strap
Original packaging: 10/100

65150 / 65153



CE EN 397

LACUNA WORKTIME

PALLADIO

Zaštitna kaciga samozatezajuća
GP PALLADIO
 Materijal: PE HP
 Unutrašnji dio: tekstil
 Svojstva: UV otpornost , otporna na temperature od -20oC do +50oC
 Svojstva: Specijalni dvostruki sistem za ventilaciju, ugrađen znojnik
 Težina: 328g
 Podešavanje:
SAMOZATEZNI MEHANIZAM/automatska regulacija
 Norma: EN 397
Originalno pakovanje: 1/24



652221 plava 652222 bela 652223 žuta 652224 crvena 652225 narandžasta



CE EN 397



CE EN 397

EP DRŽAČ VIZIRA / HEADGEAR 60700

DRŽAČ VIZIRA

Izrađen od polietilena sa čeonim trupom za zaštitu
Regulacija: zupčasti remen
Uložak za upijanje znoja
Podesiv u 3 položaja
Originalno pakovanje: 1/40



HEADGEAR

Impact-resistant brow protector on headgear with adjustable rack
3 tip-up positions.
Sweat-absorber on forehead.
To be used with all VISORS
Original packaging: 1/40



CE EN 166

VRSTE VIZIRA

EP PROVIDNI VIZIR / CLEAR VISOR 60710

PROVIDNI VIZIR
Š 40 x V 20 cm
Zaštitni ekran od bezbojnog polikarbonata
Originalno pakovanje: 1/100

CE EN166:2002
EN 1731:2007

EP MREŽASTI / STEEL MASH 60720

MREŽASTI VIZIR
Mrežasti vizir za šumske radnike izrađen od žičane mreže, obložen tvrdim PVC-om
60720: Š 30 x V 19 cm
60721: Š 40 x V 19 cm
Originalno pakovanje: 1/100

60700
+
60710

EP DRŽAČ VIZIRA / HEADGEAR 60740

DRŽAČ VIZIRA

Za antifon max 400 (31040)
Podesiv u 3 položaja
Uložak za upijanje znoja
Upotrebljiv sa svim našim vizirima
Isporučuje se bez antifona
Originalno pakovanje: 25/50



HEADGEAR

For earmuff MAX 400 (31040)
3 tip-up positions with browguard.
Adjustable
Sweat-absorber on forehead.
To be used with all our VISORS
Delivered without earmuffs
Original packaging: 25/50



CE EN 166


ALU RUB / ALU EDGE 60711

VIZIR S ALUMINIJSKOM IVICOM
Š 40 x V 20 cm
Zaštitni ekran od bezbojnog polikarbonata, aluminijска ivica
Originalno pakovanje: 1/100

CE EN166:2002
EN 1731:2007

60721

STEEL MASH VISOR
Steel mesh visor for forestry or against radiant heat
60720: W 40 x H 20 cm
60721: W 40 x H 19 cm
Original packaging: 1/100

CE EN166:2002
EN 1731:2007

60706

60750 60757 60755

32100

ADAPTER
Za zaštitne kacige
Podesiv na gotovo sve standardne kacige.
Omogućuje nošenje štitnika za lice, bez antifona



ADAPTOR
For safety helmets
Can be fixed on almost any standard safety helmet.
Allows to wear face shield holder with out earmuffs.



ANTIFON
S adapterom
Za ugradnju na kacigu
EARMUFF
With adaptor
For installation on a safety helmet



CE EN 352-3



CE 352-3

SNR: 23dB H: 28 M: 21 L: 12

Frekvencija Frequency	63	125	250	500	1000	2000	4000	8000
Prigušenje Mean attenuation	14.3	11.3	16.1	25.8	33.1	34.8	32.7	31.0
dB								
St. odstupanje Standard deviation	5.7	5.2	6.4	4.6	6.1	4.5	5.5	5.7
Stvarna zaštita Effective protection	8.6	6.1	9.7	21.2	27.0	30.3	27.2	25.5

Frekvencija Frequency	125	250	500	1000	2000	4000	8000
Prigušenje Mean attenuation	9.3	13.3	20.5	26.6	33.3	33.6	37.6
dB							
St. odstupanje Standard deviation	3.4	2.8	2.7	2.4	4.9	1.9	5.2
Stvarna zaštita Effective protection	5.9	10.5	17.8	24.2	29.4	31.7	52.3

60707

60707

60705

NOSAČ VIZIRE
Za sve naše vizire
Podesiv u 3 položaja i po dužini Jednostavni adapteri 60706 ili antifoni 60750 nužni su za fiksiranje na kacigu.
Upotrebljiv sa svim našim vizirima.



CE

EN 166

60710

60711

60720

60721





Worktime

ZAŠTITA DISAJNIH PUTEVA RESPIRATORY PROTECTION



ZAŠTITNI RESPIRATORI, MASKE I POLUMASKE

LIČNA SREDSTVA ZA ZAŠTITU DISAJNIH puteva

- Respirator za zaštitu disajnih puteva namenjen je ličnoj zaštiti protiv rizika udisanja opasnih supstanci koje se nalaze u radnoj atmosferi u obliku čvrstih prašina ili tekućih aerosola, plina ili pare.
- Korisnici respiratora moraju poznavati prirodu prisutnih rizika, koncentraciju opasnih supstanci u radnoj atmosferi, limite zaštite respiratora, dužinu radnog vremena kako bi se odabroao pravi respirator i omogućila adekvatna zaštita.
- Potrebno je imati percepciju o limitima izlaganja rizicima. Limiti izlaganja su nivoi u kojima nezaštićeni radnik može biti izložen štetnim uticajima otrova. Razlikujemo dugotrajne limite izlaganja (TEL-Long Term Exposure Limit; 8h izlaganje) i kratkotrajne limite izlaganja (STEL-Short Term Exposure Limit; 15 min izlaganje).
- Navedene vrednosti zavise od nacionalnih odredbi.

RESPIRATORI ZA JEDNOKRATNU UPOTREBU KOJI ŠTITE OD ČESTICA

- Sastoje se potpuno ili gotovo potpuno od filtera
- Mogu imati ventil za disanje.
- Artikle pokriva norma EN 149:2001. Označavaju se označama FFP1(filter niskog kapaciteta), FFP2 (filter srednjeg kapaciteta) ili FFP3 (filter visokog kapaciteta), u skladu sa klasom delotvornosti.

OBJAŠNJENJE SKRAĆENICA

"SL"	artikl štiti i od prašine i od aerosola.
"VO"	filteri koje štite od organskih isparenja
"GA"	artikl štiti od kiselih gasova
"NR"	jednokratni
"R"	višekratni
"D"	dolomit test za dugotrajnost
"C"	aktivni ugljen



RESPIRATORS, FULL FACE MASKS AND HALF MASKS

PERSONAL PROTECTIVE EQUIPMENT FOR PROTECTION OF THE AIRWAYS

- A respiratory protective equipment is meant to protect a person against hazardous substances present in the atmosphere where he/she should work under forms like solid or liquid aerosols or gas, vapours or steam.
- The user of a respiratory protective equipment must know the nature of the present risks (composition and concentration of the toxic substances) in the atmosphere in which he/she should work on one hand, and the performance level and limits of the respirator on the other hand. It's important to take into consideration the time during which the protection must be ensured as well as the physiologic charge (breathing rhythm) of the user in order to select a respirator having the adapted autonomy.
- The Occupational Exposure Limit values are the levels of toxic contaminants to which an unprotected worker may be exposed during a given period without adverse health effects. Are distinguished the Long Term Exposure Limit (TEL for exposure to an 8-hour period) and the Short Term Exposure Limit (STEL for exposure to a 15-minute interval).
- These values depend on national legislations.

Disposable particulate half-masks against aerosols

- They are totally or mostly made in the filtering material itself.
- They can be made with or without a exhalation valve.
- These protectors are covered by the European Standard EN149 : 2001. They are marked FFP1 (low filtering capacity), FFP2 (medium filtering capacity) or FFP3 (high filtering capacity). «SL» if they both protect against solid and liquid aerosols.
- They are marked «VO» when they protect against organic vapours and «GA» if they protect against acid gases.

Full-face and half-face masks with filtre cartridges

- Full-face masks cover the forehead, nose, mouth and chin and have a ocular piece ; their characteristics are described in the European standard EN136.
- Half-face masks cover the nose, mouth and chin and are described in the European standard EN140.
- To wear a face mask like a full-face or a half-face mask, it is necessary to make sure that the sealing surface is completely continuous to the face. Men must be correctly shaven and any interposition of hair, beard, or glasses temples must be avoided (otherwise the assigned protection factor will be reduced).
- The threaded filtre cartridges for the masks comply with the European standards EN141 and EN14387 (antigas and combined filters) and EN143 (anti-aerosols) and are labelled with colour-codes according to the European standards and filtering classes : 1 = low capacity, 2 = medium capacity, 3 = high capacity.
- Never use the filtering masks in atmospheres where the Oxygen content is lower than 17 Vol.%.

EXPLANATION OF SHORTCUTS

"SL"	protect against solid and liquid aerosols
"VO"	"protect against organic vapours"
"GA"	protect against acid gases.
"NR"	non reusable
"R"	reusable
"D"	dolomite test for durability
"C"	carbon layer

INDUSTRJA PRIMENE INDUSTRY APPLICATION

	Poljoprivreda / vrtlarstvo Agriculture / gardening		Laka industrija Light industry		Usluge / logistika Services / logistics
	Gradevina Construction industry		Pomoći poslovi / zanati Auxiliary operations / crafts		Teška industrija Heavy industry
	RETAIL MALOPRODAJA	Artikl je prilagođen maloprodaji The item is customized to retail		TOP QUALITY	Visokokvalitetni proizvodi nastali kao rezultat razvoja, inovacija i dugogodišnjeg iskustva. High-quality products resulting from development, innovation and years of experience.
	NOVO NEW	Oznaka za nove artikle u katalogu New items in the catalog		EUROPE	Artikl proizveden u Evropi The item produced in Europe



FEEL FREE TO BREATHE



**RESPIRATORY
PROTECTION
PRODUCTS**



Kompanija BLS osnovana je 1970. godine sa sedištem u Milandu sa misijom stvaranja proizvoda za zaštitu respiratornog sistema visokog nivoa zaštite, kvaliteta i dugotrajnosti.

PPE (Personal Protective Equipment) tj. Lična Zaštitna Sredstva se dele u 3 kategorije

- KATEGORIJA I _minimalni rizici- CAT I
- KATEGORIJA II_ rizici kod kojih može doći do ozljede ljudi ali nemaju smrtnе posledice – CAT II
- KATEGORIJA III_oprema za zaštitu od smrtnih rizika i irreverzibilnih (trajnih) štetnih povreda - CAT III
- RPP (Respiratory Protection Products) SPADAJU U KATEGORIJU III PPE služe za zaštitu ljudi od smrtnih rizika a osnovna podela je na proizvode koji štite od PRAŠINE, MAGLE, DIMA I AEROSOLA (RESPIRATORI) i proizvodi koji štite od GASOVA I PARA (MASKE I POLUMASKE I ODOGOVARAJUCI FILTERI)

RAZRED ZAŠTITE za prašinu, maglu, dim i aerosole - BLS ZERO SERIES, BLS FLICKIT SERIES, BLS CLASSIC SERIES, BLS ECONOMY LINE 100 SERIES

Evropski standard EN 529:2005 pokazuje kako odabrati ispravan aparat za disanje na osnovu procene rizika. Ovaj standard označava "zaštitni" faktor "koji je po definiciji parametar koji izražava odnos između koncentracija zagađivača u životnoj sredini i njegovoj koncentraciji unutar aparata za disanje. Značajna razlika odnosi se na nominalni faktor zaštite (NPF) idodeljeni faktor zaštite (APF). Nominalni faktor zaštite (NPF) je broj izведен iz maksimalnog procenta ukupnog gubitka (prema unutrašnjosti uređaja disanja) dopuštenog evropskim standardima. Dodeljeni faktor zaštite (APF) je nivo respiratorne zaštite koja se realno može očekivati na 95% radnih mesta korisnika OZO. Važna referenca za odabir uređaja za disanje je granična vrednost (TLV), odnosno "granična vrednost izloženosti" koja ukazuje na koncentraciju hemikalija u životnoj sredini kojoj većina radnika može biti izložena dnevno bez ikakvog negativnog uticaja na njihovo zdravlje.

FILTERING FACEPIECES			HALF MASK WITH FILTERS			FULL FACE MASK WITH FILTERS		
CLASS	NPF	MAX CONC.	FILTER CLASS	NPF	MAX CONC.	FILTER CLASS	NPF	MAX CONC.
FFP1	4	4xTLV	P1	4	4xTLV	P1	5	5xTLV
FFP2	12	12xTLV	P2	12	12xTLV	P2	16	16xTLV
FFP3	50	50xTLV	P3	48	48xTLV	P3	1000	100xTLV

*TLV: time-weighted average concentration of a substance to which the operator can be exposed without adverse health effects.

KATEGORIJA ZAŠTITE za gasove i isparenja - BLS 4000 SERIES, BLS SGE46, BLS 8000 SERIES,BLS 5000 SERIES, BLS 3000 SERIES

Da biste odabrali pravu zaštitu protiv gasova i isparenja, morate poznavati hemijsku prirodu zagađivača. Tabele koje pruža BLS, označavaju vrstu filtera koji treba koristiti u zavisnosti od kontaminanta i nivoa koncentracije, pazeci da je nivo kiseonika veci od 17%.

Propisane su tri klase filtera: niska (klasa 1), srednja (klasa 2), visoka (razina 3).

Za zaštitu od gasova i isparenja, utvrđuje se nominalni faktor zaštite po vrsti maske.

Evropski standard 14387: 2004 + A1: 2008 definiše zaštitu od gasova i isparenja prema sledećoj tabeli:

TYPE	COLOUR	PROTECTION
A	BROWN	Organic gases and vapours with a boiling point higher than 65°C Organici plinovi i pare s vrelištem iznad 65 °C
B	GREY	Inorganic gases and vapours / Anorganski plinovi i para
E	YELLOW	Acid gases / Kiseli plinovi
K	GREEN	Ammonia and derivatives / Amonijak i derivati
AX	BROWN	Organic gases and vapours with a boiling point lower than 65°C Organici plinovi i pare s vrelištem nižim od 65 °C

	HALF MASK		FULL FACE MASK	
	NPF	MASK CONCENTRATION	NPF	MASK CONCENTRATION
GAS	50	50xTLV	2000	2000xTLV
GAS P3	48	48xTLV	1000	1000xTLV

*TLV: time-weighted average concentration of a substance to which the operator can be exposed without adverse health effects.

The European Standard EN 529:2005 shows how to select the correct breathing apparatus based on the risk assessment. This standard indicates the "protection factor" which is by definition the parameter that expresses the ratio between the concentration of the contaminant in the environment and its concentration inside the breathing apparatus. An important distinction concerns the nominal protection factor (NPF) and the assigned protection factor (APF). The nominal protection factor (NPF) is a number derived from the maximum percentage of total loss (towards the inside of the breathing apparatus) allowed by European standards. The assigned protection factor (APF) is the level of respiratory protection that one can realistically expect in the workplace by 95% of the PPE users. Furthermore, an important reference for choosing the breathing apparatus is the Threshold Limit Value (TLV), or rather the "exposure limit value", which indicates the environmental concentrations of airborne chemicals below which most workers can remain repeatedly exposed to day after day for their working life without any negative effect on their health.



To select the right protection against gases and vapours, the chemical nature of the pollutant must be known referring, if necessary, to the tables provided by BLS, which indicate the type of filter to use depending on the contaminant and its concentration, making sure that the level of oxygen is greater than 17%. Regulations provide three filter capacity classes: low (class 1), medium (class 2), high (class 3). For protection against gases and vapours, the nominal protection factor is determined by the type of mask and not by the filter used.

The European Standard 14387:2004+A1:2008 defines protection against gases and vapours according to the following table:

CLASS	1	2	3
CAPACITY	LOW	MEDIUM	HIGH
EXPOSURE LIMIT	1000 ppm	5000 ppm	10000 ppm





LACUNA

WORKTIME

BLS

Respirator FFP3 ZERO s ventilom

Opis: respirator FFP3 NR D s ventilom u obliku školjke;
Karakteristike: anatomski oblikovan respirator Zero serije pruža maksimalnu zaštitu i udobnost disanja;
Zaptivka: delomično (gornji dio respiratora) sastav: polimer i poliester (PES);
Vezica: vareni termoplastični elastomer (TPE);
Kvačica za nos: polipropilen (PP);
Ventil: polipropilen i guma; Sloj za filtriranje: polipropilen; **Zaštitni sloj:** polietilen; **Težina:** 21 gram; **Standard:** EN 149:2001+A1:2009; **Originalno pakovanje:** 10/120



CE EN 149:2001 + A1:2009

BLS 030



BLS

Respirator FFP3 ZERO s ventilom (s ugljikom)

Opis: respirator FFP3 NR D s ventilom u obliku školjke (s ugljikom);
Karakteristike: anatomski oblikovan respirator Zero serije pruža maksimalnu zaštitu i udobnost disanja;
Zaptivka: djelomično (gornji dio respiratora)
Sastav: polimer i poliester (PES);
Vezica: vareni termoplastični elastomer (TPE);
Kvačica za nos: polipropilen (PP);
Ventil: polipropilen i guma;
Sredstvo za filtriranje: polipropilen;
Zaštitni sloj: polietilen;
Sloj sa aktivnim ugljikom: poliester;
Težina: 16 grama;
Standard: EN 149:2001+A1:2009; **Originalno pakovanje:** 10/120



CE EN 149:2001 + A1:2009

BLS 030 C



BLS

Respirator FFP3 ZERO s ventilom (puna zaptivka)

Opis: respirator FFP3 R D s ventilom u obliku školjke;
Karakteristike: anatomski oblikovan respirator Zero serije pruža maksimalnu zaštitu i udobnost disanja;
Zaptivka: puna (ceo respirator) sastav: polimer i poliester (PES);
Vezica: vareni termoplastični elastomer (TPE);
Kvačica za nos: polipropilen (PP);
Ventil: polipropilen i guma;
Sredstvo za filtriranje: polipropilen;
Zaštitni sloj: polietilen;
Težina: 20 grama;
Standard: EN 149:2001+A1:2009; **Originalno pakovanje:** 10/120



CE EN 149:2001 + A1:2009

BLS 031



BLS

Respirator FFP3 ZERO s ventilom (s ugljikom, puna zaptivka)

Opis: respirator FFP3 R D s ventilom u obliku školjke;
Karakteristike: anatomski oblikovan respirator Zero serije pruža maksimalnu zaštitu i udobnost disanja;
Zaptivka: puna (ceo respirator) sastav: polimer i poliester (PES);
Vezica: vareni termoplastični elastomer (TPE);
Kvačica za nos: polipropilen (PP);
Ventil: polipropilen i guma;
Sredstvo za filtriranje: polipropilen;
Zaštitni sloj: polietilen;
Težina: 20 grama;
Standard: EN 149:2001+A1:2009; **Originalno pakovanje:** 10/120



CE EN 149:2001 + A1:2009

BLS 031 C



BLS

Respirator FFP2 CLASSIC s ventilom

Opis: respirator FFP2 R D s ventilom;
Karakteristike: oblik školjke, elastična vezica pričvršćena u 4 tačke;
Vezica varena za respirator i prilagodljive dužine;
Prilagodljiva kopča za nos za savršeno prijanjanje uz lice;
Vezica: poliester, guma;
Kvačica za nos: polipropilen (PP);
Ventil: polipropilen i guma;
Zaptivka: polimer;
Sloj za filtriranje: polipropilen;
Težina: 14 grama;
Standard: EN 149:2001+A1:2009; **Originalno pakovanje:** 15/180



CE EN 149:2001 + A1:2009

BLS129BW



BLS

Respirator FFP1 CLASSIC s ventilom

Opis: respirator FFP1 NR D s ventilom;
Karakteristike: oblik školjke, elastična vezica pričvršćena u 4 tačke;
Vezica varena za respirator i prilagodljive dužine;
Prilagodljiva kopča za nos za savršeno prijanjanje uz lice;
Vezica: poliester, guma;
Kvačica za nos: polipropilen (PP);
Ventil: polipropilen i guma; **Zaptivka:** polimer;
Sloj za filtriranje: polipropilen;
Težina: 14 grama;
Standard: EN 149:2001+A1:2009; **Originalno pakovanje:** 15/180



CE EN 149:2001 + A1:2009

BLS122BW



BLS

Respirator FFP3 CLASSIC s ventilom

Opis: respirator FFP3 R D s ventilom u obliku školjke;
Karakteristike: anatomski oblikovan respirator pruža maksimalnu zaštitu i udobnost disanja;
Zaptivka: djelomično (gornji dio respiratora) polipropilen (PP);
Vezica: vareni termoplastični elastomer (TPE);
Kvačica za nos: polipropilen (PP);
Ventil: polipropilen i guma;
Sloj za filtriranje: polipropilen;
Zaštitni sloj: za aktivni ugljen poliester (PES), sloj otporan na plamen od modakrilnih tekstilnih vlakna (MA);
Težina: 24 gr;
Standard: EN 149:2001+A1:2009; **Originalno pakovanje:** 5/60



CE EN 149:2001 + A1:2009

BLS 525B



BLS

Respirator FFP3 CLASSIC s ventilom

Opis: respirator FFP3 R D s ventilom u obliku školjke;
Karakteristike: anatomically designed respirator provides maximum protection and comfort of breathing;
Gasket: partial (upper respirator) composition of polypropylene (PP);
Harness: Thermoplastic elastomer (TPE);
Nose clip: polypropylene (PP);
Valve: polypropylene and rubber;
Filtering medium: polypropylene;
Protective layer: activated carbon layer from polyester (PES), flame resistant layer of modacrylic textile fibers (MA);
Weight: 24 gr;
Standard: EN 149: 2001 + A1: 2009 CE
Original packing: 5/60



CE EN 149:2001 + A1:2009

BLS 505BW





LACUNA

WORKTIME

BLS

Respirator FFP2 CLASSIC s ventilom

Opis: respirator FFP2 NR D s ventilom (s ugljenom);
Karakteristike: oblik školjke, elastična vezica pričvršćena u 4 tačke;
 Vezica zaheftana za respirator;
 Prilagodljiva kopča za nos za savršeno prijanjanje uz lice;
Vezica: poliester, guma;
Kvačica za nos: polipropilen (PP);
Ventil: polipropilen i guma;
Zaptivka: polimer;
Sloj za filtriranje: polipropilen;
Težina: 21 grama;
Standard: EN 149:2001+A1:2009
 Originalno pakovanje: 10/120



CE EN 149:2001 + A1:2009

BLS217B



BLS

Respirator FFP2 CLASSIC s ventilom

Opis: respirator FFP2 NR D s ventilom VATROTOPORAN;
Karakteristike: oblik školjke, elastična vezica pričvršćena u 4 tačke;
 Vezica varena za respirator i prilagodljive dužine; Prilagodljiva kopča za nos za savršeno prijanjanje uz lice;
Vezica: poliester, guma;
Kvačica za nos: polipropilen (PP);
Ventil: polipropilen i guma;
Zaptivka: polimer;
Sloj za filtriranje: polipropilen;
Težina: 14 grama;
Standard: EN 149:2001+A1:2009;
 Originalno pakovanje: 5/60



CE EN 149:2001 + A1:2009

BLS2268RS



BLS

Respirator FFP2 FLICKIT s ventilom

Opis: respirator FFP2 NR D s ventilom;
Karakteristike: sklopivi respirator sa zavarenom TPE (termoplastičnom) vezicom pričvršćenom u 4 tačke, unutrašnja prilagodljiva kopča za nos za savršeno prijanjanje uz lice i štit od čvrstih i tečnih čestica;
Filter: polipropilen (PP);
Kvačica za nos: Pojačani polipropilen (PP) s toplotno obrađenim metalima;
Vezice: termoplastične (TPE);
Ventil: polipropilen (PP) i sintetička guma;
Težina: 18 gr;
Standard: EN 149: 2001 + A1: 2009;
 Originalno pakovanje: 10/160



CE EN 149:2001 + A1:2009

BLS 829



BLS

Respirator FFP3 FLICKIT s ventilom

Opis: respirator FFP3 R D s ventilom;
Karakteristike: sklopivi respirator sa zavarenom TPE (termoplastičnom) vezicom pričvršćenom u 4 tačke, unutrašnja prilagodljiva kopča za nos za savršeno prijanjanje uz lice i štit od čvrstih i tečnih čestica;
Filter: polipropilen (PP);
Kvačica za nos: Pojačani polipropilen (PP) s toplotno obrađenim metalima;
Vezice: termoplastične (TPE);
Ventil: polipropilen (PP) i sintetička guma;
Težina: 21 gr;
Standard: EN 149: 2001 + A1: 2009;
 Originalno pakovanje: 10/160



CE EN 149:2001 + A1:2009

BLS 860



BLS

Respirator FFP1 ECONOMY

Opis: respirator FFP1 NR D bez ventila;
Karakteristike: oblik školjke, elastična vezica pričvršćena u 4 tačke; Spoljni prilagodljiva kopča za nos za savršeno prijanjanje uz lice; Štit od čvrstih i tečnih čestica;
Filter: polipropilen;
Kvačica za nos: plastika;
Vezice: sintetička guma;
Težina: 9 grama;
Standard: EN 149:2001+A1:2009;
 Originalno pakovanje: 20/180



CE EN 149:2001 + A1:2009

BLS 101



BLS

Respirator FFP2 ECONOMY s ventilom

Opis: respirator FFP2 NR D s ventilom;
Karakteristike: oblik školjke, elastična vezica pričvršćena u 4 tačke; Spoljni prilagodljiva kopča za nos za savršeno prijanjanje uz lice; Štit od čvrstih i tečnih čestica;
Filter: polipropilen;
Kvačica za nos: plastika;
Vezice: sintetička guma;
Ventil: polipropilen i sintetička guma;
Težina: 9 grama;
Standard: EN 149:2001+A1:2009;
 Originalno pakovanje: 20/180



CE EN 149:2001 + A1:2009

BLS 102V



BLS

Respirator FFP3 ECONOMY s ventilom

Opis: respirator FFP3 NR D s ventilom;
Karakteristike: oblik školjke, elastična vezica pričvršćena u 4 tačke; Spoljni prilagodljiva kopča za nos za savršeno prijanjanje uz lice; Štit od čvrstih i tečnih čestica;
Filter: polipropilen; **Kvačica za nos:** plastika;
Vezice: sintetička guma;
Ventil: polipropilen i sintetička guma;
Težina: 9 grama;
Standard: EN 149:2001+A1:2009;
 Originalno pakovanje: 10/90



CE EN 149:2001 + A1:2009

BLS 103V



SUPAIR

RESPIRATOR SKLOPIVI FFP1 SL
Filter od elektrostatičnog polipropilena
 Podloga, unutrašnji i spoljni sloj SMS polipropilen
 Pritezanje pomoću prirodne gume
Kućište za nos: polietilen s željeznom žicom
Težina: 11 g
 Originalno pakovanje: 20/240



CE EN 149:2001+A1:2009

Respirator FFP1 sklopivi

23100

FLAT FOLD MASK FFP1 SL
Filter Media in Melt-Blown electrostatic polypropylene
 Support, outer and inner layers in polypropylene SMS
 Tightening elastic in natural rubber
Nose piece : polyethylene encapsulated iron wire
Weight: 11 g
 Original packaging: 20/240





LACUNA

WORKTIME

SUPAIR

Respirator FFP 1 s ventilom (sklopivi)

23105

RESPIRATOR SKLOPOVI FFP1 SL
S disajnim ventilom
 Filter od elektrostatičnog polipropilena
 Podloga, unutrašnji i spoljni sloj SMS polipropilen
 Pritezanje pomoću vrpce od prirodne gume
Kućište za nos: polietilen sa čeličnom žicom
Težina: 17 g
Originalno pakovanje: 20/240

FLAT FOLD MASK FFP1 SL
With respiratory valve
 Filter Media in Melt-Blown electrostatic polypropylene
 Support, outer and inner layers in polypropylene SMS
 Tightening elastic in natural rubber
Nose piece : polyethylene encapsulated iron wire
Weight: 17g
Original packaging: 20/240



CE EN 149:2001+A1:2009

SUPAIR

Respirator FFP 1 s ventilom

23106

RESPIRATOR ŠKOLJKA FFP1 SL
S disajnim ventilom
 Filter od elektrostatičnog polipropilena
 Podloga, spoljni sloj SMS polipropilen
 Podloga; unutrašnji deo od poliesterskog vlnaka
 Pritezanje pomoću vrpce od sintetičke gume bez lateksa Aluminijumsko ojačanje nosnice
Kućište za nos: polietilen
Težina: 8 g
Originalno pakovanje: 10/240

SHELL MASK FFP1 SL
With respiratory valve
 Filter Media in Melt-Blown electrostatic polypropylene
 Outer layer in polypropylene SMS
 Inner layer in polyester
 Tightening synthetic latex-free rubber elastic
 Aluminium pince-nez
 Nose cushion in polyethylene foam
Weight : 8 g
Original packaging: 10/240



CE EN 149:2001+A1:2009

SUPAIR

Respirator FFP1

23101

RESPIRATOR ŠKOLJKA FFP1 SL
Filter od elektrostatičnog polipropilena
 Spoljni sloj SMS polipropilen
 Unutrašnji deo od poliesterskog vlnaka Pritezanje pomoću vrpce od sintetičke gume bez lateksa Aluminijumsko ojačanje nosnice
Kućište za nos: polietilen
Težina: 8 g
Originalno pakovanje: 20/240

SHELL MASK FFP1 SL
Filter Media in Melt-Blown electrostatic polypropylene
 Outer layer in polypropylene SMS
 Inner layer in polyester
 Tightening synthetic latex-free rubber elastic
 Aluminium pince-nez
 Nose cushion in polyethylene foam
Weight : 8 g
Original packaging: 20/240



CE EN 149:2001+A1:2009

SUPAIR

Respirator FFP 2 s ventilom sklopivi

23205

RESPIRATOR SKLOPOVI FFP2 SL
S disajnim ventilom
 Filter od elektrostatičnog polipropilena
 Podloga, spoljni i unutrašnji sloj SMS polipropilen
 Pritezanje pomoću vrpce od prirodne gume
Kućište za nos: polietilen s čeličnom žicom
Težina: 17 g
Originalno pakovanje: 20/240

FLAT FOLD MASK FFP2 SL
With valve
 Filter Media in Melt-Blown electrostatic polypropylene
 Support, outer and inner layers in polypropylene SMS
 Tightening elastic in natural rubber
Nose piece : polyethylene encapsulated iron wire
Weight : 17 g
Packaging:
 240 masks in a transport box
 20 masks in a inner box
 Individual packaging
Original packaging: 20/240



CE EN 149:2001+A1:2009



SUPAIR

Respirator FFP 2

23201

RESPIRATOR ŠKOLJKA FFP2 SL
Filter od elektrostatičnog polipropilena
 Podloga, spoljni i unutrašnji sloj SMS polipropilen
 Pritezanje pomoću sintetičke gume bez lateksa
Kućište za nos: polietilen s aluminijiskom žicom
Težina: 9 g
Originalno pakovanje: 20/240

SHELL MASK FFP2 SL
Filter Media in Melt-Blown electrostatic polypropylene
 Outer and inner layers in polypropylene SMS
 Synthetic latex-free rubber elastic
 Aluminium pince-nez
 Nose cushion in polyethylene foam
Weight: 9 g
Original packaging: 20/240



CE EN 149:2001+A1:2009

SUPAIR

Respirator FFP 2 s ventilom

23206

RESPIRATOR ŠKOLJKA FFP2 SL
S disajnim ventilom
 Filter od elektrostatičnog polipropilena
 Podloga, spoljni i unutrašnji sloj SMS polipropilen
 Pritezanje pomoću sintetičke gume bez lateksa
Kućište za nos: polietilen s aluminijumskom žicom
Težina: 14 g
Originalno pakovanje: 10/120

SHELL MASK FFP2 SL
With valve
 Filter Media in Melt-Blown electrostatic polypropylene
 Outer and inner layers in polypropylene SMS
 Synthetic latex-free rubber elastic
 Aluminium pince-nez
 Nose cushion in polyethylene foam
Weight : 14 g
Original packaging: 10/120



CE EN 149:2001+A1:2009

SUPAIR

Respirator FFP 3 s ventilom sklopivi

23305

RESPIRATOR SKLOPOVI FFP3 SL
Disajni filter
 Filter od elektrostatičnog polipropilena
 Podloga, spoljni i unutrašnji sloj SMS polipropilen
 Pritezanje pomoću prirodne gume
Kućište za nos: polietilen s čeličnom žicom
Težina: 19 g
Originalno pakovanje: 20/240

FLAT FOLD MASK FFP3 SL
With valve
 Filter Media in Melt-Blown electrostatic polypropylene
 Outer, inner and support layers in polypropylene SMS
 Pince-nez in polyethylene encapsulated iron wire nose piece
 Natural rubber elastic
Weight : 19 g
Original packaging: 20/240



CE EN 149:2001+A1:2009

SUPAIR

Respirator FFP 3 sa ventilom

23306

RESPIRATOR ŠKOLJKA FFP3 SL
Disajni filter
 Filter od elektrostatičnog polipropilena
 Spoljni sloj SMS polipropilen
 Unutrašnji sloj poliester
 Pritezanje pomoću gume, prilagodljivo
Kućište za nos: polietilen s aluminijumskom žicom
Težina: 32 g
Originalno pakovanje: 5/60

SHELL MASK FFP3 SL
With valve
 Filter Media in Melt-Blown electrostatic polypropylene
 Outer layers in polypropylene SMS
 Inner layer in polyester
 Aluminium nose piece pince-nez
 Braided elastic band with adjustable loops
 Face joint in polyethylene foam
Weight : 32 g
Original packaging: 5/60



CE EN 149:2001+A1:2009



LACUNA

WORKTIME

BLS

Polumaska od termoplastike za dva filtera

BLS 4000R / S-M / M-L

Opis: višekratna polumaska s dva filtera i dve tačke kopčanja;
Zaptivka: termoplastični elastomer (TPE);
Kućište: polipropilen (PE);
Sigurnosno kopčanje: Polyester (PES) i guma;
Ventil: Silikonski;
Težina: 124 gr;
Veličina: S-M / M-L;
Standard: EN 149:2001+A1:2009;
Originalno pakovanje: 1/8

KOMBATIBILNA SA FILTERIMA SERIJE 200



CE EN 149:2001 + A1:2009

NOVO
NEW
TOP
QUALITY
EUROPE

BLS

Polumaska od silikona za dva filtera

BLS 4000S / S-M / M-L

Opis: višekratna polumaska s dva filtera i dve tačke kopčanja;
Zaptivka: silikon;
Kućište: polipropilen (PE);
Sigurnosno kopčanje: Polyester (PES) i guma;
Ventil: Silikonski;
Težina: 124 gr;
Veličina: S-M / M-L;
Standard: EN 149:2001+A1:2009;
Originalno pakovanje: 1/8

KOMBATIBILNA SA FILTERIMA SERIJE 200



CE EN 149:2001 + A1:2009

NOVO
NEW
TOP
QUALITY
EUROPE**BLS Komplet polumaska s filterima (4000S-S/M + 301 + 211)**

BLS 4100

Opis: polu-maska sa dva filtera A2 i predfilterima P2 NR, komplet za upotrebu odmah;
Materijal: nosni deo: od silikona i termoplastičnog elastomera, držači filtera od poliamida, ostali delovi polu-maska su od polipropilena;
Karakteristike: ergonomski delovi sastoje se od naslona za glavu koji je prilagođljiv za korisnika;
Polu-maska: obuhvata frontalni izdajni ventil i dva bočna udisajna ventila koji su opremljeni specijalnom bayonet vezom;
Težina: 126 g;
Standard: EN 140, EN 14387;
Originalno pakovanje: 1/8

KOMBATIBILNA SA FILTERIMA SERIJE 200



CE EN 149:2001 + A1:2009

NOVO
NEW
TOP
QUALITY
RETAIL
MALOPRODAJA
EUROPE

BLS

Polumaska od silikona za jedan filter

BLSSGE46

Opis: višekratna polu-maska s jednim filterom;
Zaptivka: silikonska guma sa direktno spojenim vezicama od poliesterja i obložene gume;
Veličina: univerzalna, ergonomski prilagođiva za svakog korisnika;
Navoj: standardni navoj od polyamide (PA), (EN 148-1);
Ventil: dva izdajna ventila, kompatibilni svi ventili serije 400;
Težina: 150 gr;
Standard: EN 149:2001+A1:2009;
Originalno pakovanje: 1/1

KOMBATIBILNA SA FILTERIMA SERIJE 400



CE EN 149:2001 + A1:2009

TOP
QUALITY
EUROPE

BLS

Maska od termoplastike za dva filtera

BLS5600

Opis: puna višekratna maska s dva filtera i bayonet povezivanjem;
Zaptivka: termoplastični elastomer (TPE);
Navoj: bayonet povezivanjem;
Vizir: panoramski vizir klase 1 (EN 166) od polikarbonata (PC) + vitrifikacije sa zaštitom od ogrebotine i zamagljivanja;
Ventil: kompatibilni svi ventili serije 200;
Unutrašnjost: unutrašnja usno - nosna silikonska guma;
Težina: 570 gr;
Standard: EN 136;
Originalno pakovanje: 1/4

KOMBATIBILNA SA FILTERIMA SERIJE 200



CE EN 149:2001 + A1:2009



BLS

Maska od silikona za dva filtera

BLS5700

Opis: puna višekratna maska s dva filtera i bayonet povezivanjem ;
Zaptivka: silikon;
Navoj: bayonet povezivanjem;
Vizir: panoramski vizir klase 1 (EN 166) od polikarbonata (PC) + vitrifikacije sa zaštitom od ogrebotine i zamagljivanja;
Ventil: kompatibilni svi ventili serije 200;
Unutrašnjost: unutrašnja usno - nosna silikonska guma;
Težina: 580 gr;
Standard: EN 136;
Originalno pakovanje: 1/4

KOMBATIBILNA SA FILTERIMA SERIJE 200



CE EN 149:2001 + A1:2009



BLS

Maska od termoplastike za jedan filter

BLS5150

Opis: puna višekratna maska sa jednim filterom, fiksirana sa 6 quick release EPDM tačaka;
Zaptivka: termoplastični elastomer (TPE);
Navoj: standardni navoj od polyamide (PA), (EN 148-1);
Vizir: panoramski vizir klase 1 (EN 166) od polikarbonata (PC) + vitrifikacije sa zaštitom od ogrebotine i zamagljivanja;
Ventil: kompatibilni svi ventili serije 400;
Unutrašnjost: unutrašnja usno - nosna silikonska guma;
Težina: 530 gr;
Standard: EN 136;
Originalno pakovanje: 1/4

KOMBATIBILNA SA FILTERIMA SERIJE 400



CE EN 149:2001 + A1:2009





LACUNA

WORKTIME

BLS

Maska od silikona za jedan filter

BLS5400

Opis: puna višekratna maska sa jednim filterom, fiksirana sa 6 quick release EPDM tačaka; **Zaptivka:** silikon; **Navoj:** standardni navoj od polyamida (PA), (EN 148-1); **Vizir:** panoramski vizir klase 1(EN 166) od polikarbonata (PC) + vitrifikacije sa zaštitom od ogrebotina i zamagljivanja; **Ventil:** kompatibilni svi ventili serije 400; **Unutrašnjost:** unutrašnja usno-nosna silikonska guma; **Težina:** 540 gr; **Standard:** EN 136; **Originalno pakovanje:** 1/4

KOMBATIBILNA SA FILTERIMA SERIJE 400



Description: reusable full face mask with one filter, fixed with 6 quick release EPDM dots; **Face seal:** silicon; **Connection:** Standard polyamide connection (PA), (EN 148-1); **Visor:** panoramic visor of class 1 (EN 166) polycarbonate (PC) + vitrification with antiscratching and anti-fog protection; **Valve:** Compatible with all Series 400 valves; **Inside:** inner lip-nose silicone rubber; **Weight:** 540 gr; **Standard:** EN 136; **Original packing:** 1/4

CE EN 149:2001 + A1:2009



BLS

Maska od termoplastike za jedan filter

BLS3150

Opis: puna višekratna maska s jednim filterom; **Zaptivka:** sintetička guma (EPDM); **Navoj:** standardni navoj od polyamida (PA), (EN 148-1); **Vizir:** polikarbonatno sigurnosno staklo protiv zamagljivanja laminirano s EVA antifragmentacijom što daje snažnu otpornost na hemikalije i pukotine; **Držač filtera:** akrylonitril butadien stiren (ABS); **Ventil:** kompatibilni svi ventili iz serije 400; **Težina:** 510 gr; **Standard:** EN 136; **Originalno pakovanje:** 1/4

KOMBATIBILNA SA FILTERIMA SERIJE 400



Description: full reusable mask with one filter; **Face seal:** synthetic rubber (EPDM); **Connection:** Standard polyamide connection (PA), (EN 148-1); **Visor:** polycarbonate anti-fogging glass laminated with EVA antifragmentation which gives strong resistance to chemicals and breaks; **Filter holder:** acrylonitrile butadiene styrene (ABS); **Valve:** Compatible with all 400 Series Valves; **Weight:** 510 gr; **Standard:** EN 136; **Original packing:** 1/4

CE EN 149:2001 + A1:2009



BLS

Polumaska od termoplastike sa dva filtera (A2P2R D)

BLS8100

Opis: višekratna polumaska s dva filtera (A2P2R D); **Zaptivka:** termoplastični elastomer (TPE); **Sigurnosno kopčanje:** Polyester (PES) and Rubber; **Ventil:** Silikonski; **Kućište:** Polypropylene (PP) + Acrylonitrile Butadiene Styrene (ABS); **Objašnjenje nivoa zaštite:** • A = Organski gasovi i isparjenja • P = Čestice prašine • R = Za višestruku upotrebu; **Težina:** 324 gr; **Standard:** EN 149:2001+A1:2009; **Originalno pakovanje:** 1/10



Description: reusable half mask with two filters (A2P2R D); **Face Seal:** thermoplastic elastomer (TPE); Safety harness; Polyester (PES) and Rubber; **Exhalation valve:** Silicone; **Canister:** Polypropylene (PP) + Acrylonitrile Butadiene Styrene (ABS); **Level marking:** • A = Organic gases and vapours • P = Dusts • R = Reusable; **Weight:** 324 gr; **Standard:** EN 149: 2001 + A1: 2009; **Original packing:** 1/10

CE EN 149:2001 + A1:2009



BLS

Zaštitna folija za masku

BLS K16 / BLS K 19

Opis: Zaštitni film (folija) u acetatu za masku za lice **Primena:** kod industrijskog bojenja i uz prisutnost hemijskih prskanja, dodatno štiti vizir i produžava vek trajanja vizira; **Originalno pakovanje:** 1/1

* BLSK16 - folija za masku serije 3000
* BLSK19 - folija za masku za lice serije 5000



Description: Protective film (foil) in face mask acetate **Application:** In industrial dyeing and in the presence of chemical sprays, further protects the visor and prolongs the lifespan of visions; **Original packing:** 1/1

* BLSK16 - mask series 3000 series
* BLSK19 - face mask 5000 series

CE EN 149:2001 + A1:2009



BLS

Filteri serije 200 i 201

KOMPATIBILNI SA:
* POLUMASKAMA SERIJE 4000 - BLS4000R, BLS4000 S
* MASKAMA SERIJE 5000 - BLS5600, BLS5700

CE EN 143:2000/A1:2006,
EN 14387:2004 + A1:2008;

ŠIFRA / CODE	NAZIV ARTIKLA / ARTICLE NAME	ZAŠTITA / PROTECTION	BOJA FILTERA / COLOR
BLS202	Filter P3 R	Prašina / Dust	○
BLS211	Filter A2	Organski gasovi i isparjenja, klasa 2/ Organic gases and vapours, class	●
BLS212	Filter AX	Organski gasovi i isparjenja s tačkom ključanja nižom od 65°C / Organic gases and vapours with a boiling point lower than 65°C	●
BLS214	Filter ABEK 1	Organski, anorganski i kiseli gasovi, para, amonijak i derivati, klasa 1 i formaldehid/ Organic, inorganic and acid gases, vapours, ammonia and derivatives, class 1 and formaldehyde	● ● ○ ○
BLS221	Filter A2P3 R	Organski gasovi i para, klasa 2 i prašina/ Organic gases and vapours, class 2 and dust	○ ●
BLS222	Filter ABEK1P3 R	"Organski, anorganski i kiseli gasovi i para i amonijak i derivati, klasa 1, prašine i formaldehida/ Organic, inorganic and acid gases and vapours and ammonia and derivatives, class 1, dust and formaldehyde"	● ● ○ ○
BLS243	Filter ABEK2	Organski, anorganski i kiseli plinovi, para, amonijak i derivati, klasa 2 i formaldehid/ Organic, inorganic and acid gases, vapours, ammonia and derivatives, class 2 and formaldehyde	● ● ○ ○
BLS251	Filter A2P3 R	Organski gasovi i isparjenja, klasa 2 i prašina/ Organic gases and vapours, class 2 and dust	○ ●
BLS254	Filter ABEK2P3 R	"Organski, anorganski i kiseli gasovi i para i amonijak i derivati, klasa 2, prašine i formaldehida/ Organic, inorganic and acid gases and vapours and ammonia and derivatives, class 2, dust and formaldehyde"	● ● ○ ○

BLS

Predfilteri serije 201 i 301

KOMPATIBILNI SA:
* POLUMASKAMA SERIJE 4000 - BLS4000R, BLS4000 S
* MASKAMA SERIJE 5000 - BLS5600, BLS5700

CE EN 143:2000/A1:2006,
EN 14387:2004 + A1:2008;

ŠIFRA / CODE	NAZIV ARTIKLA / ARTICLE NAME	ZAŠTITA / PROTECTION	BOJA FILTERA / COLOR
BLS301	Filter P2 R	Predfilter za prašinu montiran na 211, 213, 214, 241, 243, 244/Dust prefilter mounted on 211, 213, 214, 241, 243, 244	○
BLS201-3	Filter P3 R	Prašina / Dust	○

Filteri serije 400

KOMPATIBILNI SA:
 *POLUMASKOM BLSSGE46
 * MASKAMA SERIJE 5000 I 3000 - BLS5150,
 BLS5400, BLS5400C, BLS3150,BLS3400

COMPATIBLE SA:
 * HALF MASK BLSSGE46
 * FULL FACE MASK SERIES 5000 AND
 3000 - BLS5150, BLS5400, BLS5400C,
 BLS3150,BLS3400



CE EN 143:2000/A1:2006,
 EN 14387:2004 + A1:2008;

ŠIFRA/ CODE	NAZIV ARTIKLA/ ARTICLE NAME	ZAŠTITA/ PROTECTION	BOJA FILTERA /COLOR
BLS401	Filter P3 R	Prašina/ Dust	○
BLS411	Filter A2	Organiski gasovi i isparenja, klasa 2/ Organic gases and vapours, class 2	●
BLS412	Filter AX	Organiski gasovi i isparenja s tačkom ključanja nižom od 65°C/ Organic gases and vapours with a boiling point lower than 65° C	●
BLS413	Filter K2	Amonijak i derivati, klasa 2/ Ammonia and derivatives, class 2	●
BLS414	Filter ABE2	Organiski, anorganski i kiseli gasovi i isparenja, klasa 2/ Organic , inorganic and acid gases and vapours, class 2	● ● ○
BLS415	Filter ABEK2	Organiski, anorganski i kiseli gasovi i isparenja i amonijak i derivati, klasa 2/ Organic, inorganic and acid gases and vapours and ammonia and derivatives, class 2	● ● ○ ●
BLS421	Filter A2P3 R	Organiski gasovi, isparenja, klasa 2 i prašina/ Organic gases, vapours, class 2 and dust	○ ●
BLS422	Filter AXP3 NR	Organiski gasovi i isparenja s tačkom ključanja nižom od 65°C i prašina/ Organic gases and vapours with a boiling point lower than 65° C and dust	○ ●
BLS423	Filter ABE2P3 R	Organiski, anorganski i kiseli gasovi i isparenja, klasa 2, i prašina/ Organic, inorganic and acid gases and vapours, class 2, and dust	● ● ○ ○
BLS424	Filter ABEK1P3 R	Organiski, anorganski i kiseli gasovi i isparenja, amonijak klasa 1 i toksična prašina/ Organic, inorganic and acid gases and vapours and ammonia class 1, and toxic dust	● ● ○ ○ ○ ○
BLS425	Filter ABEK2P3 R	Organiski, anorganski i kiseli gasovi i isparenja, amonijak klasa 2 i prašina/ Organic, inorganic and acid gases and vapours and ammonia class, and dust	● ● ○ ○ ○ ○
BLS430	Filter ABEK2HgP3 R	Organiski, anorganski i kiseli gasovi i isparenja i amonijak i derivati, živa, klasa 2 i prašina/ Organic, inorganic and acid gases and vapours and ammonia and derivatives, mercury class 2 and dust	● ● ○ ○ ○ ○ ●



Polumaska za jedan filter

EUROMASK UNO
 Plumaska za 1 promenljivi filter
 Polikroprenska guma
 Podesive trake
 Vazdušni ventil
 Težina: 120 g
 Karton sa 16 maski
 Originalno pakovanje:
 1/16

EUROMASK UNO
 Half-mask for 1 threatened cartridge
 Polychloroprene rubber
 Adjustable straps
 Expiration valve
 Weight : 120 g
 Carton with 16 masks
 Original packaging:
 1/16



CE EN 140

Polumaska za dva filtera

FFP2 Polumaska za 2 promenljiva filtera
 Polikroprenska guma
 Podesive trake
 Vazdušni ventil
Težina: 140 g
 Karton sa 16 maski
 Originalno pakovanje:
 1/16

MASK FFP2
 Half-mask for 2 threatened cartridges
 Polychloroprene rubber
 Adjustable straps
 Expiration valve
Weight : 140 g
 Carton with 16 masks
 Original packaging:
 1/16



CE EN 140



Filteri za EUROMASK

Filteri za masku EUROMASK UNO i masku EUROMASK DUE
 Filters for EUROMASK UNO and EUROMASK DUE



CE EN 141, EN 143, EN 14387;


ŠIFRA/ CODE	NAZIV ARTIKLA/ ARTICLE NAME	ZAŠTITA/ PROTECTION	BOJA FILTERA/ COLOR
22130	Filter za masku A1P2	Organiski gasovi i isparenja, nizak nivo prašine/ Organic gases and vapours, low-level toxic dust	○ ●
22140	Filter za masku P2	Nizak nivo toksične prašine/ Low-level toxic dust	○
22150	Filter za masku A1B1E1K1	Organiski, anorganski i kiseli gasovi i isparenja i amonijak/ Organic, inorganic and acid gases and vapours and ammonia	● ● ○ ○
22160	Filter za masku A1	Organiski gasovi i isparenja/ Organic gases and vapours	○
22170	Filter za masku P3	Toksična prašina i čestice/ Against toxic dust and particles	●



STAY PROTECTED

Worktime

HIGIJENA RUKU / SREDSTVA ZA ISPIRANJE OČIJA HAND HYGIENE / EYES RINCE SOLUTIONS



PLUM

Na osnovu višegodišnjeg iskustva firme Plum i njihovih efikasnih i modernijih rešenja za održavanje higijene ruku na svim vrstama radnog mesta, odabrali smo proizvode koji nude izuzetan kvalitet i pouzdanost. Godine 1996. proizvodna paleta proširena je i na efikasna sredstva za ispiranje očiju, koja se koriste kao prva pomoć.

Proizvodni proces smešten je u Danskoj u potpuno novoj, modernoj fabričkoj koja osigurava svetske standarde u proizvodnji ove grupe proizvoda. Distributivna mreža kompanije Plum u evropskim okvirima vrlo dobro je razgranata, dok je u regiji Vaš partner firma Lacuna preuzeo odgovornost za distribuciju i servis na području Hrvatske, Slovenije, BiH i Srbije.

LACUNA/PLUM partnerstvo omogućava rešenja koja doprinose sigurnoj i zdravoj radnoj atmosferi.

REŠENJA KOJA DOPRINOSE SIGURNOJ I ZDRAVOJ RADNOJ ATMOSFERI

HIGIJENA RUKU

Firma Plum proizvodi visokokvalitetne kreme za negu kože, sredstva za čišćenje ruku, sapune i farmaceutska rešenja već skoro 40 godina. Najvažniji zadatak je izaći u susret potrebi za nežnim i efikasnim sredstvima za čišćenje i negu ruku, kako bi ruke ostale zdrave. Ovu vrstu proizvoda uspešno koriste trgovci i zaposleni u industriji.

SREDSTVO ZA ISPIRANJE OČIJU

Danas na tržištu možemo ponuditi najveću paletu sredstava za ispiranje očiju kao sredstvo prve pomoći u slučaju nezgode. Sredstva firme Plum su efikasna, fleksibilna, higijenska i, ništa manje važno, jednostavna za rukovanje. Prilagođena su različitim radnim prilikama i potrebama.

Mogu naći svoje mesto blizu radnog mesta – naročito tamo gde nastupa rizik za zdravlje očiju, brzo i efikasno ispiranje može ključno uticati na eventualne posledice.

PLUM PROGRAM ZA NEGU KOŽE

Manuelni rad često je naporan za kožu – pranje vodom, sapunom, a naročito sredstvima za čišćenje ruku, takođe može ošteti kožu. Ako želite da sprečite sušenje kože ili u najgorem slučaju, iritaciju kože – vrlo je važno održavati kožu čistom i zdravom.

Jedan od uslova koji omogućava održavanje čiste, zdrave kože jeste postojanje proizvoda koji su odgovarajući za Vaš posao.

ČIŠĆENJE KOŽE

Sredstvo za čišćenje kože mora biti nežno, ali i efikasno, prilagođeno radnoj situaciji.

NEGA KOŽE

Zaštitite svoju kožu korišćenjem regenerišuće kreme pre, za vreme i nakon rada.

Based on years of experience Company Plum and their efficient and modern solutions for hand hygiene in all types of workplace, we have selected products that offer exceptional quality and reliability. In 1996, production range was extended with effective eye washers, which are used as first aid.

The manufacturing process is located in Denmark in a brand new, modern factory, which ensures international standards in the production of this product group.

Distribution network companies Plum in the European framework is very well diversified, while in the region of your partner company Lacuna assumed responsibility for distribution and service in the Croatia, Slovenia, Bosnia and Serbia.

Lacuna / Plum partnership provides solutions that contribute to safe and healthy work environment.

SOLUTIONS THAT CONTRIBUTE TO SAFE AND HEALTHY WORK ENVIRONMENT

HAND HYGIENE

Plum Company is manufacturing high quality skin care creams, hand cleaners, soaps and pharmaceuticals solutions for almost 40 years. The most important task for gentle and effective hand cleansers is to keep our hands healthy. This type of products are successfully used by traders as well as the industry.

EYE WASHER

Today, the market can offer the greatest variety of means for flushing the eyes as a means of first aid in case of an accident. Products of Plum company are efficient, flexible, hygienic and easy to handle.

Adapted to different working conditions and needs, they can find their place close to the workplace – especially where is high eye risk.

PLUM PROGRAM FOR SKIN CARE

Manual labor is often difficult for the skin - wash with water, soap, and especially cleaning hands, it can also damage the skin. If you want to prevent dry skin or, at worst, skin irritation - it is very important to keep your skin clean and healthy. One of the conditions that allow maintenance of clean, healthy skin is the existence of products that are appropriate for your working place.

SKIN CLEANING

Skin cleanser should be gentle and effectively customized with work situation.

SKIN CARE

Protect your skin by using renewing cream before, during and after work.

MAXI-PLUM SISTEMI PUNJENJA MAXI-PLUM FILLING SYSTEMS

ŠTO VAM NUDE PLUM SISTEMI PUNJENJA

SMANJENA POTROŠNJA .

Izmerena količina sapuna pri svakom korišćenju čini MaxPlum krajnje ekonomičnim u upotrebi i tako smanjuje potrošnju. Ruke se mogu prati češće sadržajima u pakovanjima kapaciteta 4,2 l, nego sadržajima posuda kapaciteta 10 l. Smanjena potrošnja takođe smanjuje rizik blokiranja odvodnih cevi.

HIGIJENSKO, HERMETIČKO PAKOVANJE ZA JEDNOKRATNU UPOTREBU.

Sprečava isušivanje proizvoda i tako produžuje njegovo trajanje. Hermetičko pakovanje s integriranim ventilom sprečava penetraciju bakterija. Pakovanje i ventil se podešavaju se kada se dopinjavai sam proizvod.

PUNJENJE I ODRŽAVANJE ŠTEDE VРЕME.

Sistem kesa-u-kutiji jednostavno se zamjenjuje. Sadržaj 4,2 l takođe smanjuje učestalost dopune i stvara manje otpada. Glatke, ravne površine sistema punjenja lako se čiste.

JEDNOSTAVAN, JAK SISTEM PUNJENJA.

Jednostavne, čiste linije i izbor belog ili crnog poklopca omogućavaju harmonično instaliranje sistema za punjenje uz postojeću opremu za pranje. Izdržljivi materijali osiguravaju dug vek trajanja.

EKOLOŠKI PRIHVATLJIVA AMBALAŽA PROIZVODA .

Ambalaža je napravljena od ekološki prihvatljivih PU materijala i kartona, koji otpuštaju samo vodu i ugljenik dioksid kada se spaljuju.

ZAKLJUČAVANJE PO IZBORU.

Sistem za pranje može biti osiguran protiv krađe uz pomoć brave.

ČISTA, ZDRAVA KOŽA .

Jednostavna, prilagođiva paleta stvara efikasan sistem koji će savršeno odgovorati Vašem radnom mestu.

WHAT PLUM SYSTEM OFFERS YOU

REDUCED CONSUMPTION.

The measured amount of soap every time you use it makes MaxPlum extremely economical in use and reduce consumption. Hands can be more washed with packaging capacity of 4.2 l. Reduced consumption also reduces the risk of blocking the pipes.

HYGIENIC , HERMETIC PACKAGING FOR DISPOSABLE .

Prevents drying of the product and prolongs its duration. Hermetic packaging with an integrated valve prevents the penetration of bacteria. Packaging and valve adjust when refill of product is done.

CHARGE AND MAINTAIN SAVING TIME.

System Bag-in-box are easily replaced. Contents 4.2 l also reduces the frequency of replacement, and produces less waste. Smooth, flat surface charging systems, easy to clean.

A SIMPLE, ROBUST SYSTEM OF CHARGING.

Simple, clean lines and choice of white or black cover allow the installation of a harmonious system for filling the existing equipment for shampoo. Durable materials provide long service life.

ENVIRONMENTALLY FRIENDLY PACKAGING PRODUCTS .

Packaging is made from environmentally friendly PU material and cardboard, which release only water and carbon dioxide when burned.

FOR NECESSARY, CAN BE LOCKED .

System for washing can be secured against theft with the help of lock.

CLEAN, HEALTHY SKIN

Simple, flexible palette creates an efficient system that will perfectly suit your workplace.

MAXI PLUM DISPENSER

4221



STANDARD PLUM DISPENSER

4215



KREMA ZA RUKE – PLUTECT DUAL

2503 2541

Krema za ruke – Plutect Dual 0,7 l
Hand cream – Plutect Dual 0,7 lKrema za ruke – Plutect Dual 100 ml
Hand cream – Plutect Dual 100 ml

Kombinovana efikasna zaštitna krema, za svaku upotrebu pre posla. Podjednako štiti od loših uticaja proizvoda na vodenoj kao i na uljnoj bazi.

The combined effective protective cream, for any use before work, as protection against bad influences of water-and oil-based.

Krema za ruke – Handy plus 200 ml

Hand cream – Handy plus 200 ml

Krema za ruke – Handy plus 50 ml

Hand cream – Handy plus 50 ml

Krema za ruke – Handy plus 0,7 l

Hand cream – Handy plus 0,7 l

Losion krema za negu kože sa zaštitom.pomaže u održavanju ravnoteže za vlagu i masnoću kože.

Lotion skin care cream with zaštitom.pomaže in maintaining the balance of moisture and fat from the skin.



PLUM 14

1413

KREM SAPUNI – PLUM 14
CREAM SOAPS – PLUM 14

Industrijski mirisni sapun za dnevno pranje ruku.

Veličina pakovanja:

1413 8 x 1,4 l (vreća-u-kutiji)

Industrial scented soap for daily hand washing.

Package Size:

1413 8 x 1,4 l (Bag-in-box)

KREM SAPUNI – PLUM 17
CREAM SOAPS – PLUM 17

Plum 17 mirisni gel za tuširanje, kupanje i pranje kose.

Veličina pakovanja:

1706 8 x 1,4 l (vreća-u-kutiji)

17 Plum scented shower gel for bathing and hair washing.

Package Size:

1706 8 x 1,4 l (Bag-in-box)



PASTA ZA RUKE PLUM PROFI

0918 0915

Pasta za ruke Plum Profi 1,4 l
Hands washing paste Plum Profi 1,4 l

Pasta za ruke Plum Profi 250 ml

Hands washing paste Plum Profi 250 ml

Pasta za čišćenje ruku, jako efikasna, uklanja ulje, čad, guma i metalne prljavštine.

Pasta for cleaning hands, very effective, removes oil, carbon black, rubber and metallic debris.

Pasta za ruke Plum Extra 4,2 litre

Hands washing paste Plum Extra 4,2 litre

Pasta za ruke Plum Extra 250 ml

Hands washing paste Plum Extra 250 ml

Jedno od najefikasnijih sredstava za čišćenje ruku sa mirisom limuna. I najozbiljnije prljavštine lako uklanja, kao što su npr.: ulje, čad, guma, metal.

One of the most effective hand cleaners with lemon scent. I seriously dirt easily removed, such as eg.: oil, carbon black, rubber, metal.



PASTA ZA RUKE PLUM EXTRA

0995 0984

KREMA ZA RUKE – HANDY PLUS

2901 2902 2903

Krema za ruke – Handy plus 200 ml
Hand cream – Handy plus 200 ml

Krema za ruke – Handy plus 50 ml

Hand cream – Handy plus 50 ml

Krema za ruke – Handy plus 0,7 l

Hand cream – Handy plus 0,7 l

Losion krema za negu kože sa zaštitom.pomaže u održavanju ravnoteže za vlagu i masnoću kože.

Lotion skin care cream with zaštitom.pomaže in maintaining the balance of moisture and fat from the skin.



PLUM MARAMICE / PLUM WIPES

5332

ZA RAZNE NAMENE
ALL PURPOSE

Efikasno, ali nežno uklanja ulje, vosak, boju i ostalu prijavštinu bez upotrebe vode. Mekanoj maramici dodata je efikasna tečnost koja čisti i regeneriše.

Veličina pakovanja:

200 maramica / kantica

Effectively but gently removes oil, wax, paint and other dirt without using water. To the soft tissue effective fluid is added to clean and regenerate.



INDUSTRIJSKO ČIŠĆENJE – ASSOREN

INDUSTRIAL CLEANING – ASSOREN

1201

1208

5 litara

200 litara

5,0 L PLASTIČNA POSUDA S PUMPOM 3 X 5 L

Proizvod za odmašćivanje i čišćenje, dobar za životnu sredinu. Assoren se razlikuje od ostalih proizvoda za čišćenje zahvaljujući vrlo velikom sadržaju aktivnih sastojaka.

Efikasni rezultati postižu se čak i s relativno niskom dozom sredstva za čišćenje.

Assoren je biorazgradiv. Testiran je i odobreno je njegovo izlivanje u odvode, pogone za pročišćavanje voda, kao i u jezero ili more.

Na taj način Assoren se može koristiti za sve situacije čišćenja, uz vašu čistu savest. Tako i nisko doziranje pomaže brizi za našu životnu sredinu.

Ne sadrži konzervante ili parfeme, a takođe ne sadrži štetne sastojke koji sprečavaju rđanje.

Assoren je idealan u sledećim situacijama

- čišćenja radiona
- čišćenje uređaja i mašina
- čišćenje na platformama za vadjenje iz mora
- čišćenje vozova/brodova
- čišćenje u grafičkoj industriji
- čišćenje u industriji hrane
- čišćenje podova, zidova i pokućstva

Načini za korišćenje sredstva Assoren

- ručno čišćenje
- Čišćenje pod visokim pritiskom
- Pranje
- Namakanje
- Automatsko metalno odmašćivanje
- Biorazgradivo odmašćivanje

Pakovanje: 5,0 l plastična posuda s pumpom, 3 x 5,0 litara, dostupno i u pakovanju od 200 L (šifra artikla 1208)



5,0 PLASTIC ASSOREN WITH A PUMP 3 X 5 L

Environment friendly product for degreasing and cleaning.

Assoren differs from other cleaning products thanks to a very high content of active ingredients. Effective results are achieved even with a relatively low dose of detergent.

Assoren is biodegradable. It has been tested and was approved by its spills into drains, treatment plants and into the lake or the sea. So Assoren can be used for all cleaning situations on your clean conscience. Thus, the low dosage helps care for our environment.

No preservatives, no perfumes, and no harmful ingredients to prevent rust.

Assoren is ideal in these situations

- cleaning supply cleaning equipment and machines
- Cleaning the platforms for the extraction from the sea
- cleaning of trains / ships
- cleaning of the printing industry
- Food industry cleaning
- cleaning floors, walls and Furniture

Ways to use Assoren

- Manual Cleaning
- High pressure cleaning
- Laundry
- Soaking
- Automatic metal degreasing
- Biodegradable Degreasing

Packing: 5,0 L plastic containers with pump, also available in 200 L packing (product code - 1208)

**QUICKFIX FLASTER-SISTEM ZA PUNJENJE QUICKFIX**

Prva pomoć u Vašem pogonu biti će jednostavna, sigurna i fleksibilna primjenjena. Pojedinačno ambalažiranje trake flastera biti će jednostavno izvučene iz svog kućišta, a da su pri tome na jednoj strani već pripremljeni otvoreni, tako de se flaster i jednom rukom može staviti na ozlijedeno mjesto! QuickFix premium tipovi flastera na raspolažanju su u pakiranjima za punjenje tako da je ugradnja moguća u svakom pogonu. Čvrsto, ali lepo oblikovano kućište posude za punjenje jednostavno se lepljivom trakom ili materijalom za pričvršćivanje, koji se isporučuje zajedno sa sistemom, montira na zid. Sistem se može ključem zaštititi od krađe. U kućištu sistema za punjenje na raspolažanju su odeljci za odlaganje drugih materijala za prvu pomoć.

Ima puno dobrih razloga za ugradnju sistema QuickFix!

- Visok higijenski standard zahvaljujući higijenski upakovanim flaster trakama
- Jednostavna i lagana primena jednom rukom
- Fleksibilan sistem zahvaljujući mogućnosti punjenja različitim tipovima flaster traka
- Širok spektar upotrebljivosti za gotovo svako radno mesto
- Zaštićeno od krađe – zahvaljujući tome smanjeno je rasipanje i troškovi! Opseg isporuke flaster-sistema za punjenje

QuickFix – uključuje dva paketa za punjenje, materijal za pričvršćivanje, te ključ za osiguranje od krađe. Dimenzija kućišta: 23,25 cm širina x 13,34 cm visina x 3,3 cm dubina.

QUICKFIX PATCH - A SYSTEM FOR CHARGING

QuickFix first aid patch-system for filling in your facility will be easy, safe and flexible to apply. Individual packing tape strips will be easily drawn from their position. One side is already prepared open, so the patches can be quickly placed on the injured area! There are premium types of patches in packages for charging - fitting in every possible facility. Rugged, but nicely shaped body of filling simply tape or material for attachment, which comes with the system, mounted on the wall. The system can be stronger to protect against theft. The housing system for filling the compartments are available for the disposal of other materials for first aid. There are many good reasons for the system QuickFix installation!

- A high standard of hygiene due to hygiene packaged strapping tape
- Simple and easy use with one hand
- A flexible system due to load different types of strapping tape
- Wide range of applicability for almost every job
- Protected from theft - thanks to reduced waste and triangular! Scope of delivery patch-system for filling QuickFix - includes two packages filling material for attachment, and key insurance against theft.

Box Dimensions: 23,25 cm širina x 13,34 cm visina x 3,3 cm dubina.

QUICKFIX**QUICKFIX FLASTERI
QUICKFIX PATCHES****5501**

Jedinica za punjenje s 2 x vodootporna pakovanja za novo punjenje.
Veličina pakovanja: 1 kom / 10 kom. u jednom master-kartonu 450 jedinica

Unit charger with 2 x waterproof packaging for refilling
Package Size:
1 piece / 10 pcs a master-carton 450 units

**5502**

Jedinica za punjenje s 2 x elastična pakovanja za novo punjenje.
Veličina pakovanja: 1 kom / 10 kom. u jednom master-kartonu 450 jedinica

Unit charger with 2 x elastic packaging for refilling
Package Size:
1 piece / 10 pcs a master-carton 450 units

**5503**

Jedinica za punjenje s 2 x detektibilna pakovanja za novo punjenje.
Veličina pakovanja: 1 kom / 10 kom u jednom master-kartonu 450 jedinica

Unit charger with 2 x detectable packaging for refilling
Package Size:
1 piece / 10 pcs a master-carton 450 units

**QUICKFIX PUNJENJA****QUICKFIX PAKIRANJA ZA PUNJENJE
QUICKFIX FILLING PACKAGING****5511**

Vodootporna flaster traka, od perforiranog i provetrvajućeg materijala, posebno dgavarajućeg za kožu.
Mere: 72 x 25 mm. 45 komada u pakovanju za punjenje.

**5512**

Elastična flaster traka od tekstila, prilagodljiva, omogućava disanje kože.
Mere: 72 x 25 mm. 45 komada u pakovanju za punjenje.

**5513**

Detectabilni flaster traka s metalnim trakama što omogućava prepoznavanje putem detektora metala u higijenski osetljivim uslovima (npr. industrija namirnica sa životom), sterilna i otporna, iz perforiranog i provetrvajućeg nosivog materijala.
Mere: 72 x 25 mm. 45 komada u pakiranju za punjenje.

Detectable strapping tape with metal strip which allows detection by metal detectors in hygienically sensitive conditions (food industries), sterile and resistant, perforated and breathable supporting materials.
Measurements: 72 x 25 mm. 45 pieces per pack for filling.





PLUM SREDSTVA ZA ISPIRANJE OČIJU PLUM EYE RINSE SOLUTION

PLUM SREDSTVA ZA ISPIRANJE OČIJU U SLUČAJU NEZGODE

PLUM EYE WASHERS IN CASE OF AN ACCIDENT

PLUM PROGRAM ZA NEGU KOŽE

Ispiranje oka – činjenično stanje

Imate samo dva oka – vodite računa o njima. Vid je jedno od naših najvažnijih čula. Ako dođe do nezgode, svega nekoliko sekundi presudno je za posledice mogućeg gubitka vida. Sredstvo za ispiranje očju koje je uvek na dohvati ruke odlučujući je faktor kada postoji rizik povrede očiju. Ovo se naročito odnosi na povrede uzrokovane kiselinama i alkalima; nagrizajuće pečenje započinje istog časa kada otrov dođe u dodir s očima. Vreme je takođe važno kada se radi o povredama uzrokovanim metalnim krhotinama ili npr. drvenim iverjem, prašinom i prljavštinom. U takvim situacijama korištenje sredstava za ispiranje očiju, neposredno nakon povrede može sprieti lepljenje stranih tela na oko i ozbiljne povrede. Pravilno pozicioniranje sredstava za ispiranje očiju u skladu s potrebama na radnom mestu može predstavljati odlučujući napor uložen kako bi se sprečile ozbiljne povrede očiju.

Za optimalnu sigurnost tamo gde postoji rizik od povrede očiju, oprema za ispiranje očiju mora biti:

1. Trenutno dostupna
2. Prilagođena brzoj primeni
3. Efikasna, bez uzrokovanja daljih povreda

Možemo Vam ponuditi široku paletu rastvora za ispiranje očiju, male i velike jedinice koje se montiraju direktno uz radna mesta, ili mala mobilna pakovanja solucija koje se mogu staviti u vozilo, kutiju za alat ili kutiju za prvu pomoć, kao i u specijalnu pojasmu torbicu. Uvek će biti moguće naći rešenje koje će Vam omogućiti jednostavan pristup sredstvu za ispiranje očiju. Naš sistem je razvijen da bi omogućio jednostavno ispiranje oka. Dva jednostavna pokreta i bočica je spremna za upotrebu. Ergonomski oblikovana da pokrije oko osigurava direktno ispiranje i odvodi tečnost iz oka nakon ispiranja.

VAŽNO!

U vezi s povredama bilo koje vrste, tečnost mora dopreti do oka u nežnom, jednokratnom mlazu. Bocu pritisnite lagano, bez gnjećenja. Uvek potražite medicinsku pomoć i nastavite sa ispiranjem za vreme transporta. Nudimo dve vrste tečnosti za ispiranje očiju. Nakon nezgoda koje su uzrokovane jakim kiselinama ili alkalima, od vitalnog je značaja neutralisati tečnost u oku što je brže moguće – po mogućnosti u roku 40 sekundi – kako bi se pH vrednost oka normalizovala na 7,4. pH Neutral je sterilna neutrališuća solucija za ispiranje očiju bazirana na 4,9% fosfatnoj soluciji, koja neutrališe tečnost iz oka nakon nezgoda koje su uzrokovane hemikalijama. Dostupna je i dokumentacija o sigurnosti i efikasnosti. pH Neutral jednako je efikasan i kada se koristi za potrebe uzrokovane kiselinama ili bazama na bilo kom delu tela. Za povredu uzrokovana stranim telom kao što su npr. metalne krhotine ili drveno iverje, prašina i prljavština, preporučujemo ispiranje sredstvom Plum Eye Wash. Radi se o sterilnoj otopini natrijum hlorida (0,9%) koji odgovara prirodnoj tečnosti koja vlaži oko. Na taj način dobijate nežno i blago čišćenje. Svi naši proizvodi za ispiranje očiju nose oznaku CE u skladu sa regulativama o medicinskoj opremi. Takođe, proizvodi su sterilni kako oko ne bi zahvatile bakterije i klice prilikom ispiranja.

Povrede koje uključuju prisutnost stranih tela (prljavština, metalne krhotine i drveno iverje)

Kiseline

Ispirati otprilike 2 minuta sredstvom pH Neutral pa nastaviti ispiranje sredstvom Plum Eye Wash dok neugodan osećaj ne prođe ili dok ne stigne stručna medicinska pomoć

Lužine

Ispirati otprilike 2 minuta sredstvom pH Neutral pa nastaviti ispiranje sredstvom Plum Eye Wash do stručne medicinske pomoći

Druge povrede koje uključuju hemikalije

Ispirati sredstvom Plum Eye Wash dok neugodnost ne prođe ili dok ne stigne stručna medicinska pomoć

PLUM PROGRAM FOR SKIN CARE

Eye washers - the facts

You only have two eyes - take care of them. Eye is one of our most important sense. In the case of an accident, only a few seconds need for possible loss of vision. Eye washers is a decisive factor when there is a risk of eye injury. This especially applies to injuries caused by acids and alkalies, caustic burning begins the moment when the circuit comes into contact with the eyes. Time is also important when it comes to injuries caused by metal debris such as wooden or wood particles, dust and dirt. In such situations is necessary to use Eye washers immediately after injury to prevent bonding of foreign bodies in the eye and serious injuries. Proper positioning for eye washers depends on needs of the workplace. That can be a decisive efforts that has been made in order to prevent serious eye injury.

For optimum safety, where there is risk of eye injury, equipment for rinsing eyes must be:

1. Currently available
2. Custom rapid application
3. Effective, without causing further injury

We offer a wide range of solutions for rinsing eyes, small and large units that are mounted directly at the workplace, or a small mobile package solution that can be placed in a vehicle, toolbox or a box for first aid, as well as special waist case. There will always be possible to find a solution that will allow easy access to rinse eyes. Our system was developed to allow easy rinsing eye. Two simple movements and bottles ready for use. Ergonomically shaped provide direct irrigation and drains fluid from the eye after flushing.

IMPORTANT!

Import from injuries of any kind, the liquid must reach the eye in a gentle, single jet. Bottle press gently, without crushing. Always look for medical attention and continue flushing during transport. We offer two types of fluid for flushing the eyes. After the accidents were caused by strong acids or bases, is of vital significance to neutralize the fluid in the eye as quickly as possible - preferably within 40 seconds - to a pH value of the eye normalized to 7.4. Neutral pH is sterile neutralizing solution for eye fluising based on 4.9% phosphate solution, which neutralizes the fluid of the eye after the accident caused by chemicals. Available and documentation of safety and effectiveness. Neutral pH is equally effective when is used for the purposes caused by acids or bases in any part of the body. For injury caused by foreign body, such as metal chips or wood chips, dust and dirt, we recommend rinsing agent Plum Eye Wash. It is a sterile solution of sodium chloride (0.9%) which corresponds to the natural fluid that moisturizes the eye. So you get a soft and gentle cleaning. All our products carry the CE sign accordance with the regulations on medical equipment. Also, the products are sterile so that bacteria or germs can not affect the eye during the washing.

Injuries involving the presence of foreign bodies (dirt, metal shards, and wood chips)

Acids

Flush for about 2 minutes with pH Neutral and continue flushing agent Plum Eye Wash discomfort while it passes or until professional medical help arrives

Bases

Flush for about 2 minutes with pH Neutral and continue flushing with Plum Eye Wash while medical help arrives

Other injuries involving chemicals

Rinse agent Plum Eye Wash discomfort while it passes or until professional medical help arrives

**SREDSTVA ZA ISPIRANJE OČIJU
U HITNIM SLUČAJEVIMA
EMERGENCY EYES RINSE**

BOCA 500 ml
Vreme ispiranja: oko 5 minuta
Pakovanje: 12 x 500 ml

BOTTLE 500 ml
Rinsing time: about 5 minutes
Packing: 12 x 500 ml



TOP
QUALITY

**KOMPLET ZA HITNO
ISPIRANJE OČIJU
EMERGENCY EYES
RINSE SET**

**JEDINICA ZA HITNE
SLUČAJEVE U KUTIJU**
Sadrži 1 x 200 ml pH Neutral
sredstva i bocu od 1 x 500 ml,
ogledalo i pictogram.
Vreme ispiranja: oko 2 minute
za Ph Neutral, oko 5 min za Plum
Eye Wash.
Pakovanje: 1 kom



**EMERGENCY
EYE RINCE STATION**
includes 1 x 200 ml pH Neutral
funds and a bottle of Axis 1 x 500
ml, mirror and pictogram.
Rinsing time: about 2 minutes for
pH Neutral, about 5 minutes for
Plum Eye Wash.
Packing: 1 pcs



**SREDSTVA ZA ISPIRANJE OČIJU
U HITNIM SLUČAJEVIMA
EMERGENCY EYES RINSE**

BOCA 200 ml pH Neutral
Vreme ispiranja: oko 2 minuta
Pakovanje: 10 x 200 ml

BOTTLE 200 ml pH Neutral
Rinsing time: about 2 minutes
Packing: 10 x 200 ml



TOP
QUALITY

4604

4752

**STANICA ZA PRVU POMOĆ U KEMIJSKOJ
INDUSTRIJI – QUICKSAFE® FIRST AID
STATION IN CHEMICAL INDUSTRY**

Sadržaj:

- 1x500 ml Plum Duo sredstva za ispiranje očiju i prvu pomoć
- 1x200 ml pH Neutral
- 1x500 ml pH Neutral Duo
- 5 komada QuickRinse ampula za ispiranje očiju
- 1 komad QuickFix elastičnog flastera

Content:

- 1x500 ml Plum Duo eyewash and first aid
- 1x200 ml pH Neutral
- 1x500 ml pH Neutral Duo
- 5 pieces QuickRinse ampoule eyewash
- 1 piece QuickFix Elastic plaster

**STANICA ZA PRVU POMOĆ U
PREHRAMBENOJ INDUSTRIJI
QUICKSAFE® FIRST AID STATION
IN FOOD INDUSTRY**

Sadržaj:

- 2x500 ml Plum sredstva za ispiranje očiju i prvu pomoć
- 1x200 ml pH Neutral
- 20 komada QuickClean maramica za čišćenje rana
- 18 komada QuickCool gela za opekontine
- 1 komad QuickStop paketa za brzo previjanje rana
- 1 komad 17x17 cm i 2 komada 12x7.5 cm
- 1 komad QuickFix fl aster sa metalnim vlaknima
- 1 komad QuickFix veliki fl aster sa metalnim vlaknima

5175

Content:

- 2x500 ml Plum eyewash and first aid
- 1x200 ml pH Neutral
- 20 pieces QuickClean cleansing wipe injury
- 18 pieces QuickCool gel for burns
- 1 piece QuickStop package for quick wound dressing
- 1 piece of 17x17 cm and 2x12x7.5 cm
- 1 piece QuickFix fl aster with metal fiber
- 1 piece QuickFix large patch with metal fiber



4787

**STANICA ZA PRVU POMOĆ QUICK-
SAFE®COMPLETE
FIRST AID STATION**

Sadržaj:

- 2x500 ml Plum sredstva za ispiranje očiju i prvu pomoć
- 1x200 ml pH Neutral
- 20 komada QuickClean maramica za čišćenje povreda
- 18 komada QuickCool gela za opekontine
- 1 komad QuickStop paketa za brzo previjanje rana:
- 1 komad 17x17 cm
- i 2 komada 12x7.5 cm
- 5 komada QuickRinse ampula za ispiranje očiju
- 1 komad QuickFix punjač za fleksibilne flastere

Content:

- 2x500 ml Plum eyewash and first aid
- 1x200 ml pH Neutral
- 20 pieces QuickClean cleansing wipe injury
- 18 pieces QuickCool gel for burns
- 1 piece QuickStop package for quick wound dressing:
- 1 piece of 17x17 cm and 2x12x7.5 cm
- 5 pieces QuickRinse ampoule eyewash
- 1 piece QuickFix charger for flexible flasters



5174

**STANICA ZA PRVU POMOĆ U KEMIJSKOJ
INDUSTRIJI – QUICKSAFE® FIRST AID
STATION IN CHEMICAL INDUSTRY**

Sadržaj:

- 1x500 ml Plum Duo sredstva za ispiranje očiju i prvu pomoć
- 1x200 ml pH Neutral
- 1x500 ml pH Neutral Duo
- 5 komada QuickRinse ampula za ispiranje očiju
- 1 komad QuickFix elastičnog flastera

Content:

- 1x500 ml Plum Duo eyewash and first aid
- 1x200 ml pH Neutral
- 1x500 ml pH Neutral Duo
- 5 pieces QuickRinse ampoule eyewash
- 1 piece QuickFix Elastic plaster

**STANICA ZA PRVU POMOĆ U
PREHRAMBENOJ INDUSTRIJI
QUICKSAFE® FIRST AID STATION
IN FOOD INDUSTRY**

Sadržaj:

- 2x500 ml Plum sredstva za ispiranje očiju i prvu pomoć
- 1x200 ml pH Neutral
- 20 komada QuickClean maramica za čišćenje rana
- 18 komada QuickCool gela za opekontine
- 1 komad QuickStop paketa za brzo previjanje rana
- 1 komad 17x17 cm i 2 komada 12x7.5 cm
- 1 komad QuickFix fl aster sa metalnim vlaknima
- 1 komad QuickFix veliki fl aster sa metalnim vlaknima

**STANICA ZA PRVU POMOĆ U
PREHRAMBENOJ INDUSTRIJI
QUICKSAFE® FIRST AID STATION
IN FOOD INDUSTRY**

Sadržaj:

- 2x500 ml Plum eyewash and first aid
- 1x200 ml pH Neutral
- 20 pieces QuickClean cleansing wipe injury
- 18 pieces QuickCool gel for burns
- 1 piece QuickStop package for quick wound dressing
- 1 piece of 17x17 cm and 2x12x7.5 cm
- 1 piece QuickFix fl aster with metal fiber
- 1 piece QuickFix large patch with metal fiber

**STANICA ZA PRVU POMOĆ U
PREHRAMBENOJ INDUSTRIJI
QUICKSAFE® FIRST AID STATION
IN FOOD INDUSTRY**

Sadržaj:

- 2x500 ml Plum sredstva za ispiranje očiju i prvu pomoć
- 1x200 ml pH Neutral
- 20 komada QuickClean maramica za čišćenje rana
- 18 komada QuickCool gela za opekontine
- 1 komad QuickStop paketa za brzo previjanje rana
- 1 komad 17x17 cm i 2 komada 12x7.5 cm
- 1 komad QuickFix fl aster sa metalnim vlaknima
- 1 komad QuickFix veliki fl aster sa metalnim vlaknima

**STANICA ZA PRVU POMOĆ U
PREHRAMBENOJ INDUSTRIJI
QUICKSAFE® FIRST AID STATION
IN FOOD INDUSTRY**

Sadržaj:

- 2x500 ml Plum eyewash and first aid
- 1x200 ml pH Neutral
- 20 pieces QuickClean cleansing wipe injury
- 18 pieces QuickCool gel for burns
- 1 piece QuickStop package for quick wound dressing
- 1 piece of 17x17 cm and 2x12x7.5 cm
- 1 piece QuickFix fl aster with metal fiber
- 1 piece QuickFix large patch with metal fiber

**STANICA ZA PRVU POMOĆ U
PREHRAMBENOJ INDUSTRIJI
QUICKSAFE® FIRST AID STATION
IN FOOD INDUSTRY**

Sadržaj:

- 2x500 ml Plum sredstva za ispiranje očiju i prvu pomoć
- 1x200 ml pH Neutral
- 20 komada QuickClean maramica za čišćenje rana
- 18 komada QuickCool gela za opekontine
- 1 komad QuickStop paketa za brzo previjanje rana
- 1 komad 17x17 cm i 2 komada 12x7.5 cm
- 1 komad QuickFix fl aster sa metalnim vlaknima
- 1 komad QuickFix veliki fl aster sa metalnim vlaknima

**STANICA ZA PRVU POMOĆ U
PREHRAMBENOJ INDUSTRIJI
QUICKSAFE® FIRST AID STATION
IN FOOD INDUSTRY**

Sadržaj:

- 2x500 ml Plum eyewash and first aid
- 1x200 ml pH Neutral
- 20 pieces QuickClean cleansing wipe injury
- 18 pieces QuickCool gel for burns
- 1 piece QuickStop package for quick wound dressing
- 1 piece of 17x17 cm and 2x12x7.5 cm
- 1 piece QuickFix fl aster with metal fiber
- 1 piece QuickFix large patch with metal fiber

**STANICA ZA PRVU POMOĆ U
PREHRAMBENOJ INDUSTRIJI
QUICKSAFE® FIRST AID STATION
IN FOOD INDUSTRY**

Sadržaj:

- 2x500 ml Plum sredstva za ispiranje očiju i prvu pomoć
- 1x200 ml pH Neutral
- 20 komada QuickClean maramica za čišćenje rana
- 18 komada QuickCool gela za opekontine
- 1 komad QuickStop paketa za brzo previjanje rana
- 1 komad 17x17 cm i 2 komada 12x7.5 cm
- 1 komad QuickFix fl aster sa metalnim vlaknima
- 1 komad QuickFix veliki fl aster sa metalnim vlaknima

**STANICA ZA PRVU POMOĆ U
PREHRAMBENOJ INDUSTRIJI
QUICKSAFE® FIRST AID STATION
IN FOOD INDUSTRY**

Sadržaj:

- 2x500 ml Plum eyewash and first aid
- 1x200 ml pH Neutral
- 20 pieces QuickClean cleansing wipe injury
- 18 pieces QuickCool gel for burns
- 1 piece QuickStop package for quick wound dressing
- 1 piece of 17x17 cm and 2x12x7.5 cm
- 1 piece QuickFix fl aster with metal fiber
- 1 piece QuickFix large patch with metal fiber

**STANICA ZA PRVU POMOĆ U
PREHRAMBENOJ INDUSTRIJI
QUICKSAFE® FIRST AID STATION
IN FOOD INDUSTRY**

Sadržaj:

- 2x500 ml Plum sredstva za ispiranje očiju i prvu pomoć
- 1x200 ml pH Neutral
- 20 komada QuickClean maramica za čišćenje rana
- 18 komada QuickCool gela za opekontine
- 1 komad QuickStop paketa za brzo previjanje rana
- 1 komad 17x17 cm i 2 komada 12x7.5 cm
- 1 komad QuickFix fl aster sa metalnim vlaknima
- 1 komad QuickFix veliki fl aster sa metalnim vlaknima

**STANICA ZA PRVU POMOĆ U
PREHRAMBENOJ INDUSTRIJI
QUICKSAFE® FIRST AID STATION
IN FOOD INDUSTRY**

Sadržaj:

- 2x500 ml Plum eyewash and first aid
- 1x200 ml pH Neutral
- 20 pieces QuickClean cleansing wipe injury
- 18 pieces QuickCool gel for burns
- 1 piece QuickStop package for quick wound dressing
- 1 piece of 17x17 cm and 2x12x7.5 cm
- 1 piece QuickFix fl aster with metal fiber
- 1 piece QuickFix large patch with metal fiber

**STANICA ZA PRVU POMOĆ U
PREHRAMBENOJ INDUSTRIJI
QUICKSAFE® FIRST AID STATION
IN FOOD INDUSTRY**

Sadržaj:

- 2x500 ml Plum sredstva za ispiranje očiju i prvu pomoć
- 1x200 ml pH Neutral
- 20 komada QuickClean maramica za čišćenje rana
- 18 komada QuickCool gela za opekontine
- 1 komad QuickStop paketa za brzo previjanje rana
- 1 komad 17x17 cm i 2 komada 12x7.5 cm
- 1 komad QuickFix fl aster sa metalnim vlaknima
- 1 komad QuickFix veliki fl aster sa metalnim vlaknima

**STANICA ZA PRVU POMOĆ U
PREHRAMBENOJ INDUSTRIJI
QUICKSAFE® FIRST AID STATION
IN FOOD INDUSTRY**

Sadržaj:

- 2x500 ml Plum eyewash and first aid
- 1x200 ml pH Neutral
- 20 pieces QuickClean cleansing wipe injury
- 18 pieces QuickCool gel for burns
- 1 piece QuickStop package for quick wound dressing
- 1 piece of 17x17 cm and 2x12x7.5 cm
- 1 piece QuickFix fl aster with metal fiber
- 1 piece QuickFix large patch with metal fiber

**STANICA ZA PRVU POMOĆ U
PREHRAMBENOJ INDUSTRIJI
QUICKSAFE® FIRST AID STATION
IN FOOD INDUSTRY**

Sadržaj:

- 2x500 ml Plum sredstva za ispiranje očiju i prvu pomoć
- 1x200 ml pH Neutral
- 20 komada QuickClean maramica za čišćenje rana
- 18 komada QuickCool gela za opekontine
- 1 komad QuickStop paketa za brzo previjanje rana
- 1 komad 17x17 cm i 2 komada 12x7.5 cm
- 1 komad QuickFix fl aster sa metalnim vlaknima
- 1 komad QuickFix veliki fl aster sa metalnim vlaknima

**STANICA ZA PRVU POMOĆ U
PREHRAMBENOJ INDUSTRIJI
QUICKSAFE® FIRST AID STATION
IN FOOD INDUSTRY**

Sadržaj:



Worktime

JEDNOKRATNI HIGIJENSKI PROIZVODI DISPOSABLE HYGIENE PRODUCTS



STANDARDI I KARAKTERISTIKE

STANDARDS AND PROPERTIES

Na svakom odelu nalazi se etiketa stavljenja iznutra. Ova etiketa označava tip zaštite odevnog predmeta:

1. Zaštitni znak
2. Proizvodač, uvoznik
3. Identifikacija modela
4. Oznaka CE. Odelo odgovara normama koje se odnose na zaštitnu odeću kategorije III, u skladu sa evropskim zakonskim normama. Ateste o osiguranju kvaliteta i ateste ispitivanja izdaje za to nadležno telo. Oznaka koja označava da taj artikl:
 - ispunjava sve zahteve koje predviđa direktiva 89/686/CEE, koja se odnosi na opremu za ličnu zaštitu.
 - podleže antistatičkoj obradi i pruža elektrostaticku zaštitu u skladu sa normom EN 1149-1
5. Oznake koje označuju usklađenost s EU standardima o odeći za hemijsku zaštitu.
6. Oznaka „otvorena knjiga“ upućuje na upotrebu upoznavanja s „uvjetima korištenja“
7. Oznaka veličine. Sličica koja označava veličinu odnosi se na razne veličine i daje ekvivalent kodova koji se obično koriste. Za vašu veličinu odaberite odeću koja odgovara kodovima.
8. Oznake koje se odnose na održavanje:
 - Pranje nije dozvoljeno.
 - Čišćenjem bi se moglo izmeniti zaštitne karakteristike odeće (gubljenjem antistatičnih svojstava).
 - Sušenje u mašini nije dozvoljeno.
 - Suvo čišćenje nije dozvoljeno.
 - Peglanje nije dozvoljeno.
 - Zapaljivo. Držati dalje od plamena i svih jakih izvora topote
9. Odeća koja je prošla kroz antistatičku obradu i ima elektrostaticku zaštitu

1.	Visoka razina zaštite High level of protection	DUPONT	TYPE 1	Nepropusno za gasove Gaztight			
			TYPE 2	Ograničena nepropusnost za gasove Limited gaztightness			
2.	BASIC	DUPONT	TYPE 3	Nepropusno za tečnosti Watertight			
			TYPE 4	Nepropusno za čestice Particletight			
3.	EP	DUPONT	TYPE 5	Protection against tough chemical particles (single use clothes)			
			TYPE 6	Protection against liquid chemical products (smears and sprayings)			
4.	CE 0334						
5.							
6.							
7.							
8.							
9.		EN 1149-1					
VELIČINA U CENTIMETRIMA SIZE IN CENTIMETER							
Veličina Size	M / 2	L / 3	XL / 4	XXL / 5	XXXL / 6	SP	Posebna veličina, videti etiketu koja se nalazi unutra
Obim grudi Breast measurement	92/104	104/116	116/124	124/136	140/148		Specific size, look at the label inside the cloth
Visina Stature	168/176	174/182	180/188	186/194	194/200		

Each garment bears a label appended inside the garment. Each label points out the types of the garment's protection:

1. Name of the registered brand
2. Manufacturer, importer
3. Identification of the model
4. CE branding. The garment meets the standards relative to protection clothes, in accordance with the European legislation. Certificates relative to the quality insurance and to tests have been assigned by a notified body. It means that this item:
 - meets all main requirements stated by the directive 89/686/CEE, in agreement with the Personal Protection Equipments.
 - Indicates that the clothes are submitted to antistatic treatments and offer an electrostatic protection in accordance with the norm EN 1149-1.
 - Indicates the compliance with the EU Norm ruling the chemical protection clothes.
5. This pictograms indicates the chemical protection clothes are in accordance with EU standards.
6. The pictogram "open book" encourages to read the "use conditions"
7. The size pictogram that gives the codes' equivalences generally used. Choose your size and the cloth corresponding to the codes.
8. The 5 pictograms in accordance with maintenance are the following ones:
 - Do not wash. Washing might alter protection performances of the garment (particularly in wiping its antistatic properties.)
 - Do not tumble dry in machine
 - No dry cleaning
 - Do not iron
 - Inflammable. Keep away from flames or any source of intensive heat.
9. garment which has been submitted to antistatic treatments and which offers an electrostatic protection.

SPECIFIKACIJE I KORIŠTENJE

KAKO I KADA SE KORISTE KECELJE I KOMBINEZONI OD POLIPROPILENA?

Radna odeća od polipropilena je lagana i udobna, predviđena za kratkoročnu upotrebu i pruža dobru zaštitu. Trajanje ove odeće varira u zavisnosti od debljine. Jedan sloj polipropilena za kombinezon SPP i tri sloja za jednu SMS. Koriste se u poljoprivredno-prehrambenoj industriji, ugostiteljstvu, hemijskoj industriji i u poljoprivredi. Takođe, ova odeća se koristi za sve poslove čišćenja, farbanja, kao i u farmaciji i bolnicama.

HOW AND WHEN TO USE OVERALLS AND COVERALLS MADE OF POLYPROPYLENE?

Working polypropylene clothes are light and comfortable, for short-term use which provide good protection. Their lifetime varies according to the thickness of the cloth. A single polypropylene layer for a SPP overall and three layers for a SMS overall. They are used in the agri-food industry, hospitality industry, chemical industry and agriculture. Also, the clothing can be used for all cleaning jobs, painting, as well as pharmacy and hospitals.

TEHNIČKE SPECIFIKACIJE ZA SPP® MANTILE I KOMBINEZONE (JEDAN SLOJ POLIPROPILENA) / TECHNICAL SPECIFICATIONS FOR SPP® COVERALLS AND COATS (ONE POLYPROPYLENE LAYER)

FIZIČKE KARAKTERISTIKE/ PHYSICAL PROPERTIES	JED. MERE / UNITS	MIN. TEŽINA / MIN. GRAMMES	PROSJ. TEŽINA / AVERAGE WEIGHT	MAKS. TEŽINA / MAX WEIGHT
Osnovna težina po m ² Baseweighting per m ²	gsm	33,87	35,13	36,64
Sila pritiska (MD) Pressure strength	N/5 cm	52,38	65,71	78,66
Sila pritiska (CD) Pressure strength	N/5 cm	37,6	44,71	52,79
Otpornost na istezanje (MD) Resistance to stretching	%	46,68	73,32	95,03
Otpornost na istezanje (CD) Resistance to stretching	%	52,00	69,80	86,23

TEHNIČKE SPECIFIKACIJE ZA SPP® MANTILE I KOMBINEZONE

(3 SLOJA POLIPROPILENA) /

TECHNICAL SPECIFICATIONS FOR SPP® COVERALLS AND COATS

(3 POLYPROPYLENE LAYERS)

FIZIČKE KARAKTERISTIKE/ PHYSICAL PROPERTIES	JEDINICA MERE / UNITS	REZULTATI ISTRAŽIVANJA / TESTS' RESULTS
Osnovna težina po metru kvadratnom / Baseweighting per m ²	gsm	60
Sila pritiska (MD) / Pressure strength	Kg/5 cm	8,2
Sila pritiska (CD) / Pressure strength	Kg/5 cm	3,1
Otpornost na istezanje (MD) / Resistance to stretching	%	55
Otpornost na istezanje (CD) / Resistance to stretching	%	98
Otpornost na istezanje (MD) / Resistance to stretching	Kg/6 cm	1
Otpornost na istezanje (CD) / Resistance to stretching	Kg/6 cm	1,5

POJMOVNIK

INDEX:

gsm	Težina / m ²
Grammes / m ²	
N/5cm	Predstavlja pritisak u Njutnima na 5 cm tkanine Represents pressure in Newton for 5 cm of cloth
MD	Smer šivjerja (vertikalno tkanje) Sewing direction (i.e. Vertical in relation to the cloth)
CD	Poprečni smer (horizontalno tkanje) Crosswise (Horizontal in relation with the cloth)
SPP	Ušiveni polipropilen (prošiveno) Spunbonded polypropylene (stitch)
SMS	Upredeni polipropilen + Meltblown + upredeni polipropilen Spunbondedpolypropylene+ Meltblown + Spunbondedpolyprop
1 Newton	m x kg x s-2 (m : metar; s : sekunda; kg : kilogram) m x kg x s-2 (m : meter, s : second, kg : kilogram)
Meltblown	Vezanje mešanjem Binding by blend

TEHNIČKE INFORMACIJE TECHNICAL INFORMATION

INDUSTRija PRIMENE INDUSTRy APPLICATION



Poljoprivreda
Agricultural industry
(low concentrated inorganic products)



Farmaceutska industrija
Pharmaceutical fields



Industrija
Industrial maintenance



Catering
Catering



Bojenje
Painting



Čišćenje
Cleaning



Higijena
Hygiene



Zdravstvo (infektivni agensi)
Hospital fields (infectious agents)



Rad s azbestom
Works in asbestos fields (Level 1: light interventions)



Prehrambena industrija
Food-processing industry



Posetioci
Visitor




Radioaktivne i hemijske čestice
Radioactive and chemical particles



Industrija gnojiva
Fertilizer industry



Mehanički radovi
Mechanical work



Poljoprivreda / vrtlarstvo
Work in wet fields



Hemiska industrija
Chemical industry



Kompatibilno s HACCP pristupom
Can be integrated into a HACCP approach



Visokokvalitetni proizvodi nastali kao rezultat razvoja, inovacije i dugogodišnjeg iskustva.
High-quality products resulting from development, innovation and years of experience.



Artikl je prilagođen maloprodaji
The item is customized to retail



Artikl proizveden u Evropi
The item produced in Europe



Oznaka za nove artikle u katalogu
New items in the catalog

TD/TIDY

SPP® ZAŠITNI MANTIL S KLASIČNIM OVATNIKOM

SPP® PROTECTIVE COAT WITH CLASSIC COLLAR

41103 41104 41105

41113 41114 41115

Materijal: polipropilen SPP®, 40 g/m²
Boja: bela
Kragna: klasična
Džepovi: 2, ili bez džepova Zatvaranje: 4 metalna držioca Rukavi: završetak s gumicom
Pakovanje: 1/50
 *model sa džepovima dostupan i sa zatvaranjem na čičak

Material: polypropylene SPP®, 40 g/m²
Colour: white
Collar: classic
Pockets: 2 or without
Fastener: 4 snap fasteners
Cuffs: tightening elastic
Packing: 1/50
 * model with pockets available with fastening



40g/m²

CE EN 340:2003

SIZE

L

XL

XXL

Bez džepova
Without pockets

41103

41104

41105

Sa džepovima
With pockets

41113

41114

41115

TD/TIDY

SPP® ZAŠITNI MANTIL S USPRAVNIM OVATNIKOM

41123

41124

41125

Materijal: polipropilen SPP®, 40 g/m²

Boja: bela

Kragna: uspravna, Mao

Džepovi: 2

Zatvaranje: patent zatvarač

Rukavi: završetak s gumicom

Pakovanje: 1/50

Material: polypropylene SPP®, 40 g/m²

Colour: white

Collar: Mao

Pockets: 2

Fastener: zipper

Cuffs: tightening elastic

Packing: 1/50

SIZE

L

XL

XXL

Sa džepovima
With pockets

41123

41124

41125



40g/m²

CE EN 340:2003

TEHNIČKE SPECIFIKACIJE ZA SPP® MANTILE I KOMBINEZONE (JEDAN SLOJ POLIPROPYLENA) / TECHNICAL SPECIFICATIONS FOR SPP® COVERALLS AND COATS (ONE POLYPROPYLEN LAYER)

FIZIČKA SVOJSTVA / PHYSICAL PROPERTIES

JED. MERE / UNITS

MIN. TEŽINA / MIN. GRAMMES

PROS. TEŽINA / AVERGE WEIGHT

MAKS. TEŽINA / MAX WEIGHT

Osnovna težina po m²

Baseweighting per m²

gsm

33,87

35,13

36,64

Sila pritiska (MD)
Pressure strength

N/5 cm

52,38

65,71

78,66

Sila pritiska (CD)
Pressure strength

N/5 cm

37,6

44,71

52,79

Otpornost na istezanje (MD)
Resistance to stretching

%

46,68

73,32

95,03

Otpornost na istezanje (CD)
Resistance to stretching

%

52,00

69,80

86,23



LACUNA

WORKTIME

TD/TIDY

SPP® BELI 40G/M² ZAŠTITNI KOMBINEZON**SPP® WHITE 40G/M² PROTECTIVE COVERALL**

42102 42103 42106

42104 42105


Materijal: polipropilen SPP®, 40 g/m²
Boja: bela
Kapuljača: s elastičnim pritezanjem
Zatvaranje: patent zatvarač Pokretni
Poklopac: da
Rukavi: završetak s gumicom
Struk: elastična gumica
Nogavice: završetak s gumicom
Pakovanje: 1/50

Material: polypropylene SPP®, 40 g/m²
Colour: white
Hood: with tightening elastic
Fastener: zipper
Flap: yes
Cuffs: tightening elastic
Waist: tightening elastic
Ancles: tightening elastic
Packing: 1/50 coveralls/carton individual bag


TD/TIDY SPP® PLAVI 50G/M² ZAŠTITNI KOMBINEZON 42203 42204 42205 42206

Materijal: polipropilen SPP®, 50 g/m²
Boja: plava
Kapuljača: s elastičnim pritezanjem
Zatvaranje: patent zatvarač
Pokretni poklopac: da
Rukavi: završetak s gumicom
Struk: elastična gumica
Nogavice: završetak s gumicom
Pakovanje: 1/50

Material: polypropylene SPP®, 50 g/m²
Colour: blue
Hood: with tightening elastic
Fastener: zipper
Flap: yes
Cuffs: tightening elastic
Waist: tightening elastic
Ancles: tightening elastic
Packing: 1/50


TEHNIČKE SPECIFIKACIJE ZA SPP® MANTIL I KOMBINEZONE (JEDAN SLOJ POLIPROPILENA) /
TECHNICAL SPECIFICATIONS FOR SPP® COVERALLS AND COATS (ONE POLYPROPYLEN LAYER)

FIZIČKA SVOJSTVA / PHYSICAL PROPERTIES	JED. MERE / UNITS	MIN. TEŽINA / MIN. GRAMMES	PROSJ. TEŽINA / AVERAGE WEIGHT	MAKS. TEŽINA / MAX WEIGHT
Osnovna težina po m ² Baseweighting per m ²	gsm	33,87	35,13	36,64
Sila pritiska (MD) Pressure strength	N/5 cm	52,38	65,71	78,66
Sila pritiska (CD) Pressure strength	N/5 cm	37,6	44,71	52,79
Otpornost na istezanje (MD) Resistance to stretching	%	46,68	73,32	95,03
Otpornost na istezanje (CD) Resistance to stretching	%	52,00	69,80	86,23

TD/TIDY

SMS® BELI 65G/M² ZAŠTITNI KOMBINEZON**SMS® WHITE 65G/M² PROTECTIVE COVERALL**

44103 44104 44105 44106

Materijal: netkani polipropilen, 3 sloja SMS®, 65 g/m²
Boja: bela
Kapuljača: s elastičnim pritezanjem
Zatvaranje: patent zatvarač
Poklopac: da preko patent zatvarača
Rukavi: završetak s gumicom
Nogavice: završetak s gumicom
Pakovanje: 1/25

Material: non woven polypropylene, 3 layers SMS®, 65 g/m²
Colour: white
Hood: with tightening elastic
Fastener: zipper
Flap: yes over zip
Tightening: elastic on wrists and ankles
Waist: tightening elastic on back
Packing: 1/25



L	XL	XXL	XXXL
44103	44104	44105	44106




CAT. III

DUPONT™ TYVEK® CLASSIC XPERT KOMBINEZON S KAPULJAČOM 40502 40503
TYVEK® CLASSIC XPERT COVERALL WITH THE HOOD 40504 40505 40506

Hemiska zaštita protiv blago koncentrovanih anorganskih hemijskih proizvoda te čestica većih od 1 mikrona.
Materijal: TYVEK®
Boja: bela
Kapuljača: s elastičnom trakom
Zatvaranje: patent zatvarač s preklopom
Poklopac: da preko patent zatvarača
Rukavi: završetak s gumicom
Nogavice: završetak s gumicom
Struk: pritezanje pomoću gume pozadi
Pakovanje: 1/100

Chemical protection barrier against slightly concentrated inorganic chemical products and against particles bigger than 1 micron.
Material: TYVEK®
Colour: white
Hood: with tightening elastic
Fastener: zipper with flat
Tightening: elastic on ankles and wrists
Flap: over zipper
Waist: tightening elastic on back
Packing: 1/100




EN 13982-1:2004+A1:2010

TYPE 5

EN 13034:2005+A1:2009

TYPE 6

41g/m²

EN 13982-1:2004+A1:2010


TYPE 6



EN 14126:2003



EN 1149-5:2008



EN 1073-2:2002



EN 340:2003

CAT. III



M	L	XL	XXL	XXXL
40502	40503	40504	40505	40506

TEHNIČKE SPECIFIKACIJE ZA SMS® KOMBINEZONE
TECHNICAL SPECIFICATIONS FOR SMS COVERALLS
Testiranja napravljene na kombinezonu SMS
test made on the coverall

	Metode testiranja testing methods	rezultati results	razredi class of conformity
Otpornost na abraziju / Resistance to abrasion	EN 530	< 500	3/6
Otpornost na savijanje / Resistance to flex cracking	7854	>30000	6/6
Trapezoidna otpornost / Trapezoidal rear resistance	ISO 9073-4	-	-
Otpornost na puknuća / Puncture resistance	EN 836	7,8 N	1/6
Otpornost na trganje / Tear resistance	EN ISO 13934-1	-	-
Otpornost na tečnosti / Resistance to liquids	EN 368	-	-
Sulfatna kiselina 30% / Sulphuric Acid 30%	Probojnost H25O4	Potvrđeno Odbijanje	Probojnost 97 %
Natrijum hidroksid 10% / Caustic soda 10%	NaOH	0%	96,1 %
Heptan / Heptane	H	0%	-
Isopropanol / Pure isopropanol	-	-	-
Otpornost na vatru / Resistance to flame	EN 13274-4	-	-
Otpornost rubova na trganje / Seam strength	ISO 13935-2	-	3/6
Elektrostatične karakteristike / Electrostatic properties	EN 1149-1	>79 N	Potvrđeno
Opšte: veličine i ergonomija / General requirements: sizes and ergonomics	EN 340	< 5 x 1010	Potvrđeno



LACUNA

WORKTIME

TD/TIDY

**MANTIL ZA POSETIOCE
VISITORS COAT**

41214

Materijal: polietilen
Boja: bela
Debljina: 20 mikrona
Kragna: klasičan
Zatvaranje: 3 drikera
Veličina: univerzalna
Pakovanje: vrećica sa 100 kuta, u kartonu 4 vrećice

Material: polyethylene
Colour: white
Thickness: 20 microns
Collar: classic
Fastener: 3 snap fasteners
Size: one size
Packing: lightning elastic
Packing: polybags with 100 coats, carton with 4 polybags



TD/TIDY

**KOMPLET ZA POSETIOCE
VISITORS KIT**

41300

Komplet za posetioce uključuje:
 Jedan MANTIL ZA POSETIOCE
 Jedna bela jednoslojna PAPIRNA MASKA Jedna bela JEDNOKRATNA KAPA
 Jedan par plavih JEDNOKRATNIH NAVLAKA
Veličina: univerzalna
Pakovanje: Kutija sa 100 kompleta - Karton sa 4 kutije

Visitors kit including:
 One VISITOR COAT
 One white ply PAPER-MASK
 One white BOUFFANT CAP
 One pair blue SHOE COVERS
Size: One size
Packing: Box with 100 kits - Carton with 4 boxes



JEDNOKRATNA KAPA
PAPIRNA MASKA



MANTIL ZA POSETIOCE

NAVLAKE ZA CIPELE

TD/TIDY

**PU KECELJA
PU APRON**

56200

Materijal: poliuretan s PVCom, otporna na ulje
Boja: bela
Dimenzija: 120x90 cm
Pakovanje: vrećica sa 100 pregača, karton sa 25 pregača

Material: polyurethane with PVC backing
Properties: anti-oil
Colour: white
Size: 120 x 90 cm
Packing: polybag with 100 aprons, cartons with 25 aprons



ARDON

**PVC / PU KECELJA
PVC / PU APRON**

H1177

Materijal: poliuretan s PVC-om, odonepropusni
Boja: bela
Dimenzija: 120x120cm
Pakovanje: 1/50

Material: polyurethane with PVC
Backing: 350g/m²
Properties: water resistant
Material: Plavitex
Colour: white
Size: 120 x 120 cm
Packing: 1/50



TD/TIDY

**PVC KECELJA
PVC APRON**

56175

56180

56176

56181

Materijal: dvostruki PVC s polipropilenskim slojem
Podloga: od poliesterskog vlakna/pamuka
OTPORNOST NA PRODIRANJE I ODBIJANJE TEČNOŠTI: H₂SO₄ 30%, nA OH 10%, O-XYLENE, BUTAN 1 OL - CLASS 3/3
Debljina: 0,30 mm
Veličina: ZELENA 56175-110*75CM, 56176 120*90 cm, BELA 56180-110*75 cm, 56181 - 120*90cm
Pakovanje: 1/50

Material: double PVC coated polypropylene on polyester/cotton
RESISTANTE TO PENETRATION AND LIQUID REPELLENCE: H₂SO₄ 30%,nA OH 10%, O-XYLENE, BUTAN 1 OL - CLASS 3/3
Thickness: 0,30 mm
Size: GREEN 56175-110*75CM, 56176 120*90 cm, WHITE 56180-110*75 cm, 56181 - 120*90 cm
Packing: 1/50


**RETAIL
MALOPRODAJA**


TD/TIDY

**POLIETILENSKA KECELJA ZA
POSETIOCE
VISITORS POLYETHYLEN APRON**

56220

Materijal: polietilen
Dimenziye: 120x70 cm
Boja: bela
Debljina: 22 mikrona
Veličina: univerzalna
Pakovanje: vrećica s a 100 pregača, karton sa 10 vrećica

Material: polyethylene
Dimensions: 120x70 cm
Colour: white
Thickness: 22 microns
Size: one size
Packing: polybag with 100 aprons, carton with 10 polybags


**RETAIL
MALOPRODAJA**


TD/TIDY

**OKRUGLA KAPA
BAGGY CAP**

45610-45611

Materijal: polipropilen
Dimenzija: ø 53 cm
Veličina: univerzalna
Pakovanje: kutija sa 100 kapa, karton sa 10 kutija

Material: polypropylene
Diameter: ø 53 cm
Colour: white
Size: one size
Packing: box with 100 caps, carton with 10 boxes


**RETAIL
MALOPRODAJA**


SIZE

U

Bela / White 45610

Plava / Blue 45611

TD/TIDY

**JEDNOSLOJNA MASKA
FOLDING PAPER MASK**

45410

Materijal: papir 1 sloj, gumica za uši
Boja: bela
Veličina: univerzalna
Pakovanje: kutija sa 100 maski, karton sa 100 kutija

Material: 1 layer paper, elastic on ears
Colour: white
Size: one size
Packing: box with 100 masks, carton with 100 boxes


**RETAIL
MALOPRODAJA**


SIZE

U

Bela / White 45410

TD/TIDY

**OKRUGLA KAPA CLIP
CLIP CAP**

45620

Materijal: polipropilen
Dimenzija: ø 53 cm
Veličina: univerzalna
Pakovanje: vrećica sa 100 kapa, karton sa 10 vrećica

Material: polypropylene
Diameter: ø 53 cm
Size: one size
Packing: polybag with 100 caps, carton with 10 polybags


**RETAIL
MALOPRODAJA**


SIZE

U

Bela / White 45620

TD/TIDY

**DVOSLOJNA MASKA
FOLDING PAPER MASK 2 LAYERS**

45420

Materijal: papir 2 sloja, gumica za uši
Boja: bela
Veličina: univerzalna
Pakovanje: kutija sa 100 maski, karton sa 100 kutija

Material: 2 layers paper, elastic on ears
Colour: white
Size: one size
Packing: box with 100 masks, carton with 100 boxes


**RETAIL
MALOPRODAJA**


SIZE

U

Bela / White 45420



LACUNA

WORKTIME

**ARDON JEDNOKRATNA HIGIJENSKA MASKA
OD PAPIRA A1085
DISPOSABLE HYGIENIC PAPER MASK**

RESPIRATOR JEDNOKRATNI
Materijal: polipropilen
Veličina: univerzalna
Težina: 8g
Pakovanje: kutija sa 50 maski, karton sa 20 kutija



DISPOSABLE RESPIRATOR
Material: polypropylene
Size: one size
Weight: 8g
Packing: box with 50 masks, carton with 20 boxes



SIZE	U
Bela / White	F7011

**TD/TIDY JEDNOKRATNA HIGIJENSKA MASKA
OD PAPIRA
DISPOSABLE HYGIENIC PAPER MASK**

RESPIRATOR JEDNOKRATNI
Materijal: papir
Veličina: univerzalna
Težina: 4g
Pakovanje: kutija sa 50 maski, karton sa 20 kutija



DISPOSABLE RESPIRATOR
Material: paper
Size: one size
Weight: 4g
Packing: box with 50 masks, carton with 20 boxes



SIZE	U
Bela / White	23000

**TD/TIDY NAVLAKE ZA CIPELE
SHOE COVER**

Materijal: polietilen
Boja: plava
Veličina: univerzalna
Pakovanje: kutija sa 100 navlaka, karton sa 10 kutija

Material: polyethylene
Color: blue
Size: one size
Packing: box with 100 shoe covers, carton with 10 boxes



SIZE	U
Bela / White	45240

**TD/TIDY NAVLAKE ZA CIPELE VISOKO OTPORNE
HIGH RESISTANCE SHOE COVER**

Materijal: polipropilen s potplatom od plavog polietilena
Boja: bela/plava
Veličina: univerzalna
Pakovanje: vrećica od 50 kom, karton s 20 vrećica

Material: polypropylene with blue polyethylene coated sole
Color: white / blue
Size: one size
Packing: box with 50 shoe covers, Carton with 20 polybags



SIZE	U
Bela / White	45250

**TD/TIDY NAVLAKE ZA CIPELE
NON-SLIDING SHOE COVER**

NAVLAKE ZA CIPELE NEKLIZAJUĆE
Materijal: SPP, neklizajući
Veličina: univerzalna
Pakovanje: kutija sa 100 navlaka, karton sa 3 kutije

Material: SPP with antiskid design
Size: one size
Packing: box with 100 caps, carton with 3 polybags



SIZE	U
Bela / White	45245

**TD/TIDY PU RUKAV
PU SLEEVE**

Materijal: poliuretan sa slojem
Boja: bela, otporna na
Dužina: 45 cm
Zatezanje: ε
Veličina: univ
Pakovanje: kai

Material: polyurethane
Properties: anti-oil
Colour: white
Size: 45 cm
Tightening: elastic
Packing: carton with 10



SIZE	U
Bela / White	45350

**DUPONT™ TYVEK® RUKAV
TYVEK® SLEEVE**

Materijal: Tyvek®Pro-Tech
Dužina: 40 cm
Veličina: univerzalna
Pakovanje: kutija sa 100 pari



Material: Tyvek®Pro-Tech
Lenght: 40 cm
Size: one size
Packing: box with 100 pairs



SIZE	U
Bela / White	45340

**TD/TIDY NAVLAKE ZA ČIZME
BOOTS COVER**

Materijal: polietilen
Boja: providna
Veličina: univerzalna
Pakovanje: kutija s 50 navlaka, rton sa 10 kom

Material: polyethylene
Color: transparent
Size: one size
Packing: boxes with 50 boot covers, ton with 10 boxes



SIZE	U
Bela / White	45255

**TD/TIDY POLIETILENSKI RUKAV
POLYETHYLEN SLEEVE**

Dužina: 40 cm
Debljina: 16 mikrona
Veličina: univerzalna
Pakovanje: kutija s 100 manšeta, karton sa 20 kutija

Lenght: 40 cm
Thickness: 16 microns
Size: one size
Packing: box with 100 sleeves in with 20 polybags



SIZE	U
Bela / White	45330

SIZE	U
Plava / Blue	45331



STAY PROTECTED

Worktime

ZAŠTITNE CIPELE SAFETY SHOES



OZNAČAVANJE I STANDARDI

MARKINGS AND STANDARDS

EN ISO 20345

Zaštitne cipele
Safety shoes

Sve vrste materijala
Any material

SB



Sve vrste materijala osim prirodnih i sintetičkih polimera
Any material excepted natural and synthetic polymers

S1



S2



S3



Prirodni i sintetički polimeri
Natural and synthetic polymers

S4



S5



DODATNA ZAŠTITA ADDED PROTECTION

A	antistatičnost antistaticity
FO	neklijajući don anti-slip sole
E	apsorbirajuća peta absorbing heel
WRU	gornji deo otporan na apsorpciju vode Water Resistant upper
P	don otporan na probijanje sole resistant to penetration
HI	izolacija od topline heat insulation
CI	izolacija od hladnoće cold insulation
HRO	don otporan na topinu do 300°C pri kontaktu resistant to heat up to 300 ° C at contact
CR	otpornost gornjšta na porezotine upper resistance to cuts
ESD	elektrostatičko pražnjenje Electrostatic Discharge

EN ISO 20347

Radne cipele
Working shoes

Sve vrste materijala
Any material

SRB

Don otporan na ulje na metalu
Sole resistant for oil on steel

SRA

Don otporan na proklizavanje na keramici
Outsole slip resistant on ceramic

SRC
(SRB +SRA)

Neklijajući don za uljane metalne i keramičke podloge i O1
Anti-slip lnt for oil-based metal and ceramic substrates and O1

Sve vrste materijala osim prirodnih i sintetičkih polimera
Any material excepted natural and synthetic polymers

01



02



03



Prirodni i sintetički polimeri
Natural and synthetic polymers

04



05



STANDARDI

Danas se za zaštitne i radne cipele koriste norme EN ISO 20345 i EN ISO 23047. Potrebno je naglasiti da su na tržištu i dalje prisutni artikli potvrđeni starim normama EN345 i EN347. CE tip pregleda nema rok trajanja, tako da čak i artikli stari npr. 10 godina mogu da prodaju ukoliko su identični sertifikovanom artiklu i ukoliko se označavanje nije promenilo.

EN ISO 20345

Specifikacija za zaštitnu obuću za profesionalnu upotrebu. Ovaj standard se primenjuje zajedno sa standardom EN ISO 20344, osnovnim i dodatnim zahtevima zaštitne radne obuće. Radna cipela koja udovoljava zahtevima baziranim na specifičnim nivoima rizika (eventualnih padajućih objekata, potencijalnih nezgoda u radnom okruženju..); štiti od udarca jačine 200 J.

EN ISO 20347

Specifikacija za zaštitnu obuću za profesionalnu upotrebu. Radna cipela koja ispunjava specifične zahteve zaštitne cipele, bez čelične kapice.

EN ISO 20347

Specifications for work footwear for professional use. This footwear is different from safety footwear by the fact that these do not have toe caps against injury from falling objects or crushing impacts.

SPECIFIKACIJE

SPECIFICATIONS



Zaštitna kapica
Toecap



Antistatičnost
Anti-static shoe



Zaštitna tabanica
Anti perforation sole



Amortizacija udaraca u petu
Energy absorbing heel



Neklijajući don
Anti-slip sole



Uljeotporan don
Oil and hydrocarbon resistant sole



Vodootpornost
Waterproof



Provetrenost gornjeg dela
Breathable upper



Otpornost na niske temperature
Warm lining



Zatvorena peta
Closed backpoint

ANTISTATIČNA OBUCĀ

Antistatična obuća koristi se za smanjenje elektrostatičnosti. Potrebno je naglasiti da antistatična obuća ne garantuje adekvatnu zaštitu protiv struje. Ako udar od strujenje u potpunosti eliminisan, neophodna je dodatna zaštita.

ANTISTATIC FOOTWEAR

Antistatic footwear should be used if it is necessary to minimize electrostatic build-up by dissipating electrostatic charges, thus avoiding the risk of spark ignition of, for example flammable substances and vapours, and if the risk of electric shock from any electrical apparatus or live parts has not been completely eliminated. It should be noted, however, that antistatic footwear cannot guarantee an adequate protection against electric shock as it introduces only a resistance between foot and floor. If the risk of electric shock has not been completely eliminated, additional measures to avoid this risk are essential.

INDUSTRIJA PRIMENE INDUSTRY APPLICATION



Poljoprivreda / vrtlarstvo
Agriculture / gardening



Artikl je prilagođen maloprodaji
The item is customized to retail



Građevina
Construction industry



Oznaka za nove artikle u katalogu
New items in the catalog



Usluge / logistika
Services / logistics



Visokokvalitetni proizvodi nastali kao rezultat razvoja, inovacije i dugogodišnjeg iskustva.
High-quality products resulting from development, innovation and years of experience.



Teška industrija
Heavy industry



Laka industrija
Light industry



Pomoći poslovi / zanati
Auxiliary operations / crafts



Artikl proizveden u Evropi
The item produced in Europe

PREDNOST MATERIJALA KOJU ČINE ĐONOVE

	PU Poliuretan	TPU Termoplastični poliuretan	Kaučuk		PU Poliuretan	TPU Termoplastični poliuretan	Kaučuk
Tačka otapanja	180°C	240°C	300°C	Melting point	180°C	240°C	300°C
Težina	Laganiji	Lagani	Težak	Weight	Lighter	Light	Heavy
Neklijajući	Normalno	Bolje	Najbolje	Slip resist	Normal	Better	The best
Uljeotporan	Normalno	Bolje	Najbolje	Oil resist	Normal	Better	The best

ADVANTAGES OF THE MATERIALS USED TO MAKE THE SOLES

ČELIČNA KAPICA / STEEL TOECAP

	Plitka Low	Gear str. 113	Spinnelle str. 115	Cooper str. 115	Stelo str. 125	Mesolite str. 125
S1 / S1P	Duboka High	Gear str. 113	Cooper str. 115	Stelo str. 125	Metalite str. 125	
S2	Plitka Low	Cloro str. 108				
S3	Plitka Low	Strong str. 120	Agate str. 121			
	Duboka High	Metatarsal str. 108	Hummer str. 112	Siberite str. 112	Strong str. 120	Agate str. 121
	Čizme Boots	Vuko safe str. 133	Vuko safe str. 133	Welder str. 123		

KOMPOZITNA KAPICA / COMPOSITE TOECAP

	Plitka Low	K-Trek str. 103	K-Rush str. 103	K-Walk str. 103	K-Speed str. 103	K-Balance str. 104	K-Step str. 104	Ace str. 104
S1 / S1P	Duboka High	Frisebee str. 104	Curling str. 105	Quasar str. 105	Be-Moon str. 106	Cobalt II str. 110	Emerald str. 113	
S2	Duboka High	Treking str. 115	Helvite str. 116	Rasper str. 116	Visper str. 117	Visper str. 117	Digger str. 117	
S3	Plitka Low	Dawn str. 127						
	Plitka Low	Rafting Low str. 105	Be-Joy str. 106	Colosseum str. 107	Bura str. 110	Topaz str. 111	Opal str. 111	Pearl str. 112
	Duboka High	Stream str. 119	Storm str. 119	Fredite str. 121				
S5	Duboka High	Rafting Top str. 105	Be-Joy Top str. 106	Greenwich str. 107	Be-Uniform Top str. 107	Be-Strong Top str. 107	Sparkle str. 108	Bura str. 110
		Topaz str. 111	Stream str. 119	Pearl str. 112	Opal str. 111	Storm str. 119	Fredite str. 121	Welding str. 121

BEZ ZAŠTITE / WITHOUT PROTECTION

OB	Xeno	Xeno str. 108
	Plitka Low	Forest str. 113 Stelo str. 113 Mesolite str. 113 Relax str. 127 Clogs str. 132 Clogs str. 132 Galosh str. 132
01	Duboka High	Forest str. 113 Stelo str. 113 Mesolite str. 113
	Čizme Boots	Ginocchio str. 133 Ginocchio str. 133 Magma str. 132 Tronchetto str. 132 Tronchetto str. 132 Vuko Husky str. 134 Hygrade str. 134
02	Plitka Low	Strong str. 113 Rio str. 127 Dawn str. 127
	Duboka High	Strong str. 113



OSETITE UDOBNOST FEEL THE COMFORT

Udobnost je inspirisala osnovnu zaštitu Base cipela. Fabrika proizvodi sigurnosnu obuću kombinujući tehnologije i funkcionalne zahteve, da odgovore na profesionalne zahteve klijenata. Aktivnost istraživanja i razvoja dovela je do različitih patenata koji čine da cipelu želite da nosite čak i nakon posla. Dodatna vrednost firme je briga za životnu sredinu. Eko održivost, udobnost, tehnologija i efikasnost su kamen temeljac firme.



Dry'n Air Plus je ugrađeni sistem vazdušnih kanala u kombinaciji s balističkim tekstilom otpornim na probijanje, koji upotrebljava "Venturi efekt" sa cirkulacijom vazduha ispod stopala.



AirTech + Tpu-Skin Sole: don protiv umora.
Ekskluzivna tehnologija, koja omogućava smanjenje tvrde i kompaktne debljine spoljne površine s rezultatom udobnosti i elastičnosti.



LifePlus tehnologija poboljšava prijanjanje i smanjuje oštećenja na donu u radnim okruženjima sa prisutnošću vode/tečnosti (poljoprivredna, hemijska i farmaceutska industrija).



Podstava 100% antibakterijski SmellStop: podstava protiv neugodnih mirisa koja sprečava bakterije i gljivice, (odgovorne za mirise), da se ne zadržavaju u cipelama.



Metal-free – nemetalna kapica SlimCap: lagana, fl eksibilnija od metalne, ne-magnetski i toplotno izolovana, garantuje više udobnosti.



Comfort inspired Base Shoe Base protection The Company produces safety shoes by combining technology and functional requirements, to respond to professional client requests. R & D activity led to various patents that make the shoe desirable to wear even after work. The added value of the company's attention to the environment. Eco-sustainability, comfort, technology and efficiency are the cornerstone of the company.



S1P metal free composite
VELIČINA: 39-48
SIZE: 39-48

Materijal: prozračni materijal;
Unutrašnjost: 3D tekstil visoke tehnologije;
Don: PU/HRO guma dvoслоjni, antistatik, neklijajući na keramici i metalu;
Standard: S1P SRC cipela sa aluminijском kapicom i tabanicom;
Tehničke karakteristike: A,FO,E,SRC, HRO;
Norma: EN ISO 20345;
Dostupne veličine: 39-48;
Originalno pakovanje: 1/10



K-TREK S1P Zaštitna cipela plitka
K-TREK S1P Protective shoe low

B1005B



NOVO
NEW

TOP
QUALITY

CE EN ISO 20345



S1P metal free composite
VELIČINA: 36-48
SIZE: 36-48

Materijal: prozračni materijal;
Unutrašnjost: 3D tekstil visoke tehnologije;
Don: PU/HRO guma dvoслоjni, antistatik, neklijajući na keramici i metalu;
Standard: S1P SRC cipela sa aluminijском kapicom i tabanicom;
Tehničke karakteristike: A,FO,E,SRC, HRO;
Norma: EN ISO 20345;
Dostupne veličine: 36-48;
Originalno pakovanje: 1/10



K-RUSH S1P Zaštitna cipela plitka
K-RUSH S1P Protective shoe low

B1005C



NOVO
NEW

TOP
QUALITY

CE EN ISO 20345



S1P metal free composite
VELIČINA: 36-48
SIZE: 36-48

Materijal: prozračni materijal;
Unutrašnjost: 3D tekstil visoke tehnologije;
Don: PU/HRO guma dvoслоjni, antistatik, neklijajući na keramici i metalu;
Standard: S1P SRC cipela sa aluminijском kapicom i tabanicom;
Tehničke karakteristike: A,FO,E,SRC, HRO;
Norma: EN ISO 20345;
Dostupne veličine: 36-48;
Originalno pakovanje: 1/10



K-WALK S1P Zaštitna cipela plitka
K-WALK S1P Protective shoe low

B1006B



NOVO
NEW

TOP
QUALITY

CE EN ISO 20345



S1P metal free composite
VELIČINA: 36-48
SIZE: 36-48

Materijal: prozračni materijal;
Unutrašnjost: 3D tekstil visoke tehnologije;
Don: PU/HRO guma dvoслоjni, antistatik, neklijajući na keramici i metalu;
Standard: S1P SRC cipela sa aluminijском kapicom i tabanicom;
Tehničke karakteristike: A,FO,E,SRC, HRO;
Norma: EN ISO 20345;
Dostupne veličine: 36-48;
Originalno pakovanje: 1/10



K-SPEED S1P Zaštitna cipela plitka
K-SPEED S1P Protective shoe low

B1004C



RETAIL
MALOPRODAJA

NOVO
NEW

TOP
QUALITY

CE EN ISO 20345

K-BALANCE S1P Zaštitna cipela plitka
K-BALANCE S1P Protective shoe low

B1006A

S3 metal free composite
VELIČIN E: 36-48
SIZ E: 36-48

Materijal: prozračni materijal;
Unutrašnjost: 3D tekstil visoke tehnologije;
Don: PU/HRO guma dvoslojni, antistatik, neklizajući na keramici i metalu;
Standard: S1P SRC cipela sa aluminijskom kapicom i tabanicom;
Tehničke karakteristike: A,FO,E,SRC, HRO;
Norma: EN ISO 20345;
Dostupne veličine: 36-48;
Originalno pakovanje: 1/10



EN ISO 20345

CE

K-STEP S1P Zaštitna cipela plitka
K-STEP S1P Protective shoe low

B1004A

S3 metal free composite
VELIČIN E: 36-48
SIZ E: 36-48

Materijal: prozračni materijal;
Unutrašnjost: 3D tekstil visoke tehnologije;
Don: PU/HRO guma dvoslojni, antistatik, neklizajući na keramici i metalu;
Standard: S1P SRC cipela sa aluminijskom kapicom i tabanicom;
Tehničke karakteristike: A,FO,E,SRC, HRO;
Norma: EN ISO 20345;
Dostupne veličine: 36-48;
Originalno pakovanje: 1/10



EN ISO 20345

CE

ACE S1P Zaštitna cipela plitka
ACE S1P Protective shoe low

B0671

S1P metal free composite
VELIČIN E: 39-48
SIZ E: 39-48

Materijal: brušena koža;
Unutrašnjost: 3D tekstil visoke tehnologije;
Don: PU/TPU dvoslojni, antistatik, neklizajući na keramici i metalu;
Standard: S1P SRC cipela sa komposit kapicom i tabanicom;
Tehničke karakteristike: A, FO, E, SRC, HRO;
Norma: EN ISO 20345, DGUV112-191
Dostupne veličine: 39-48;
Originalno pakovanje: 1/10



DGUV112-191

CE

FRISBEE S1P Zaštitna cipela plitka
FRISBEE S1P Protective shoe low

B0647

S1P metal free composite
VELIČIN E: 35-48
SIZ E: 35-48

Materijal: brušena koža;
Unutrašnjost: 3D tekstil visoke tehnologije;
Don: PU/TPU dvoslojni, antistatik, neklizajući na keramici i metalu;
Standard: S1P SRC cipela sa komposit kapicom i tabanicom;
Tehničke karakteristike: A, FO, E, SRC, HRO;
Norma: EN ISO 20345, DGUV112-191
Dostupne veličine: 35-48;
Originalno pakovanje: 1/10



DGUV112-191

CE

RAFTING TOP S3 Zaštitna cipela duboka
RAFTING TOP S3 P Protective shoe high

B0610

S3 metal free composite
VELIČIN E: 39-47
SIZ E: 39-47

Materijal: vodootporna koža;
Unutrašnjost: 3D tekstil visoke tehnologije ;
Don: TPU slim, antistatik, neklizajući na keramici i metalu;
Standard: S3 SRC cipela sa komposit kapicom i tabanicom;
Tehničke karakteristike: A, FO, E, SRC, WRU, metal free;
Norma: EN ISO 20345;
Dostupne veličine: 39-47;
Originalno pakovanje: 1/10



EN ISO 20345

CE

RAFTING S3 Zaštitna cipela plitka
RAFTING S3 P Protective shoe low

B0609

S3 metal free composite
VELIČIN E: 39-47
SIZ E: 39-47

Materijal: vodootporna koža;
Unutrašnjost: 3D tekstil visoke tehnologije ;
Don: TPU slim, antistatik, neklizajući na keramici i metalu;
Standard: S3 SRC cipela sa komposit kapicom i tabanicom;
Tehničke karakteristike: A, FO, E, SRC, WRU, metal free;
Norma: EN ISO 20345;
Dostupne veličine: 39-47;
Originalno pakovanje: 1/10



EN ISO 20345

CE

CURLING S1P Zaštitna cipela plitka
CURLING S1P Protective shoe low

B0607B

S1P metal free composite
VELIČIN E: 35-48
SIZ E: 35-48

Materijal: mikrofibra;
Unutrašnjost: 3D tekstil visoke tehnologije;
Don: TPU, antistatik, neklizajući na keramici i metalu;
Standard: S1P SRC cipela sa komposit kapicom i tabanicom;
Tehničke karakteristike: A,FO,E,SRC, HRO ;
Norma: EN ISO 20345:2011;
Dostupne veličine: 35-48;
Originalno pakovanje: 1/10



EN ISO 20345

CE

QUASAR S1P Zaštitna cipela plitka
QUASAR S1P Protective shoe low

B0953

S1P metal free composite
VELIČIN E: 36-48
SIZ E: 36-48

Materijal: brušena koža;
Unutrašnjost: 3D tekstil visoke tehnologije ;
Don: PU jednoslojni, antistatik, neklizajući na keramici i metalu;
Standard: S1P SRC cipela sa komposit kapicom i tabanicom;
Tehničke karakteristike: A, FO, E, SRC ;
Norma: EN ISO 20345;
Dostupne veličine: 36-48;
Originalno pakovanje: 1/10



EN ISO 20345

CE



LACUNA

WORKTIME



feel the comfort

**TOP BE JOY S3 Zaštitna cipela duboka
TOP BE JOY S3 Protective shoe high**

B0875

S3 metal free composite
VELIČIN E: 36-48
SIZ E: 36-48

Materijal: vodootporna koža,
Unutrašnjost: 3D tekskil visoke tehnologije
Džon: PU/TPU dvoслоjni, antistatik, neklizajući na keramici i metal
Standard: S3 SRC cipela sa komposit kapicom i tabanicom
Tehničke karakteristike: A, FO, E, SRC, WRU, metal free
Norma: EN ISO 20345
Dostupne veličine: 39-48
Originalno pakovanje: 1/10



CE EN ISO 20345



EN ISO 20345



SRC



METAL FREE



COMPOSITE TEXTILE



RETAIL MALOPRODAJA



TOP QUALITY



EUROPE



feel the comfort

**BE JOY S3 Zaštitna cipela plitka
BE JOY S3 Protective shoe low**

B0874

S3 metal free composite
VELIČIN E: 36-48
SIZ E: 36-48

Materijal: vodootporna koža,
Unutrašnjost: 3D tekskil visoke tehnologije
Džon: PU/TPU dvoслоjni, antistatik, neklizajući na keramici i metal
Standard: S3 SRC cipela sa komposit kapicom i tabanicom
Tehničke karakteristike: A, FO, E, SRC, WRU, metal free
Norma: EN ISO 20345
Dostupne veličine: 39-48
Originalno pakovanje: 1/10



CE EN ISO 20345



EN ISO 20345



SRC



METAL FREE



COMPOSITE TEXTILE



RETAIL MALOPRODAJA



TOP QUALITY



EUROPE



feel the comfort

**BE-MOON S1P Zaštitna cipela duboka
BE-MOON S1P Protective shoe high**

B0877

S1P metal free composite
VELIČIN E: 36-48
SIZ E: 36-48

Materijal: brušena koža, tekstil;
Unutrašnjost: 3D tekskil visoke tehnologije;
Džon: TPU jednoslojni, antistatik, neklizajući na keramici i metalu;
Standard: S1P SRC cipela sa kapicom i tabanicom;
Tehničke karakteristike: A, FO, E, SRC;
Norma: EN ISO 20345:2011;
Dostupne veličine: 36-48;
Originalno pakovanje: 1/10



CE EN ISO 20345 DGUV112-191



EN ISO 20345



SRC



METAL FREE



COMPOSITE TEXTILE



RETAIL MALOPRODAJA



TOP QUALITY



EUROPE



feel the comfort

**BE-MOON S1P Zaštitna cipela plitka
BE-MOON S1P Protective shoe low**

B0876

S1P metal free composite
VELIČIN E: 36-48
SIZ E: 36-48

Materijal: brušena koža, tekstil;
Unutrašnjost: 3D tekskil visoke tehnologije;
Džon: TPU jednoslojni, antistatik, neklizajući na keramici i metalu;
Standard: S1P SRC cipela sa kapicom i tabanicom;
Tehničke karakteristike: A, FO, E, SRC;
Norma: EN ISO 20345:2011;
Dostupne veličine: 36-48;
Originalno pakovanje: 1/10



CE EN ISO 20345 DGUV112-191



EN ISO 20345



SRC



METAL FREE



COMPOSITE TEXTILE



RETAIL MALOPRODAJA



TOP QUALITY



EUROPE



feel the comfort

**GREENWICH S3 Zaštitna cipela duboka
GREENWICH S3 Protective shoe high**

B0169

S3 metal free composite
VELIČIN E: 36-48
SIZ E: 36-48

Materijal: vodootporna brušena koža,
Unutrašnjost: 3D tekstil visoke tehnologije
Džon: PU jednoslojni, antistatik, neklizajući na keramici i metalu
Standard: S3 SRC cipela sa celicnom kapicom i tabanicom
Tehničke karakteristike: A, FO, E, SRC, WRU, metal free
Norma: EN ISO 20345
Dostupne veličine: 36-48
Originalno pakovanje: 1/10



B0163

S1P metal free composite
VELIČIN E: 39-48
SIZ E: 39-48

Materijal: brušena koža,
Unutrašnjost: 3D tekstil visoke tehnologije
Džon: PU jednoslojni, antistatik, neklizajući na keramici i metalu
Standard: S1P SRC cipela sa celicnom kapicom i tabanicom
Tehničke karakteristike: A, FO, E, SRC
Norma: EN ISO 20345
Dostupne veličine: 39-48
Originalno pakovanje: 1/10



B0888N

S3 metal free composite
VELIČIN E: 39-48
SIZ E: 39-48

Materijal: vodootporna koža;
Unutrašnjost: 3D tekstil visoke tehnologije ;
Džon: PU/HRO guma dvoслоjni , antistatik, neklizajući na keramici i metalu;
Standard: S3 SRC cipela sa komposit kapicom i tabanicom;
Tehničke karakteristike: A,FO,E,SRC, WRU, metal free;
Norma: EN ISO 20345;
Dostupne veličine: 39-48;
Originalno pakovanje: 1/10



B0888

S3 metal free composite
VELIČIN E: 39-48
SIZ E: 39-48

Materijal: vodootporna koža;
Unutrašnjost: 3D tekstil visoke tehnologije ;
Džon: PU/HRO guma dvoслоjni , antistatik, neklizajući na keramici i metalu;
Standard: S3 SRC cipela sa komposit kapicom i tabanicom;
Tehničke karakteristike: A,FO,E,SRC, WRU, metal free;
Norma: EN ISO 20345;
Dostupne veličine: 39-48;
Originalno pakovanje: 1/10



B0169

CE EN ISO 20345



HRO



SRC



METAL FREE



COMPOSITE TEXTILE



RETAIL MALOPRODAJA



TOP QUALITY





S3 metal free composite
VELIČIN E: 39-47
SIZ E: 39-47

Materijal: vodootporna koža;
Unutrašnjost: 3D tečnil visoke tehnologije;
Don: PU/TPU dvostruki, antistatik, neklizajući na keramici i metalu;
Standard: S3 M SRC cipela sa celičnom kapicom i tabanicom;
Tehničke karakteristike: A, FO, E, SRC, WRU, M (zaštita metatarzalnih kosti);
Norma: EN ISO 20345, DGUV112-191;
Dostupne veličine: 39-47;
Originalno pakovanje: 1/10



METATARSAL S3 Zaštitna cipela duboka METATARSAL S3 Protective shoe high

B0473



EUROPE

SRC

CE EN ISO 20345
DGUV112-191



S3 metal free composite
VELIČIN E: 39-48
SIZ E: 39-48

Materijal: vodootporna koža;
Unutrašnjost: 3D tečnil visoke tehnologije;
Don: PU/HRO guma dvostruki, antistatik, neklizajući na keramici i metalu;
Standard: S3 SRC cipela sa kapicom i tabanicom;
Tehničke karakteristike: A,FO,E,SRC, WRU, CI (štiti od hladnoće do -17C), HI (štiti od temperaturu do 150C);
Norma: EN ISO 20345:2011;
Dostupne veličine: 39-48;
Originalno pakovanje: 1/10



SPARKLE S3 Zaštitna cipela duboka SPARKLE S3 Protective shoe high

B0880



EUROPE

NOVO
NEW

SRC

COMPOSITE TEXTILE
HRO CE EN ISO 20345



02 metal free composite
VELIČIN E: 35-48
SIZ E: 35-48

Materijal: vodootporna mikrofibra;
Unutrašnjost: 3D tečnil visoke tehnologije;
Don: antistatik, apsorbija energije na području pete, neklizajući na keramici i metalu;
Standard: S2 SRC;
Tehničke karakteristike: S2, A, E , SRC,WRU ;
Norma: EN ISO 20345:2011;
Dostupne veličine: 35-48;
Originalno pakovanje: 1/10



EUROPE

NOVO
NEW

SRC

CE EN ISO 20345



XENO OB Sandala kožna
XENO ON Leathersandals

B0551



EUROPE

RETAIL
MALOPRODAJANOVO
NEW

SRC

CE EN ISO 20345



ZAŠTITNE CIPELE – TECHNO LINE SAFETY SHOES – TECHNO LINE

LACUNA WORKTIME

BURA S3 Zaštitna cipela duboka
BURA S3 Protective shoe high

9BURH

S3 metal free composite
VELIČINA | SIZE: 36 - 49

Materijal: puna goveda koža, vodootporna, pojačanje: sprjeda PU
Unutrašnjost: tekstil, proveravajuća mrežica
Don: PU/guma, dvostrukе gustoće, antistatik, protuklizni na keramici i metalu, otporan na habanje
Standard: 9BURHS3 - cipela sa kompozitnom kapicom i kevlar tabanicom
Tehničke karakteristike: A, FO, E, SRC, WR, WRU, HRO, HI, CI
Norme: EN ISO 20345/ EN ISO 20347 CODE 9BURHO2
Originalno pakovanje: 1/10

Materijal: grain leather, water resistant, reinforcement: PU front,
Lining: textile, breathable mesh
Sole: dual density PU/rubber, antistatic, slip resistance on ceramic and steel anti-perforation
Standard: 9BURHS3 - shoe with composite toecap and kevlar midsole
Technical features: A, FO, E, SRC, WR, WRU, HRO, HI, CI
Standard: EN ISO 20345/ EN ISO 20347 CODE 9BURHO2
Original packaging: 1/10



CE EN ISO 20345

LACUNA WORKTIME

BURA S3 Zaštitna cipela plitka
BURA S3 Protective shoe low

9BURL

S3 metal free composite
VELIČINA | SIZE: 36 - 49

Materijal: puna goveda koža, vodootporna, pojačanje: sprjeda PU
Unutrašnjost: tekstil, proveravajuća mrežica
Don: PU/guma, dvostrukе gustoće, antistatik, neklizajući na keramici i metalu, otporan na habanje
Standard: 9BURLS3 - cipela sa kompozitnom kapicom i kevlar tabanicom
Tehničke karakteristike: A, FO, E, SRC, WR, WRU, HRO, HI, CI
Norme: EN ISO 20345/ EN ISO 20347 CODE 9BURLO2
Originalno pakovanje: 1/10

Materijal: grain leather, water resistant, reinforcement: PU front,
Lining: textile, breathable mesh
Sole: dual density PU/rubber, antistatic, slip resistance on ceramic and steel anti-perforation
Standard: 9BURLS3 - shoe with composite toecap and kevlar midsole
Technical features: A, FO, E, SRC, WR, WRU, HRO, HI, CI
Standard: EN ISO 20345/ EN ISO 20347 CODE 9BURLO2
Original packaging: 1/10



CE EN ISO 20345

COVERGUARD FOOTWEAR

COBALT II S1P zaštitna cipela duboka
COBALT II S1P safety shoe high

9COBH

S3 metal free composite
VELIČINA | SIZE: 38 - 47

Materijal: brušena koža
Unutrašnjost: proveravajuća mrežica
Don: dvostrukji PU/PU
Standard: S1P cipela sa kompozitnom kapicom
Tehničke karakteristike: SRC, kompozit, metal free
Pojačanje: prednji dio u PU
Norme: EN ISO 20345
Originalno pakovanje: 1/10

Materijal: suede leather, mesh
Inside: breathable mesh
Sole: double density PU / PU
Standard: S1P Composite shoe,
Technical performance: SRC, composite, metal free
Reinforcement: front in PU
Norma: EN ISO 20345
Original packaging: 1/10



CE EN ISO 20345

COVERGUARD FOOTWEAR

COBALT II S1P zaštitna cipela plitka
COBALT II S1P safety shoe low

9COBL

S1P metal free composite
VELIČINA | SIZE: 38 - 47

Materijal: brušena koža
Unutrašnjost: proveravajuća mrežica
Don: dvostrukji PU/PU
Standard: S1P cipela sa kompozitnom kapicom
Tehničke karakteristike: SRC, kompozit, metal free
Pojačanje: prednji dio u PU
Norme: EN ISO 20345
Originalno pakovanje: 1/10

Materijal: suede leather, mesh
Inside: breathable mesh
Sole: double density PU / PU
Standard: S1P Composite shoe,
Technical performance: SRC, composite, metal free
Reinforcement: front in PU
Norma: EN ISO 20345
Original packaging: 1/10



CE EN ISO 20345

COVERGUARD FOOTWEAR

TOPAZ S3 Zaštitna cipela duboka

TOPAZ S3 Safety shoe high

9TOPH

S3 metal free composite
VELIČINA | SIZE: 38 - 47

Materijal: koža, vodootporna; pojačanje: sprjeda PU, straga termoplastični PU
Unutrašnjost: tekstil, proveravajuća mrežica
Don: PU dvostrukе gustoće/guma, antistatik, neklizajući na keramici i metalu, otporan na habanje, otporan na visoke temperature do 300°C/1 minut
Standard: S3 cipela sa kompozitnom kapicom
Tehničke karakteristike: SRC, HRO, Metal free
Norma: EN ISO 20345
Originalno pakovanje: 1/10

Materijal: full grain leather
Inside: breathable mesh
Sole: double density PU / Rubber
Standard: S3 Composite metall free
Technical performance: SRC, HRO, Metal free
Reinforcement: front in PU, back in TPU
Norm: EN ISO 20345
Original packaging: 1/10



CE EN ISO 20345

COVERGUARD FOOTWEAR

TOPAZ S3 Zaštitna cipela plitka

TOPAZ S3 Safety shoe low

9TOPL

S3 metal free composite
VELIČINA | SIZE: 38 - 47

Materijal: koža, vodootporna;
Pojačanje: spreda PU, nazad termoplastični PU
Unutrašnjost: tekstil, proveravajuća mrežica
Don: PU dvostrukе gustoћe, antistatik, neklizajući na keramici i metalu, otporan na habanje, otporan na visoke temperature do 300°C/1 minut
Standard: S3 cipela sa kompozitnom kapicom
Tehničke karakteristike: SRC, HRO, Metal free
Norma: EN ISO 20345
Originalno pakovanje: 1/10

Materijal: full grain leather
Inside: breathable mesh
Sole: double density PU / Rubber
Standard: S3 Composite metall free
Technical performance: SRC, HRO, Metal free
Reinforcement: front in PU, back in TPU
Norm: EN ISO 20345
Original packaging: 1/10



CE EN ISO 20345

COVERGUARD FOOTWEAR

OPAL S3 Zaštitna cipela duboka

OPAL S3 Safety shoe high

9OPAH

S3 metal free composite
VELIČINA | SIZE: 38 - 47

Materijal: koža, vodootporna;
Pojačanje: spreda PU, pozadi termoplastični PU
Unutrašnjost: tekstil, proveravajuća mrežica
Don: PU dvostrukе gustoћe, antistatik, neklizajući na keramici i metalu, otporan na habanje
Standard: S3 cipela sa kompozitnom kapicom
Tehničke karakteristike: SRC, Metal free
Norma: EN ISO 20345
Originalno pakovanje: 1/10

Materijal: full grain leather
Inside: breathable mesh
Sole: double density PU / PU
Standard: S3 Composite
Technical performance: SRC, Metal free
Reinforcement: front in PU, back in TPU
Norm: EN ISO 20345
Original packaging: 1/10



CE EN ISO 20345

COVERGUARD FOOTWEAR

OPAL S3 Zaštitna cipela plitka

OPAL S3 Safety shoe low

9OPAL

S3 metal free composite
VELIČINA | SIZE: 38 - 47

Materijal: koža, vodootporna;
Pojačanje: spreda PU, pozadi termoplastični PU
Unutrašnjost: tekstil, proveravajuća mrežica
Don: PU dvostrukе gustoћe, antistatik, neklizajući na keramici i metalu, otporan na habanje, otporan na visoke temperature do 300°C/1 minut
Standard: S3 cipela sa kompozitnom kapicom
Tehničke karakteristike: SRC, Metal free
Norma: EN ISO 20345
Originalno pakovanje: 1/10

Materijal: full grain leather
Inside: breathable mesh
Sole: double density PU / PU
Standard: S3 Composite
Technical performance: SRC, Metal free
Reinforcement: front in PU, back in TPU
Norm: EN ISO 20345
Original packaging: 1/10



CE EN ISO 20345



LACUNA

WORKTIME

COVERGUARD FOOTWEAR

**PEARL S3 Zaštitna cipela duboka
PEARL S3 Safety shoe high**

9PEAH

S3 metal free composite

VELIČINA | SIZE: 38 - 47

Materijal: koža
Unutrašnjost: provetrajuća mrežica
Don: dvostruki PU/PU
Standard: S3 metall free cipela sa kompozitnom kapicom
Tehničke karakteristike: SRC, Kompozit, Metal free
Pojačanje: spreda PU, pozadi TPU
Norma: EN ISO 20345
Originalno pakovanje: 1/10

Material: Full grain leather
Inside: breathable mesh
Sole: double density PU /PU
Standard: S3 Composite
Technical performance: SRC, Metall free, Reinforcement: front in PU, back TPU
Reinforcement: front in PU, back TPU
Norm: EN ISO 20345
Original packaging: 1/10



CE EN ISO 20345

9PEAL

COVERGUARD FOOTWEAR

**PEARL S3 Zaštitna cipela plitka
PEARL S3 Safety shoe low**

S3 metal free composite

VELIČINA | SIZE: 38 - 47
Materijal: koža
Unutrašnjost: provetrajuća mrežica
Don: dvostruki PU/PU
Standard: S3 metall free cipela sa kompozitnom kapicom
Tehničke karakteristike: SRC, Kompozit, Metal free
Pojačanje: spreda PU, pozadi TPU
Norma: EN ISO 20345
Originalno pakovanje: 1/10

Material: Full grain leather
Inside: breathable mesh
Sole: double density PU /PU
Standard: S3 Composite
Technical performance: SRC, Metall free, Reinforcement: front in PU, back TPU
Reinforcement: front in PU, back TPU
Norm: EN ISO 20345
Original packaging: 1/10



CE EN ISO 20345

ARDON

**HUMMER S3 Zaštitna cipela duboka
HUMMER S3 Safety shoe high**

G3110

S3 metal

VELIČINA | SIZE: 37 - 48
Materijal: buffalo koža
Unutrašnjost: vodootporna
Don: dvostruki PU/guma
Standard: S3 cipela sa čeličnom kapicom i tabanicom
Tehničke karakteristike: SRC, HRO
Norma: EN ISO 20345
Originalno pakovanje: 1/10

Material: Buffalo leather
Inside: waterproof lining
Sole: double density PU /Rubber
Standard: S3 shoe with steel toe and midsole
Technical performance: SRC, HRO
Norm: EN ISO 20345
Original packaging: 1/10



CE EN ISO 20345

COVERGUARD FOOTWEAR

**SIBERITE S3 Zaštitna cipela duboka
SIBERITE S3 Protective shoe high**

9SIBE

S3 composite

VELIČINA | SIZE: 37 - 47

Materijal: koža
Gornjište: Koža
Unutrašnjost: Krzno
Don: dvostruki gustoće PU/PU, neklizajući na keramici i metalu, antistatik, otporan na ugljikovide, amortizacija udarca na petu
Standard: S3 cipela sa kapicom i tabanicom
Tehničke karakteristike: SRC, CI
NORMA: HRN EN ISO 20345: 2011 KLASA S3 CI SRC
Originalno pakovanje: 1/10

Material: leather
Upper: Leather
Inside: Fur
Sole: Dual density sole PU / PU, Anti-slipon ceramic and metal, antistatic, resistant hydrocarbons, amortization of the impact on the fifth
Standard: S3 shoe with cap and tanning bed
Technical characteristics: SRC, CI Standard: HRN EN ISO 20345: 2011 CLASS S3 CI SRC
Original packaging: 1/10



CE EN ISO 20345

COVERGUARD FOOTWEAR

**EMERALD S1P Zaštitna cipela duboka
EMERALD S1P Safety shoe high**

9EMEH

S1P composite

VELIČINA | SIZE: 38 - 47

Materijal: koža
Gornjište: kombinacija nubuck kože i najlona
Unutrašnjost: provetrajuća netkana postava, postavljen jezik, nepropusni Composite Wellmax
Don: dvostruki PU/TPU, brizgan, uljeotporan, antistatik
Standard: S1P cipela sa kompozitnom kapicom i tabanicom
Tehničke karakteristike: SRA
Norma: EN ISO 20345
Dostupne veličine: 38-47
Originalno pakovanje: 1/10

Material: Nubuck and nylon
Inside: breathable mesh
Sole: double density PU /TPU
Standard: S1P Composite
Technical performance: SRA
Norm: EN ISO 20345
Size: 38 - 47
Original packaging: 1/10



CE EN ISO 20345

COVERGUARD FOOTWEAR

**EMERALD S1P Zaštitna cipela plitka
EMERALD S1P Safety shoe low**

9EMEL

S1P composite

VELIČINA | SIZE: 38 - 47

Materijal: koža
Gornjište: kombinacija nubuck kože i najlona
Unutrašnjost: provetrajuća netkana postava, postavljen jezik, nepropusni Composite Wellmax
Don: dvostruki PU/TPU, brizgan, uljeotporan, antistatik
Standard: S1P cipela sa kompozitnom kapicom i tabanicom
Tehničke karakteristike: SRA
Norma: EN ISO 20345
Dostupne veličine: 38-47
Originalno pakovanje: 1/10

Material: Nubuck and nylon
Inside: breathable mesh
Sole: double density PU /TPU
Standard: S1P Composite
Technical performance: SRA
Norm: EN ISO 20345
Size: 38 - 47
Original packaging: 1/10



CE EN ISO 20345

ARDON

**GEAR S1P Zaštitna cipela duboka
GEAR S1P Protective shoe high**

G3168

S1P composite

VELIČINA | SIZE: 36 - 48

Materijal: brušena koža;
Gornjište: brušena koža/tekstil ;
Unutrašnjost: tekstil;
Don: jednoslojni PU;
Standard: S1P cipela sa čeličnom kapicom i čeličnom tabanicom;
Tehničke karakteristike: SRC,A,E,P,FO;
Norma: EN ISO 20345:2011;
Dostupne veličine: 36-48;
Originalno pakovanje: 1/10

Material: suede leather;
Upper: suede leather/textile;
Ineer: textile;
Sole: singledensity PU;
Standard: S1P shoes with steel toecap and steel insole;
Technical features: SRC,A,E,P,FO;
Standard: EN ISO 20345:2011;
Available sizes: 36-48;
Original packing: 1/10



CE EN ISO 20345

ARDON

**GEAR S1P Zaštitna cipela plitka
GEAR S1P Protective shoe low**

G3169

S1P composite

VELIČINA | SIZE: 36 - 48

Materijal: brušena koža;
Gornjište: brušena koža/tekstil ;
Unutrašnjost: tekstil;
Don: jednoslojni PU;
Standard: S1P cipela sa čeličnom kapicom i čeličnom tabanicom;
Tehničke karakteristike: SRC,A,E,P,FO;
Norma: EN ISO 20345:2011;
Dostupne veličine: 36-48;
Originalno pakovanje: 1/10

Material: suede leather;
Upper: suede leather/textile;
Ineer: textile;
Sole: singledensity PU;
Standard: S1P shoes with steel toecap and steel insole;
Technical features: SRC,A,E,P,FO;
Standard: EN ISO 20345:2011;
Available sizes: 36-48;
Original packing: 1/10



CE EN ISO 20345

ZAŠTITNE CIPELE – SPORT LINE

SAFETY SHOES – SPORT LINE



LACUNA WORKTIME

S1

VELIČINA | SIZE: 38 - 47

Materijal: kombinacija brušene kože i tekstila

Unutrašnjost: proveravajući tekstil, antistatički, anatomski, odvojivi uložak

Don: PU dvoslojni, antistatik, neklizajući, otporan na ulje

Standard: S1 cipela

Tehničke karakteristike: SRC

Norma: EN ISO 20345

Originalno pakovanje: 1/10



TREKING S1 Zaštitna cipela plitka

TREKING S1 Protective shoe low

9TREKL



CE EN ISO 20345

LACUNA WORKTIME

S1P metal

VELIČINA | SIZE: 35 - 48

Materijal: brušena koža i najlon

Unutrašnjost: proveravajuća mrežica

Don: dvoslojni PU/PU

Standard: S1P cipela sa čeličnom kapicom

Tehničke karakteristike: SRC

Norma: EN ISO 20345

Originalno pakovanje: 1/10



SPINELLE S1P Zaštitna cipela plitka

SPINELLE S1P Safety shoe low

9SPL



CE EN ISO 20345

COVERGUARD FOOTWEAR

S1P metal

VELIČINA | SIZE: 36 - 48

Materijal: brušena koža i najlon

Unutrašnjost: proveravajuća mrežica

Don: dvoslojni PU/PU

Standard: S1P cipela sa čeličnom kapicom i tabanicom

Tehničke karakteristike: SRC

Norma: EN ISO 20345

Dostupne veličine: 36-48

Originalno pakovanje: 1/10



COPPER S1P Cipela duboka

COPPER S1P Safety shoe high

9COPH



CE EN ISO 20345

COVERGUARD FOOTWEAR

S1P metal

VELIČINA | SIZE: 36-48

Materijal: brušena koža i najlon

Unutrašnjost: proveravajuća mrežica

Don: dvoslojni PU/PU

Standard: S1P cipela sa čeličnom kapicom i tabanicom

Tehničke karakteristike: SRC

Norma: EN ISO 20345

Dostupne veličine: 36-48

Originalno pakovanje: 1/10



COPPER S1P Cipela plitka

COPPER S1P Safety shoe low

9COPL



CE EN ISO 20345

COVERGUARD FOOTWEAR

HELVITE S1P Zaštitna cipela plitka
HELVITE S1P Safety shoe low

9HEVL

S1P Metal free
VELIČINA | SIZE: 37 - 47**Materijal:** brušena koža
Unutrašnjost: proveravajuća mrežica
Don: dvostruki EVA/Guma
Standard: S1P cipela sa kompozitnom kapicom
Tehničke karakteristike: SRA, kompozit, metal free, HRO
Norma: EN ISO 20345
Dostupne veličine: 37-47
Originalno pakovanje: 1/10**Material:** suede leather and mesh
Inside: breathable mesh
Sole: double density EVA /Rubber
Standard: S1P Composite shoe,
Technical performance: SRA, composite, metal free, HRO
Norm: EN ISO 20345
Size: 37 - 47
Original packaging: 1/10

CE EN ISO 20345

ARDON

RASPER S1P Zaštitna cipela plitka
RASPER S1P Safety shoe low

G3164

S1P composite
VELIČINA | SIZE: 36 - 48**Materijal:** brušena koža i tekstil
Unutrašnjost: proveravajuća mrežica
Don: dvostruki PU/guma
Standard: S1P cipela sa kompozitnom kapicom i kevlar tabanicom
Tehničke karakteristike: SRC kompozit, metal free
Norma: EN ISO 20345
Originalno pakovanje: 1/10**Material:** suede leather and fabric
Inside: breathable mesh
Sole: double density PU/rubber
Standard: S1P Composite shoe
Technical performance: SRC, composite, metal free
Norm: EN ISO 20345
Original packaging: 1/10

CE EN ISO 20345

ARDON

FOREST 01 Zaštitna cipela duboka
FOREST 01 Safety shoe high

G3181

O1
VELIČINA | SIZE: 36 - 48**Materijal:** brušena koža i tekstil
Unutrašnjost: tekstil
Don: jednoslojni PU
Standard: O1 cipela
Norma: EN ISO 20347
Originalno pakovanje: 1/10**Material:** suede leather and textile
Inside: textile
Sole: single density PU
Standard: O1 shoe
Norm: EN ISO 20347
Original packaging: 1/10

CE EN ISO 20347

ARDON

FOREST 01 Zaštitna cipela plitka
FOREST 01 Safety shoe low

G3180

O1
VELIČINA | SIZE: 36 - 48**Materijal:** brušena koža i tekstil
Unutrašnjost: tekstil
Don: jednoslojni PU
Standard: O1 cipela
Norma: EN ISO 20347
Originalno pakovanje: 1/10**Material:** suede leather and textile
Inside: textile
Sole: single density PU
Standard: O1 shoe
Norm: EN ISO 20347
Original packaging: 1/10

CE EN ISO 20347

ARDON

VISPER S1 Zaštitna cipela plitka
VISPER S1 Protective shoe low

G3244

S1 Metal free
VELIČINA | SIZE: 39 - 46**Materijal:** PU/tekstil;
Gornjiše: PU/tekstil ;
Unutrašnjost: tekstil;
Don: dvostruki Phylon/Guma;
Standard: S1 metal free cipela sa kompozitnom kapicom;
Tehničke karakteristike: SRC;
Norma: EN ISO 20345:2011;
Dostupne veličine: 39-46;
Originalno pakovanje: 1/10**Material:** PU/textile;
Upper: PU/textile;
Iner: textile;
Sole: dual density Phylon/Rubber;
Standard: S1 metal free shoes with composite toecap;
Technical features: SRC;
Standard: EN ISO 20345:2011;
Available sizes: 39-46;
Original packing: 1/10

CE EN ISO 20345

ARDON

VISPER S1 Zaštitna cipela plitka
VISPER S1 Protective shoe low

G3245

S1P Metal free
VELIČINA | SIZE: 39 - 46**Materijal:** PU/tekstil;
Gornjiše: PU/tekstil ;
Unutrašnjost: tekstil;
Don: dvostruki Phylon/Guma;
Standard: S1 metal free cipela sa kompozitnom kapicom;
Tehničke karakteristike: SRC;
Norma: EN ISO 20345:2011;
Originalno pakovanje: 1/10**Material:** PU/textile;
Upper: PU/textile;
Iner: textile;
Sole: dual density Phylon/Rubber;
Standard: S1 metal free shoes with composite toecap;
Technical features: SRC;
Standard: EN ISO 20345:2011;
Original packing: 1/10

CE EN ISO 20345

ARDON

DIGGER S1 Zaštitna cipela plitka
DIGGER S1 Protective shoe low

G3161

S1P Metal free
VELIČINA | SIZE: 39 - 46**Materijal:** microfiber
Unutrašnjost: proveravajuća mrežica
Don: MD/Guma/TPU
Standard: S1P cipela sa kompozitnom kapicom i kevlar tabanicom
Tehničke karakteristike: SRC, kompozit, metal free,
Norma: EN ISO 20345
Originalno pakovanje: 1/10**Material:** microfibra
Inside: breathable mesh
Sole: MD/Rubber/TPU
Standard: S1P Composite shoe with kevlar midsole
Technical performance: SRC, composite, metal free
Norm: EN ISO 20345
Original packaging: 1/10

CE EN ISO 20345

ARDON

VISPER S1 Zaštitna cipela plitka
VISPER S1 Protective shoe low

G3238

S1 metal
VELIČINA | SIZE: 35 - 48**Materijal:** mikrofber i poliuretan (PU);
Don: MD/guma/TPU (MD-polimer materijal sa EVA-etyljen vinil acetat);
Boja: crno-žuta;
Standard: S1 radna cipela;
Tehničke karakteristike: SRC;
Norma: EN ISO 20347;
Originalno pakovanje: 1/10**Material:** microfibre and polyurethane (PU);
Sole: MD / rubber / TPU (MD-polymer material with EVA-ethylene vinyl acetate);
Color: black and yellow;
Standard: S1 work shoes;
Specifications: SRC;
Standard: EN ISO 20347;
Original packing: 1/10

CE EN ISO 20345

ZAŠTITNE CIPELE – STANDARD LINE

SAFETY SHOES – STANDARD LINE



STANDARD LINE

LACUNA WORKTIME

STREAM S3 Zaštitna cipela duboka STREAM S3 Protective shoe high

9STREH

S3 metal free

VELIČINA | SIZE: 37 - 47

Materijal: kombinacija vodootporne kože i tekstila, signalna traka na peti

Unutrašnjost: 3D provetrajući tekstil, antistatički, anatomski, odvojivi uložak

Don: PU/TPU dvoslojni, antistatik, neklizajući, otporan na ulje i ugljenvodonik

Standard: S3 cipela sa kompozitnom kapicom

Tehničke karakteristike: SRC, 100% Metalfree

Norma: EN ISO 20345

Originalno pakovanje: 1/10

Stara šifra / old code: 6939WTSMPH

Material: combination of waterresistant skin and textile, signal strip on heel
Inner: 3D breathable textile, antistatic, anatomic detachable sole

Sole: dual PU/TPU, antistatic, antiskid, resistant to oil and hydrocarbon
Standard: S3 shoe with composite toe cap

Technical characteristics: SRC, 100% metalfree

Norm: EN ISO 20345

Original packing: 1/10



SRC
COMPOSITE
TEXTILE



CE EN ISO 20345

9STREL

LACUNA WORKTIME

STREAM S3 Zaštitna cipela plitka STREAM S3 Protective shoe low

S3 metal free

VELIČINA | SIZE: 37 - 47

Materijal: kombinacija vodootporne kože i tekstila, signalna traka na peti

Unutrašnjost: 3D provetrajući tekstil, antistatički, anatomski, odvojivi uložak

Don: PU/TPU dvoslojni, antistatik, neklizajući, otporan na ulje i ugljenvodonik

Standard: S3 cipela sa kompozitnom kapicom

Tehničke karakteristike: SRC, 100% Metalfree

Norma: EN ISO 20345

Originalno pakovanje: 1/10

Stara šifra / old code: 6239WTSML

Material: combination of waterresistant skin and textile, signal strip on heel
Inner: 3D breathable textile, antistatic, anatomic detachable sole

Sole: dual PU/TPU, antistatic, antiskid, resistant to oil and hydrocarbon
Standard: S3 shoe with composite toe cap

Technical characteristics: SRC, 100% metalfree

Norm: EN ISO 20345

Original packing: 1/10



SRC
COMPOSITE
TEXTILE



CE EN ISO 20345

9STORH

LACUNA WORKTIME

STORM S3 Zaštitna cipela duboka STORM S3 Protective shoe high

S3

VELIČINA | SIZE: 37 - 48

Materijal: koža

Unutrašnjost: tekstil

Don: dvoslojni PU/TPU

Standard: S3 cipela sa kompozitnom kapicom i kevlar tabanicom

Tehničke karakteristike: SRC, kompozit

Pojačanje: spreda u PU

Norma: EN ISO 20345

Originalno pakovanje: 1/10

Stara šifra / old code: 6939WTS

Material: grain leather
Inside: textile

Sole: double density PU/TPU

Standard: S3 shoe with composite toe cap and kevlar midsole

Technical performance: SRC, composite

Reinforcement: front in PU

Norm: EN ISO 20345

Original packaging: 1/10



COMPOSITE
TEXTILE
SRC



CE EN ISO 20345

9STORL

S3

VELIČINA | SIZE: 37 - 48

Materijal: koža

Unutrašnjost: tekstil

Don: dvoslojni PU/TPU

Standard: S3 cipela sa kompozitnom kapicom i kevlar tabanicom

Tehničke karakteristike: SRC, kompozit

Pojačanje: spreda u PU

Norma: EN ISO 20345

Originalno pakovanje: 1/10

Stara šifra / old code: 6239WTS

Material: grain leather
Inside: textile

Sole: double density PU/TPU

Standard: S3 shoe with composite toe cap and kevlar midsole

Technical performance: SRC, composite

Reinforcement: front in PU

Norm: EN ISO 20345

Original packaging: 1/10



COMPOSITE
TEXTILE
SRC



CE EN ISO 20345

9STREH

9STREL

9STORH

9STORL



LACUNA

WORKTIME

LACUNA WORKTIME

STRONG S3 Zaštitna cipela duboka
STRONG S3 Protective shoe high
S3
VELIČINA | SIZE: 36 - 48

Materijal: koža
 Unutrašnjost: tekstil
 Don: dvoslojni PU/TPU
 Standard: S3 cipela sa čeličnom kapicom i tabanicom
 Tehničke karakteristike: SRC
 Pojačanje: spreda u PU
 Norma: EN ISO 20345
 Originalno pakovanje: 1/10
 Stara šifra / old code: 6939 S3PP

Material: grain leather
 Inside: textile
 Sole: double density PU/TPU
 Standard: S3 shoe with steel toe cap
 Technical performance: SRC
 Reinforcement: front in PU
 Norm: EN ISO 20345
 Original packaging: 1/10



9STROHS3



CE EN ISO 20345

LACUNA WORKTIME

STRONG S3 Zaštitna cipela plitka
STRONG S3 Protective shoe low
S3
VELIČINA | SIZE: 36 - 48

Materijal: koža
 Unutrašnjost: tekstil
 Don: dvoslojni PU/TPU
 Standard: S3 cipela sa čeličnom kapicom i tabanicom
 Tehničke karakteristike: SRC
 Pojačanje: spreda u PU
 Norma: EN ISO 20345
 Originalno pakovanje: 1/10
 Stara šifra / old code: 6239 S3PP

Material: grain leather
 Inside: textile
 Sole: double density PU/TPU
 Standard: S3 shoe with steel toe cap
 Technical performance: SRC
 Reinforcement: front in PU
 Norm: EN ISO 20345
 Original packaging: 1/10



9STROLS3



CE EN ISO 20345

LACUNA WORKTIME

STRONG O2 Zaštitna cipela duboka
STRONG O2 Protective shoe high
O2
VELIČINA | SIZE: 36 - 48

Materijal: koža
 Unutrašnjost: tekstil
 Don: dvoslojni PU/TPU
 Standard: O2 cipela
 Tehničke karakteristike: SRC
 Norma: EN ISO 20347
 Originalno pakovanje: 1/10
 Stara šifra / old code: 6909 O2

Material: grain leather
 Inside: textile
 Sole: double density PU/TPU
 Standard: O2 shoe
 Technical performance: SRC
 Norm: EN ISO 20347
 Original packaging: 1/10



9STROHO2



CE EN ISO 20347

LACUNA WORKTIME

STRONG O2 Zaštitna cipela plitka
STRONG O2 Protective shoe low
O2
VELIČINA | SIZE: 36 - 48

Materijal: koža
 Unutrašnjost: tekstil
 Don: dvoslojni PU/TPU
 Standard: O2 cipela
 Tehničke karakteristike: SRC
 Norma: EN ISO 20347
 Originalno pakovanje: 1/10
 Stara šifra / old code: 6209 O2

Material: grain leather
 Inside: textile
 Sole: double density PU/TPU
 Standard: O2 shoe
 Technical performance: SRC
 Norm: EN ISO 20347
 Original packaging: 1/10



9STROLO2



CE EN ISO 20347

LACUNA WORKTIME

FREEDITE S3 Zaštitna cipela duboka
FREEDITE S3 Protective shoe high

9FREH

S3 metal free
VELIČINA | SIZE: 37 - 47

Materijal: koža
 Gornjište: Granulirana vodootporna koža, reflektujući umetak za veću vidljivost
 Unutrašnjost: Prozračna tekstilna podstava
 Don: PU dvostrukе guste
 otporan na habanje, ulja i ugljikovodone
 Standard: S3 cipela
 Tehničke karakteristike: SRC,
 Norma: EN ISO 20345: 2011 S3 SRC
 Originalno pakovanje: 1/10

Material: leather
 Upper: Granulated waterproof skin, reflecting insert for greater visibility
 Interior: Blank textile lining
 Sole: PU double density resistant to wear, oils and hydrocarbons
 Standard: S3 shoe
 Technical characteristics: SRC, Norm: EN ISO 20345: 2011 S3 SRC
 Original packaging: 1/10



CE EN ISO 20345



LACUNA WORKTIME

FREEDITE S3 Zaštitna cipela plitka
FREEDITE S3 Protective shoe low

9FREL

S3 metal free
VELIČINA | SIZE: 37 - 47

Opći opis: Materijal: koža
 Gornjište: Granulirana vodootporna koža, reflektujući umetak za veću vidljivost
 Unutrašnjost: Prozračna tekstilna postava
 Don: PU dvostrukе gustine
 otporan na habanje, ulja i ugljikovodone
 Standard: S3 cipela
 Tehničke karakteristike: SRC,
 Norma: EN ISO 20345: 2011 S3 SRC
 Originalno pakovanje: 1/10

Material: leather
 Upper: Granulated waterproof skin, reflecting insert for greater visibility
 Interior: Blank textile lining
 Sole: PU double density resistant to wear, oils and hydrocarbons
 Standard: S3 shoe
 Technical characteristics: SRC, Norm: EN ISO 20345: 2011 S3 SRC
 Original packaging: 1/10



CE EN ISO 20345



LACUNA WORKTIME

AGATE S3 Zaštitna cipela duboka
AGATE S3 Protective shoe high

9AGAH

VELIČINA | SIZE: 37 - 47

S3 metal
 Materijal: koža
 Unutrašnjost: proveravajuća mrežica
 Don: dvoslojni PU/PU
 Standard: S3 cipela sa čeličnom kapicom
 Tehničke karakteristike: SRC
 Norma: EN ISO 20345
 Originalno pakovanje: 1/10

Material: grain leather
 Inside: breathable mesh
 Sole: double density PU/PU
 Standard: S3 shoe with steel toecap
 Technical performance: SRC
 Norm: EN ISO 20345
 Original packaging: 1/10



CE EN ISO 20345



LACUNA WORKTIME

AGATE S3 Zaštitna cipela plitka
AGATE S3 Protective shoe low

9AGAL

S3 metal
VELIČINA | SIZE: 37 - 47

Materijal: koža
 Unutrašnjost: proveravajuća mrežica
 Don: dvoslojni PU/PU
 Standard: S3 cipela sa čeličnom kapicom
 Tehničke karakteristike: SRC
 Norma: EN ISO 20345
 Originalno pakovanje: 1/10

Material: grain leather
 Inside: breathable mesh
 Sole: double density PU/PU
 Standard: S3 shoe with steel toecap
 Technical performance: SRC
 Norm: EN ISO 20345
 Original packaging: 1/10



CE EN ISO 20345





ZAŠTITNE CIPELE – WELDING SAFETY SHOES – WELDING

LACUNA WORKTIME

WELDING S3 Zaštitna cipela duboka

9WELDK

S3 composite
VELIČINA I SIZE: 38-48

Materijal: koža, vodootporna, kevlar konac
Unutrašnjost: provetrvajući tekstil Alfalsicio
Don: dvostruki PU/GUMA, antistatik, neklizajući na keramici i metalu, otporan na habanje, visoke temperature, uljeotporan, otporan na ugljovodonike

Standard: S3 cipela sa kompozitnom kapicom i kevlar tabanicom

Tehničke karakteristike: SRC, HRO

Norma: EN ISO 20345

Originalno pakovanje: 1/10

Material: leather, waterproof, kevlar thread
Inside: airy Alfalsicio

Sole: double layer PU / GUMA, antistatic, anti-slipon ceramic and metal, wear-resistant, high temperature, oil-resistant, resistant to hydrocarbons
Standard: S3 shoe with composite cap and kevlar tabanica
Technical characteristics: SRC, HRO

Norm: EN ISO 20345

Original packaging: 1/10



COMPOSITE TEXTILE METAL FREE

SRA HRO

CE EN ISO 20345

LACUNA WORKTIME

WELDER S3 Zaštitna cipela duboka

9WELD

S3
VELIČINA I SIZE: 37 - 47

Materijal: Koža
Gornjište: crna koža, vodonepropusna, odstranjuiva kopča

Unutrašnjost: provetrvajuća netkana podstava, ojačan jezik i postavljena kragna sa PU

Don: dvostruki PU

Standard: S3 cipela

Tehničke karakteristike: SRA

Norma: EN ISO 20345

Originalno pakovanje: 1/10



Material: Leather
Upper: black leather, watertight, removable buckle
Interior: lightweight non-woven lining, enhanced tongue and padded collar with PU
Sole: double layer PU
Standard: S3 shoe
Technical characteristics: SRA
Norm: EN ISO 20345
Original packaging: 1/10



SRA

CE EN ISO 20345

ZAŠTITNE CIPELE – BASIC SAFETY SHOES – BASIC



BASIC

LACUNA WORKTIME

STELO S1P Zaštitna cipela duboka
STELO S1P Safety shoe toe high
STELO O1 Zaštitna cipela duboka
STELO O1 Safety shoe high

9STELHS1P

9STELHO1

S1P metal - 9STELHS1P/
O1 - 9STELHO1
VELIČINA | SIZE : 37 - 47
Materijal: koža
Unutrašnjost: tekstil
Đon: dvoslojni PU/PU
Standard: S1P cipela sa čeličnom
kapicom i tabanicom / standard O1
cipela bez tabanice i kapice
Tehničke karakteristike: SRC
Pojačanje: spreda u PU
Norma: EN ISO 20345, 9STELHO1 -
EN ISO 20347
Originalno pakovanje: 1/10

Material: grain leather
Inside: textile
Sole: double density PU/PU
Standard: S1P shoes with steel
toe / O1 standard whole without
steel toe and insoles
Technical performance: SRC
Reinforcement: front in PU
Norm: EN ISO 20345 EN ISO 20347
Original packaging: 1/10



EUROPE

RETAIL
MALOPRODAJA



CE EN ISO 20345
EN ISO 20347

LACUNA WORKTIME

STELO S1P Zaštitna cipela plitka
STELO S1P Safety shoe low
STELO O1 Zaštitna cipela plitka
STELO S1P Safety shoe low

9STELLS1P

9STELLO1

S1P metal - 9STELLS1P/
O1 - 9STELLO1
VELIČINA | SIZE : 37 - 47
Materijal: koža
Unutrašnjost: tekstil
Đon: dvoslojni PU/PU
Standard: S1P cipela sa čeličnom
kapicom i tabanicom / standard
O1 cipela bez tabanice i kapice
Tehničke karakteristike: SRC
Pojačanje: spreda u PU
Norma: EN ISO 20345 EN ISO 20347
Originalno pakovanje: 1/10

Material: grain leather
Inside: textile
Sole: double density PU/PU
Standard: S1P shoes with steel
toe / O1 standard whole without
steel toe and insoles
Technical performance: SRC
Reinforcement: front in PU
Norm: EN ISO 20345 EN ISO 20347
Original packaging: 1/10



EUROPE

RETAIL
MALOPRODAJA



CE EN ISO 20345
EN ISO 20347

LACUNA WORKTIME

METALITE S1P Zaštitna cipela duboka
METALITE S1P Protective shoe high
MESOLITE O1 Zaštitna cipela duboka
MESOLITE O1 Protective shoe high

9METH

9MESH

S1P - 9METH /
O1 - 9MESH
VELIČINA | SIZE : 37 - 47
Materijal: gornji deo od kože
Unutrašnjost: provetrvajući tekstil
Đon: dvoslojni PU/PU, neklizajući na keramici i
čeliku, otporan na ugljovodonike, antistatičan,
peta otporna na udarce
Standard: S1P cipela sa čeličnom kapicom i
tabanicom / standard O1 cipela bez tabanice i
kapice
Tehničke karakteristike: SRC
Norma: EN ISO 20345 / EN ISO 20347

Material: upper from leather
Inner: breathable textile
Sole: dual PU/PU, antislip on ceramic and
steel, resistant to carbons, antistatic, heel
resistant to shock
Standard: S1P shoes with steel
toe / O1 standard whole without
steel toe and insoles
Charachteristics: SRC
Norm: EN ISO 20345



RETAIL
MALOPRODAJA



CE EN ISO 20345
EN ISO 20347

LACUNA WORKTIME

METALITE S1P Zaštitna cipela plitka
METALITE S1P Protective shoe low
MESOLITE O1 Zaštitna cipela plitka
MESOLITE O1 Protective shoe low

9METL

9MESL

S1P - 9METL /
O1 - 9MESL
VELIČINA | SIZE : 37 - 47
Materijal: gornji deo od kože;
Unutrašnjost: provetrvajući tekstil
Đon: dvoslojni PU/PU, neklizajući na keramici i
čeliku, otporan na ugljovodonike, anti-
statičan, peta otporna na udarce
Standard: S1P cipela sa čeličnom
kapicom i tabanicom /
standard O1 cipela bez tabanice i kapice
Tehničke karakteristike: SRC
Norma: EN ISO 20345 EN ISO 20347

Material: upper from leather
Inner: breathable textile
Sole: dual PU/PU, antislip on ceramic and
steel, resistant to carbons,
antistatic, heel resistant to shock
Standard: S1P shoes with steel
toe / O1 standard whole without
steel toe and insoles
Charachteristics: SRC
Norm: EN ISO 20345



RETAIL
MALOPRODAJA



CE EN ISO 20345
EN ISO 20347



ZAŠTITNE CIPELE – CORPORATE LINE SAFETY SHOES – CORPORATE LINE

LACUNA CORPORATE

RIO zaštitna cipela plitka O2
RIO protective shoe low O2

9RIOL

O2 - 9RIOL

VELIČINA | SIZE: 36 - 47

Materijal: koža
Gornjište: goveda koža;
Unutrašnjost: 3D provetrvajući tekstil, tabanica periva i provetrvajuća
Đon: dvoslojni, PU/TPU, direktno ubrizgan, uljeotporan, antistatik;
Standard: O2
Tehničke karakteristike: O2, SRC, bez metala;
Norma: EN ISO 20347
Originalno pakovanje: 1/12

Material: leather
Upper: beef skin;
Inside: 3D breathable textile, tannins of water and airy
Don: double layer, PU / TPU, direct injection, oil-resistant, anti-static;
Standard: S3-9MAELS3 / O2-9MAELO2
Technical characteristics: O2, SRC, metal free;
Norma: EN ISO 20347 - S3 / EN ISO 20345 - O2
Original packaging: 1/12

NOVO
NEW

EUROPE

CE EN ISO 20347

LACUNA CORPORATE

DAWN S2 Zaštitna cipela plitka
DAWN S2 Protective shoe low
DAWN O2 Zaštitna cipela plitka
DAWN O2 Protective shoe low

9DAWL

9DAWL

O2

VELIČINA | SIZE: 36 - 47

Materijal: mikrofiber
Unutrašnjost: tekstil
Đon: dvoslojni PU/PU
Standard: S2 cipela sa kompozitnom kapicom
Tehničke karakteristike: SRC
Norma: EN ISO 20345 - 9DAWLS2 / EN ISO 20347 - 9DAWLO2
Originalno pakovanje: 1/10

Material: microfibre
Inside: textile
Sole: double density PU/PU
Standard: S2 shoe with composite toe cap
Technical performance: SRC
Norma: EN ISO 20345 - 9DAWLS2 / EN ISO 20347 - 9DAWLO2
Original packaging: 1/10

NOVO
NEW

EUROPE

RETAIL
MALOPRODAJA

CE EN ISO 20347

LACUNA CORPORATE

RELAX Sandala kožna
RELAX Leather sandals

9RELL

O1

VELIČINA | SIZE: 36 - 46

Materijal: koža
Unutrašnjost: tekstil
Đon: jednoslojni PVC
Standard: O1
Norma: EN ISO 20347
Dostupne veličine: 36-46
Originalno pakovanje: 1/10

Material: leather
Inside: fabric
Sole: single density PVC
Standard: O1 shoe
Norm: EN ISO 20345
Size: 36 - 46
Original packaging: 1/10



EUROPE

RETAIL
MALOPRODAJA

CE EN ISO 20347





FREE TIME CIPELE
FREETIME SHOES

GETOUT

PHYLON Cipela duboka

9PHYLH

VELIČINA | SIZE: 41 - 46

Materijal: softshell
Gornjiše: crni softshell sa PU pojačanjem spreda
Unutrašnjost: provetrvajuća tekstilna postava
Đon: Phylon, TPR
Originalno pakovanje: 1/10

Cipela pogodna za slobodno vreme i outdoor aktivnosti, nema zaštitnih svojstava

Material: softshell
Upper: Black softshell with PU front
PocketInterior: windowed textile lining
Sole: Phylon, TPR
Original packing: 1/10

The shoe is suitable for leisure and outdoor activities without protective properties

GETOUT

PHYLON Cipela plitka

9PHYLL

VELIČINA | SIZE: 41 - 46

Materijal: softshell
Gornjiše: crni softshell sa PU pojačanjem spreda
Unutrašnjost: provetrvajuća tekstilna postava
Đon: Phylon, TPR
Originalno pakovanje: 1/10

Cipela pogodna za slobodno vreme i outdoor aktivnosti, nema zaštitnih svojstava

Material: softshell
Upper: Black softshell with PU front
PocketInterior: windowed textile lining
Sole: Phylon, TPR
Original packing: 1/10

The shoe is suitable for leisure and outdoor activities without protective properties

GETOUT

TREKING Cipela plitka

9TREK

VELIČINA | SIZE: 41 - 46

Materijal: koža
Gornjiše: koža sa kombinacijom tekstila
Unutrašnjost: provetrvajuća tekstilna postava
Đon: Termoplastični PU
Originalno pakovanje: 1/10

Cipela pogodna za slobodno vreme i outdoor aktivnosti, nema zaštitnih svojstava

Material: leather
Upper: leather with textile combination
Interior: windowed textile lining
Sole: TPR PU
Original packing: 1/10

The shoe is suitable for leisure and outdoor activities without protective properties

GETOUT

RETAIL
MALOPRODAJA




GETOUT

RETAIL
MALOPRODAJA



GETOUT

RETAIL
MALOPRODAJA



GETOUT SHOES

GETOUT

SPEED Cipela plitka
SPEED Shoe low**VELIČINA | SIZE:** 40 - 47

Materijal: mrežasti i oxford tekstil ojačan sa PU;
Gornjište: mreža, oxford
Unutrašnjost: tekstilna postava
Don: TPU, EVA;
Originalno pakovanje: 1/10

Cipela pogodna za slobodno vreme i outdoor aktivnosti, nema zaštitnih svojstava



GETOUT

SPEED Cipela plitka
SPEED Shoe low**VELIČINA | SIZE:** 40 - 47

Materijal: mrežasti i oxford tekstil ojačan sa PU;
Gornjište: mreža, oxford
Unutrašnjost: tekstilna postava
Don: TPU, EVA;
Originalno pakovanje: 1/10

Cipela pogodna za slobodno vreme i outdoor aktivnosti, nema zaštitnih svojstava



GETOUT

SPEED Cipela plitka
SPEED Shoe low**VELIČINA | SIZE:** 40 - 47

Materijal: mrežasti i oxford tekstil ojačan sa PU;
Gornjište: mreža, oxford
Unutrašnjost: tekstilna postava
Don: TPU, EVA;
Originalno pakovanje: 1/10

Cipela pogodna za slobodno vreme i outdoor aktivnosti, nema zaštitnih svojstava

9SPEED



9SPEEDC



9SPEEDP



ZAŠTITNE CIPELE

– ČIZME, KLOMPE, KALJAČE

SAFETY SHOES

– BOOTS, CLOGS, GALOSCHES





LACUNA

WORKTIME

LACUNA WORKTIME

**GINOCCHIO Čizma crna i zelena
GINOCCHIO boot black and green**

01

VELIČINA | SIZE: 38 - 48

Materijal: PVC
Originalno pakovanje: 1/10
Norma: EN ISO 20347Material: PVC
Original packaging: 1/10
Norm: EN ISO 20347Stara šifra / old code:
- 953 ZELENA / GREEN
- 500 CRNA / BLACK91GINOGR
zelena / green91GINOBK
crna / black

LACUNA WORKTIME

**TRONCHETTO Čizma crna i zelena kratka
TRONCHETTO short boot black and green**

01

VELIČINA | SIZE: 38 - 48

Materijal: PVC
Originalno pakovanje: 1/10
Norma: EN ISO 20347Material: PVC
Original packaging: 1/10
Norm: EN ISO 20347Stara šifra / old code:
- 530 ZELENA / GREEN
- 531 CRNA / BLACK91TRONGR
zelena / green91TRONBK
Crna / black

LACUNA WORKTIME

**CLOGS Vrtna klompa zelena i plava
CLOGS Garden clogs green and blue**

01

VELIČINA | SIZE: 38 - 48

Materijal: PVC
Originalno pakovanje: 1/10
Norma: EN20347Material: PVC
Original packaging: 1/10
Norm: EN ISO 20347Stara šifra / old code:
- 957 ZELENA / GREEN
- 958 PLAVA / BLUE91CLOGGR
zelena / green91CLOGNY
plava / blue

LACUNA WORKTIME

**GALOSH kaljača zelena
GALOSH galosche green**

01

VELIČINA | SIZE: 36 - 47

Materijal: PVC
Don: PVC
Originalno pakovanje: 1/10
Norma: EN ISO 20347Material: Pvc
Sole: Pvc
Original packaging: 1/10
Norm: EN ISO 20347

Stara šifra / old code: - 956



9GALOGR



CE EN ISO 20347

LACUNA WORKTIME

**GUMENA Čizma crna sa i bez fils-a
RUBBER Boot black with and without fleece**01
VELIČINA | SIZE: 35 - 48Materijal: Čvrsta guma s presovanim donom
Norma: EN ISO 20347
Originalno pakovanje: 1/10

419 – čizma futrovana

Material: Solid rubber, squeezer sole
419 – boot inside with fleece
Norm: EN ISO 20347
Packaging: 1/10

CE EN ISO 20347

LACUNA WORKTIME

**VUKO SAFE S5 Čizma zaštitna crna i žuta
VUKO SAFE S5 Safety boot black and yellow**

S5 metal

VELIČINA | SIZE: 36 - 48

Materijal: kombinacija PVC-a i nitrila
Unutrašnjost: poliester
Don: PVC
Standard: S5 čizma sa čeličnom kapicom
Tehničke karakteristike: SRA
Originalno pakovanje: 1/1Material: combination of PVC and Nitrile
Inside: polyester
Sole: PVC
Standard: S5 boot with steel toe cap
Technical performance: SRA
Original packaging: 1/1Stara šifra / old code:
- 952 ŽUTA / YELLOW
- 950 CRNA / BLACK

CE EN ISO 20345

LACUNA WORKTIME

**GINOCCHIO Čizma bela
GINOCCHIO boot white**

01

VELIČINA | SIZE: 36 - 48

Materijal: PVC
Unutrašnjost: poliester
Don: PVC
Standard: OB
Tehničke karakteristike: SRA
Norma: EN ISO 20347
Originalno pakovanje: 1/1

Stara šifra / old code: 951

Material: PVC
Inside: polyester
Sole: PVC
Standard: OB
Technical performance: SRA
Norm: EN ISO 20347
Original packaging: 1/1

CE EN ISO 20347

LACUNA WORKTIME

VUKO HUSKY Čizma zelena
VUKO HUSKY Boot green

O1
VELIČINA | SIZE: 36-48

Materijal: PVC
Don: PVC
Unutrašnjost: krvno, poliester
Norma: EN ISO 20347
Originalno pakovanje: 1/10

Material: Pvc
Liner: fur, polyester
Sole: PVC
Norm: EN ISO 20347
Packaging: 1/10

Stara šifra / old code: - 965



KRZNENA PODSTAVA
FUR LINING



CE EN ISO 20347

DUNLOP

DUNLOP Čizma bijela
DUNLOP White boot

O1
VELIČINA | SIZE: 36 - 47

BEZ ZAŠTITNE KAPICE
Materijal: beli PVC
Podstava: belo najlonsko vlakno
Don: zeleni PVC
Originalno pakovanje: 1/8

WITHOUT TOE PROTECTION
Material: white PVC
Lining: white nylon
Sole: green PVC
Original packaging: 1/8



CE EN ISO 20347

DUNLOP

DUNLOP Hygrade SB E FO Safety Zaštitna čizma 9HYSA
DUNLOP Hygrade SB E FO Safety boot

SB
VELIČINA | SIZE: 36 - 48

Materijal: beli PVC
Podstava: belo poliestersko vlakno
Don: zeleni PVC
Čelična kapica
Originalno pakovanje: 1/8

Material: white PVC
Lining: white polyester
Sole: green PVC
Steel toe cap
Original packaging: 1/8



SRA



CE EN ISO 20347





STAY PROTECTED

Worktime

ZAŠTITA RUKU – ZAŠTITNE RUKAVICE HAND PROTECTION – PROTECTIVE GLOVES

NORME I KONTROLE NORMS AND CONTROLS

KLASA LIČNE ZAŠTITNE OPREME

Kompletna zaštita rangirana je u 3 kategorije sukladno riziku kojeg pokriva određeni artikl

Stupanj rizika Risk level	Kontrola „tipa“ EPI Control of PPE	Kontrola proizvodnje Control of manufacturing
I Minimalni rizik Minimal risks	Atest izdaje proizvođač Self-certification from the manufacturer	Odgovornost proizvođača Under the responsibility of manufacturer
II Veći rizici Intermediate risks	Tipsko ispitivanje CE obavlja ovlašćeni organ EC type examination from a notified body	Odgovornost proizvođača Under the responsibility of manufacturer
III Smrtonosni rizici Irreversibile risks	Tipsko ispitivanje CE obavlja ovlašćeni organ EC type examination from a notified body	Nadzor izrade obavlja ovlašćeni organ (ispitivanjem uzoraka proizvoda ili sustavom kvalitete EN 9000) Notified body investigation oft he manufacturing (tests on survey products of Quality system according to ISO 9000)

I Zaštitne rukavice za minimalne rizike



EN 420:2003

- Opšt uveli zaštitni rukavica
- Prirodni pH (izmedu 3.5 i 9)
- Neškodljivost (model rukavice i korišteni materijali u izradi rukavice, ne smiju zdravstveno i higijenski naškoditi korisniku rukavice. Isto se odnosi i na obavljanje svih poslova za koje je rukavica namenjena.)
- Veličina
- Specifičnosti kožne rukavice-
- sadržaj Kroma IV
- Propusnost vode

II Zaštitne rukavice protiv mehaničkih rizika

Rukavice koje odgovaraju općim zahtjevima norme EN 420:2003, relativne s obzirom na ergonomiju, konstrukciju, neškodljivost, komfor i koje su dobro nivo izrade za mehaničke karakteristike prema normi EN 388 (s iznimkom rukavica za posebnu uporabu koje su objekt posebne norme), kao što su rukavice otporne na niske temperature (EN511:2006) ili visoke temperature (EN407:2004) vodonepropusne (EN374-2:2003). Nivoi performansi klasificirani su rastućim poretkom gdje je nivo 0 zadnji. Ti su nivoi uvijek označeni istim redom odmah uz pictogram predstavljajući standard.



Zaštitne rukavice protiv mehaničkih rizika

- Optornost na abraziju (4 nivoa)
- Optornost na posjekotine, rezane ogrebotine i ubode (5 nivoa)
- Optornost na otkidanje (4 nivoa)
- Optornost na perforaciju (4 nivoa)



Zaštitne rukavice za niske temperature

- Optornost na hladnoću (4 nivoa)
- Optornost hladnoće pri dodiru (4 nivoa)
- Optornost na vodu (1 nivo)




Zaštita od vrućine i vatre

- Optornost na zapaljivost (4 nivoa)
- Optornost na vrućinu kod dodira (4 nivoa)
- Optornost na prijenos topline (4 nivoa)
- Optornost na topinsko zračenje (4 nivoa)
- Optornost na male posjekotine rastaljenog metala (4 nivoa)
- Optornost na velike količine rastaljenog metala (4 nivoa)

III Zaštitne rukavice protiv smrtonosnih rizika

Rukavice koje odgovaraju opštim zahtjevima norme EN 420:2003, relativne s obzirom na ergonomiju, konstrukciju, neškodljivost, komfor i koje su dobro nivo izrade kao što su rukavice otporne na visoke temperature (EN407:2004) te rukavice otporne na hemijske rizike (EN374-3:2003).



EN 374-3:2003 - Zaštitne rukavice otporne na mikroorganizme i hemijske rizike
EN 374-1:2003 - Opšt pojmovi i delovanje
EN 374-2:2003 - Optornost na prodiranje (1-3)
EN 374-3:2003 - Optornost na prožimanje (0-6)



Zaštita od mikroorganizama

Prema normi EN 374-2:2003 rukavice otporne na mikroorganizme su vodonepropusne i odgovaraju nivo 2 testiranje optornosti. Optornost na prodiranje merena je u skladu sa ISO 2859 koji definije 3 nivoa kvalitete (AQL –Acceptable Quality Levels).

- 3 nivo mora imati AQL na 0,65
- 2 nivo mora imati AQL na 1,5
- 1 nivo mora imati AQL na 4,0



Zaštitne rukavice protiv hemijskih opasnosti i mikroorganizama

Nivoi optornosti na prožimanje, prodor i upijanje opasnih tekućina:

Rukavice otporne na hemijske rizike su vodooprone u skladu sa EN 374-2:2003 otporne na minimalno 2-3 utecaja od dolje navedenog:

- A = metanol; B = aceton; C = acetonitril; D = diklorometan; E = karbon sulfid; F = toloul; G = dietilamin; H = tetrahidrofuran; I = etilni acetat; J = n-heptan; K = hidroksid 40%
L = Sulfatna kiselina 96%

Indeks zaštite Klasa 1 Klasa 2 Klasa 3 Klasa 4 Klasa 5 Klasa 6
Vreme u određenom roku > 10 min. > 30 min. > 60 min. > 120 min. > 240 min. > 480 min.

CLASES OF PERSONAL PROTECTION EQUIPMENT

All individual protection equipments are ranged in 3 categories, according to the covered risks

Stupanj rizika Risk level	Kontrola „tipa“ EPI Control of PPE	Kontrola proizvodnje Control of manufacturing
I Minimalni rizik Minimal risks	Atest izdaje proizvođač Self-certification from the manufacturer	Odgovornost proizvođača Under the responsibility of manufacturer
II Veći rizici Intermediate risks	Tipsko ispitivanje CE obavlja ovlašćeni organ EC type examination from a notified body	Odgovornost proizvođača Under the responsibility of manufacturer
III Smrtonosni rizici Irreversibile risks	Tipsko ispitivanje CE obavlja ovlašćeni organ EC type examination from a notified body	Nadzor izrade obavlja ovlašćeni organ (ispitivanjem uzoraka proizvoda ili sustavom kvalitete EN 9000) Notified body investigation oft he manufacturing (tests on survey products of Quality system according to ISO 9000)

Protective gloves against minimal risks



EN 420:2003

- General requirements for protective gloves
- Neutral pH (between 3.5 and 9)
 - Innocuousness (neither the construction of the glove, nor the materials used, nor any degradation consequent on the normal use of the glove should be in any way harmful to the health or hygiene of the wearer)
 - Sizing
 - Dexterity
 - Specific for leather gloves:
 - Chrome VI content
 - Water penetration

Protective gloves against minimal risks

Gloves conform to the European standard EN420:2003 and having obtained a performance level which shows how a glove has performed in a specific test for the mechanical risks accordingly to the EN388:2003, and by which the results of that testing may be graded. Some gloves can also comply with specific applications like cold (EN511:2006), contact heat under 100°C (EN407:2004) and water tightness (EN374-2:2003). The performance levels are classed in a increasing order, level 0 being the less performing one. These levels are always indicated in the same order next to the pictogram representing the standard



Protective gloves against mechanical risks

- Resistance to abrasion (0 to 4)
- Resistance to blade cut (0 to 5)
- Resistance to tear (0 to 4)
- Resistance to puncture (0 to 4)

These levels are guaranteed on the palm of the glove.



Protective gloves against cold

- Resistance to convective cold (0 to 4)
- Resistance to contact cold (0 to 4)
- Resistance to water (0 or 1)



Protective gloves against thermal risks

- Resistance to flammability (0 to 4)
- Resistance to contact heat (0 to 4)
- Resistance to convective heat (0 to 4)
- Resistance to radiant heat (0 to 4)
- Resistance to small splashes of molten metal (0 to 4)
- Resistance to large splashes of molten metal (0 to 4)

Protective gloves against mortal risks

Gloves conform to the European standard EN420:2003 and having obtained a performance level which shows how a glove has performed in a specific test for specific applications like heat contact over 100°C (EN407:2004) and chemical risks (EN374-3:2003).



EN 374-3:2003 - Protective gloves against micro-organisms and chemical risks

EN 374-1:2003 - Terminology and required performances

EN 374-2:2003 - Resistance to penetration (1 to 3)

EN 374-3:2003 - Resistance to permeation (0 to 6)



Protection against micro-organisms

A glove resistant to micro-organisms according to EN374-2:2003 is a watertight glove which conforms to minimum level 2 of the penetration test. The resistance to penetration of glove is measured according the ISO 2859 procedure which defines 3 Acceptable Quality Levels (AQL)

- Level 3 must have an AQL on 0,65
- Level 2 must have an AQL on 1,5
- Level 1 must have an AQL on 4,0



Protection against chemicals and micro-organisms

The performance levels to permeation is the breakthrough time for a hazardous liquid to soak all the way through the glove as indicated hereafter:

A glove resistant to chemical products is a watertight glove according to EN374-2:2003 which as obtained a performance level at least equal to 2 for 3 products of the list hereunder:
A = methanol; B = acetone; C = acetoneitrile; D = dichloromethane; E = carbon disulfide
F = toluene; G = diethylamine; H = tetrahydrofuran; I = ethyl acetate; J = n-heptane;
K = sodium hydroxide 40%; L = sulfuric acid 96%

Indeks zaštite Klasa 1 Klasa 2 Klasa 3 Klasa 4 Klasa 5 Klasa 6
Vreme u određenom roku > 10 min. > 30 min. > 60 min. > 120 min. > 240 min. > 480 min.

TABELA HEMIJSKE OTPORNOSTI MATERIJALA

HEMUSKI PROIZVODI	PVC	Neopren	Nitrit	Prirodna guma	PVC	Neopren	Nitrit	Prirodna guma	PVC	Neopren	Nitrit	Prirodna guma
Acetalaldehid	★★★	★★★	★		Cinkov hlorid	★★★	★★★	★★★	★★★	★★★	★★★	★★★
Acetamid	★★	★★	★★		Kreozol (katran od uglja ili drva)	★★	●	★★	★★	★★	★★	★★
Amilni acetat	●	●	●		Kloraks	★★	★★	★★	★★	★★	★★	★★
Butilni acetat	●	●	●		Krezol	●	●	●	●	●	●	●
Kalcijum acetat	★	★★★	★★★	★★★	Cumene	★★	★★	★★	★★	★★	★★	★★
Etilni acetat	●	●	●	●	Kalcijum cijanid	★★★	★★★	★★★	★★★	★★★	★★★	★★★
Metilni acetat	●	●	●	●	Kalijum cijanid	★★★	★★★	★★★	★★★	★★★	★★★	★★★
Kalijum acetat	★★★	★★★	★★★	★★★	Natrijum cijanid	★★★	★★★	★★★	★★★	★★★	★★★	★★★
Propilen acetat	★	★★	●	●	Cikloheksan	★★★	★★★	★★★	★★★	★★★	★★★	★★★
Aceton	●	●	●	●	Octena kiselina hladna	★★★	●	●	●	●	●</	

NORME I KONTROLE NORMS AND CONTROLS

	MORNAR RUKAVICE DOCKERS	KOŽNE RUKAVICE LEATHER	VARILAČKE RUKAVICE WELDING LEATHER	OTPORNE NA VISOKE TEMPERATURE HEAT RESISTANT	PAMUČNE RUKAVICE SEWED COTTON	TEKSTILNE RUKAVICE KNIT TEXTILES	OTPORNE NA REZANJE/NOMEX® CUT-RESISTANT/NOMEX®	KELVAR® KELVAR®	POLYURETHANE (PU), NYLON POLYURETHANE (PU), NYLON	RUKAVICE SA NITRILNIM PREMAZOM COATED/SEWED NITRILE	LATEX LATEX	DINEEMA® SPECTRA® DINEEMA® SPECTRA®	THERMOLITE® THERMOLITE®
Utovar i istovar Heavy tasks	*	X	*							X			
Široka primena Ordinary tasks		*											
Mehanički radovi mechanical tasks	*									*	*	*	X
Precizni radovi Accurate tasks			*						*	*	X	X	
Zavarivanje Welding		*	*										
Zaštita od visokih temperatura Heat protection		X		X	X	X	X						
Zaštita od niskih temperatura Cold protection	*						X						*
Zidarstvo Masonry	*	X							X				
Prenošenje oštih predmeta Handling the sharp-edged objects	X	X					*	*		X	X	*	
Prenošenje klizajućih predmeta Handling of sliding objects					X					X	*		
Boje, lakovi i otpala Painting, solvans				X					X	*	X		
Rad s tečnostima Liquid									*	*	*		
Montiranje Assembly	*								*	X		X	
Profilii alu Alu/metal shaped	X						X		*			X	
Mehanički radovi Engineering		*							X	*		X	
Drvna industrija Woodwork, carpentry	*	*							X				
Čišćenje i održavanje Cleaning									X	X		*	
Poliranje Polishing			*						*				
Hemjska industrija Chemical products									*	X	X		
Transport Transports	*				*								
Skladištenje Storehouse worker		X			*				X				
Poljoprivreda Gardening	*	X							*	X			
Visoki napon Electrician									*		*		
Prehrambena industrija Food industry									X	X	*	*	
X dobro good		*											
Otporan artikl Solid product													
Tečnosti i organska otpalja Liquids and solvents													
Ostalo Other tasks													

TEHNIČKE INFORMACIJE TECHNICAL INFORMATIONS

INDUSTRIJA PRIMENE INDUSTRY APPLICATIONS



Energetika
Energetic



Ostala zanimanja
Other Occupations



Prerada sirovog materijala
Raw Materials Processing



Izgradnja/Gradevinarstvo
Construction



Proizvodnja
Manufacturing



Prehrambena industrija
Food industry



Kritična živ. sredina
Critical Environment



ZAŠTITA OD TEČNOSTI
Liquidproof protection

LIQUID PROTECTION

For prolonged contact with mildly aggressive liquids



HEMIJSKA ZAŠTITA
Chemical protection

CHEMICAL PROTECTION

A solution for every situation, due to a complete range classified by polymer



ZAŠTITA RUKOVANJA
Handling protection

HANDLING PROTECTION

To resist injuries endured during general handling work (Precision work / Heavy-duty work)



ZAŠTITA OD POSEKOTINA
Cut protection

CUT PROTECTION

Solutions adapted to all hazardous cutting situations (Precision work / Heavy-duty work)



TOPLOTNA ZAŠTITA
Thermal protection

THERMAL PROTECTION

For low temperature environments and hot / cold contacts



KRITIČNA ŽIVOTNA SREDINA
Critical environments

CRITICAL ENVIRONMENT

Solutions to ensure the protection of both operators and the products they handle (controlled and confined environments)



JEDNOKRATNA ZAŠTITA
Disposable

DISPOSABLE

Disposable gloves to protect hands and products during delicate work

KARAKTERISTIKE



Otpornost na toplinu
Heat - resistant



Uljetopornost
Oilproof



Otpornost na rezanje
Cut - resistant



Vatrootpornost
Fire - resistant



Vodootpornost
Waterproof



Otpornost na blaže kiseline
Mild acid resistant



RETAIL
MALOPRODAJNA

Artikel je prilagođen maloprodaji
The item is customized to retail



TOP QUALITY

Visokokvalitetni proizvodi nastali kao rezultat razvoja, inovacije i dugogodišnjeg iskustva.
High-quality products resulting from development, innovation and years of experience.



NOVO
NEW

Oznaka za nove artikle u katalogu
New items in the catalog



EUROPE

Artikel proizveden u Evropi
The item produced in Europe

ATG INTELIGENTNA REŠENJA RUKAVICA

ATG ADVANCED TECHNOLOGY GLOVES



ATG INTELIGENTNA REŠENJA RUKAVICA

Inteligentna rešenja rukavica kroz inovativne tehnologije

Tehnologije korišćene u ATG rukavicama kontinuirano se razvijaju u užem timu koji kombinuje istraživanja tržišta i marketing analizu s najnovijim tehnološkim dostignućima. To je temelj na kojem se kontinuirano poboljšava iskustvo kupca kroz stalne inovacije. R & D odsek fokusira se na razvoj tehnoloških platformi. Ovaj pristup omogućava im sagledavanje potreba kupaca na čemu se zasniva odabir i kombacija potrebnih tehnoloških platformi za proizvodnju inovativnih rukavica koje menjaju korisničko iskustvo na bolje.

ATG Rukavice

ATG® nudi fokusirani spektar proizvoda za profesionalce. ATG ClassicRange i ATG ProRange™ koji s četiri robne marke i 10 proizvoda pokriva 90% poslova kojima se bavite, bilo da ste u metaloprerađivačkom, montažnom, petro-hemijskom ili off-shore poslovanju.



ATG® Tehnološke platforme

- AIRtech®**
 - 360° provetrenost
 - Toplina se raspoređuje prirodno
 - Hladne ruke su sretnije, sigurnije i produktivnije

- ERGotech®**
 - 25% tanje od većine rukavica od penastog nitrila na tržištu
 - Dvostruka izdržljivost u poređenju s drugim rukavicama od poliuretana ili penastog nitrila na tržištu
 - Oblik, prijanjanje i osećaj oponašaju "ruku u mirovanju"
 - Konzistentna propusnost postave

- CUTtech®**
 - Inovativna vlakna
 - Pojačanje između palca i kažiprsta

- GRIPtech®**
 - Optimizirani zahvat
 - Smanjeni zamor ruke
 - Spretnost i fleksibilnost

- LIQUItech®**
 - Odbijanje tečnosti
 - Visoka otpornost na hemikalije
 - Zaštite svoje ruke

- THERMtech®**
 - Zahvaljujući tehnologiji podstavljanja i bešavnog pletenja, tu su toplinska i izolacijska svojstva da bi se razvila otpornost na vrućinu ili hladnoću

ATG ADVANCED TECHNOLOGY GLOVES

Intelligent glove solutions through innovative technologies

The technologies utilized in ATG gloves are continuously developed by a core team that matches market research and marketing analysis with the latest technological developments. This forms the foundation upon which we continually improve the customer's experience through constant innovation.

R&D facility focuses on developing technology platforms. This approach enables them to look at the customer needs and then to pick and combine the necessary technology platforms to produce innovative gloves that change the customer experience for the better.

ATG Gloves

ATG® offers a focused range of products for professionals. ATG ClassicRange and ATG ProRange™ with four brands and 10 products covers 90% of the work you do if you're in the metal fabrication, assembly, petro-chemical or off-shore business.



HandCare® tehnologija može se videti na novu MaxiFlex® Active™ range. Ovaj postupak hlađi, osvežava i vitalizuje ruke vitaminom E i aloe verom.

Sanitized® (triklosana) higijenska funkcija deluje kao ugrađeni dezodorans koji odeću duže održava svežom i donosi osećaj sigurnosti i zaštićenosti.

Sve naše rukavice su sertifikovane s Oeko-Tex® 100®, što je priznati međunarodni standard koji garantuje da su rukavice 'prilagodene koži'.

Sve komponente i sastojci korišćeni u proizvodnji i izradi ATG® proizvoda ispitani su i uskladjeni po Evropskoj direktivi R.E.A.C.H., EC # 1907/2006 (registracija, evaluacija, autorizacija i ograničavanje hemikalija).

AD-APT® - najinteligentniji način održavanja ruku u rukavicama suhim, hladnim i produktivnim.
31 % SMANJENO ZNOJENJE U ODNOŠU NA STANDARDNE RUKAVICE
AD-APT® tehnologija hlađi ruke i smanjuje znojenje, ona ne utiče na prirodnu sposobnost tela da reguliše svoju temperaturu, odnosno termoregulaciju.

MaxiFlex®'s AD-APT® 31 % SMANJENO ZNOJENJE U ODNOSU NA STANDARDNE RUKAVICE



Osmišljene i razvijene kao prozračne rukavice,
MaxiFlex® Ultimate™ rukavice postale su merilo
za precizno rukovanje u suvim okruženjima.

Sada naše jedinstvene rukavice MaxiFlex® postaju
još bolje zahvaljujući uključivanju nove tehnologije
AD-APT® firme ATG®.

Ako se vaše ruke ikada zagreju u rukavicama ili
su se u njima znojile, onda su MaxiFlex® Ultimate™
rukavice s ugrađenom tehnologijom All Day Anti
Perspirant (AD-APT®) kao stvorene za vas.

AD-APT®- najinteligentniji način održavanja ruke
u rukavicama suvim, hladnim i produktivnim.

Predite na bolje!

	MaxiFlex® Ultimate™	MaxiFlex® Endurance™
Ref.	42-874	42-844
Premazivanje	Dlan	Dlan/Tackice
Boja	Tamnosiva/Crn	Tamnosiva/Crn
Dužina	25 cm	25 cm
Debljina dlane	1.00 mm	1.10 mm
EN 388	4131	4131
Veličine	5-12	5-12

Slike prikazuju MaxiFlex® Ultimate™ 42-874
Patent No: EP 16036608
MaxiFlex®, AD-APT®, AIRTech®, DURATECH® and ErgoTech®
zadnji su znakovi tvrtke ATG®



Find out more: www.atg-glovesolutions.com

ATG MAXI FLEX®
ULTIMATE™ 34-874



Opis: Rukavica za precizno rukovanje u suvom okruženju, ultra lagane obložene nitrilnom mikropenom;
Dlan: debljina 1mm, premazan nitrilnom mikropenom, bez silikona;
Dužina: 25cm;
Boja: tamnosivo-crna;
Svojstva i prednosti: AIRTech®, DURATECH®, ERGOTech®
Primena: DIY, dorada i inspekcija, vrtlarstvo, rukovanje sitnim delovima, primarna, sekundarna i završna obrada i montaža, održavanje, logistika i skladištenje, upotreba alata i instrumenata, precizna mehanika, opšte rukovanje;
Dostupne veličine: 5-12;
Standardi (norme): EN420, EN388 4131;

Description: Gloves for precision handling in dry environments, ultra lightweight coated nitrile microfoam;
Palm: 1 mm thickness, coated with Nitrile micro foam, silicone free;
Length: 25cm;
Color: dark gray-black;
Features and benefits: AIRTech®, DURATECH®, ERGOTech®
Application: DIY, dressing and inspection, gardening, handling small parts, primary, secondary and finishing and installation, maintenance, logistics and storage, the use of tools and instruments., precision engineering, general handling;
Available sizes: 5-12;
The standards (standard): EN420, EN388 4131;



ATG MAXIFLEX
ULTIMATE® 42-874
42-874BL



Opis: Rukavica za precizno rukovanje u suvom okruženju napravljena od najlon pletiva sa likrom i doradena AD-APT tehnologijom,izrada bez šavova;
Dlan: debljina 1mm, premazan nitrilom;
Dužina: 25cm;
Boja: tamnosivo-crna;
Svojstva i prednosti: AD-APT®, AIRTech®, DURATECH®, ERGOTech®
Primena: DIY, dorada i inspekcija, vrtlarstvo, rukovanje sitnim delovima,primarna , sekundarna i završna obrada i montaža, održavanje, logistika i skladištenje, upotreba alata i instrumenata, precizna mehanika, opšte rukovanje;

Dostupne veličine: 5-12;

Standardi (norme): EN420, EN388 4131;

Description: Gloves for precision handling in dry environments made of nylon twists with LCR and refined AD-APT technology, production of seamless;
Palm: 1 mm thickness, coated with nitrile;
Length: 25cm;
Color: dark gray-black;
Features and benefits: AD-APT®, AIRTech®, DURATECH®, ERGOTech®
Application: DIY, dressing and inspection, gardening, handling small parts,primary, secondary and finishing and installation, maintenance, logistics and storage, the use of tools and instruments., precision engineering, general handling;
Available sizes: 5-12;
Standards (standard): EN420, EN388 4131;



ATG ERGOTech®
AIRTech®
DURATECH®
4131A CE EN 420
EN 388

ATG MAXIFLEX ENDURANCE
AD AP® 42-844
42-844BL



Opis: Rukavica za precizno rukovanje u suvom okruženju napravljena od najlon pletiva sa likrom i doradena AD-APT tehnologijom,izrada bez šavova;
Dlan: debljina 1,0mm, premazan nitrilom sa granulama;
Dužina: 25cm;
Boja: tamnosivo-crna;
Svojstva i prednosti: AD-APT®, AIRTech®, DURATECH®, ERGOTech®
Primena: DIY, dorada i inspekcija, vrtlarstvo, rukovanje sitnim delovima, primarna, sekundarna i završna obrada i montaža, održavanje, logistika i skladištenje, upotreba alata i instrumenata, precizna mehanika, opšte rukovanje;
Dostupne veličine: 5-12;
Standardi (norme): EN420, EN388 4131;

Description: Gloves for precision handling in dry environments made of nylon twists with LCR and refined AD-APT technology, production of seamless;
Palm: 1,0 mm thickness, coated with nitrile and with granules;
Length: 25cm;
Color: dark gray-black;
Features and benefits: AD-APT®, AIRTech®, DURATECH®, ERGOTech®
Application: DIY, dressing and inspection, gardening, handling small parts, primary, secondary and finishing and installation, maintenance, logistics and storage, the use of tools and instruments.precision engineering, general handling;
Available sizes: 5-12;
Standards (standard): EN420, EN388 4131;

ATG ERGOTech®
AIRTech®
DURATECH®
4131A CE EN 420
EN 388

ATG MAXIFLEX ELITE®
34-274
34-274BL



Opis: Rukavica za precizno rukovanje u suvom okruženju. Lagane rukavice visokokvalitetnog predvija bez silikona, sa zglobovom, obložene nitrilnom mikro penom;
Dlan: debljina 0,75mm , obložen nitrilnom mikro penom;
Dužina: 25cm;
Boja: plava;
Svojstva i prednosti: 30% - tanje i 35% lakše, AIRTech®, DURATECH®, ERGOTech®
Primena: DIY, dorada i inspekcija, vrtlarstvo, rukovanje sitnim delovima,primarna , sekundarna i završna obrada i montaža, održavanje, logistika i skladištenje, upotreba alata i instrumenata, precizna mehanika, opšte rukovanje;

Dostupne veličine: 6-11;

Standardi (norme): EN 420, EN 388 4121;

Description: Gloves for precision handling in dry environments. Lightweight gloves high quality yarn without silicone, with wrist and Nitrile-coated micro-foam;
Palm: 0,75 mm thickness, coated with Nitrile micro foam;
Length: 25cm;
Color: blue;
Features and benefits: 30% - thinner and 35% lighter, AIRTech®, DURATECH®, ERGOTech®
Application: DIY, dressing and inspection, gardening, handling small parts, primary, secondary and finishing and installation, maintenance, logistics and storage, the use of tools and instruments., precision engineering, general handling;
Available sizes: 6-11;
Standards (standards): EN 420, EN 388 4121;

ATG ERGOTech®
AIRTech®
DURATECH®
4131A CE EN 420
EN 388

ATG AIRtech®
ERGOtech®
DURATECH®
4131A CE EN 420
EN 388

ATG AIRtech®
ERGOtech®
DURATECH®
4131A CE EN 420
EN 388

ATG MAXI FLEX® COMFORT™ 34-924

Opis: Rukavica za precizno rukovanje u suvom okruženju. Lagane rukavice sa zgloboom, obložene nitrilnom mikro penom;

Dlan: debljina 1,10 mm , obložen nitrilnom mikro penom;

Dužina: 25cm;

Boja: plava-svetlo siva;

Svojstva i prednosti: AIRTech®, DURATech®, ERGOTech®

Primena: DIY, dorada i inspekcija, vrtlarstvo, rukovanje sitnim delovima, primarna , sekundarna i završna obrada i montaža, održavanje, logistika i skladištenje, upotreba alata i instrumenata, precizna mehanika, opšte rukovanje;

Dostupne veličine: 6-11;

Standardi (norme): EN 420, EN 388 3121; EN 407 X1XXXX;

Description: Gloves for precision handling in dry environments. Lightweight gloves with wrist and Nitrile-coated micro-foam;

Palm: thickness 110 mm, coated with Nitrile micro foam;

Length: 25cm;

Color: blue-light gray;

Features and benefits: AIRTech®, DURATech®, ERGOTech®

Application: DIY, dressing and inspection, gardening, handling small parts, primary, secondary and finishing and installation, maintenance, logistics and storage, the use of tools and instruments., precision engineering, general handling;

Available sizes: 6-11;

Standards (standards): EN 420, EN 388 3121 EN 407 X1XXXX;

TOP QUALITY **SANITIZED**

ATG MAXI FLEX® ACTIVE™ 34-824

Opis: Rukavica za precizno rukovanje u suvom okruženju. Ultra lagane rukavice sa zgloboom i patentiranim mikro penom na pletenoj bezšavnoj podlozi;

Dlan: debljina 1,00mm, obložen nitrilnom mikropenom;

Dužina: 25cm;

Boja: svetloplava;

Svojstva i prednosti: AIRTech®, DURATech®, ERGOTech®

Primena: DIY, dorada i inspekcija, vrtlarstvo, rukovanje sitnim delovima, primarna , sekundarna i završna obrada i montaža, održavanje, logistika i skladištenje, upotreba alata i instrumenata, precizna mehanika, opšte rukovanje;

Dostupne veličine: 6-11;

Standardi (norme): EN 420, EN 388 4131;

Description: Gloves for precision handling in dry environments. Ultra lightweight gloves with wrist's patented micro-foam on knitted seamless background;

Palm: 1.00mm thickness, coated with Nitrile microfoam;

Length: 25cm;

Color: lightblue;

Features and benefits: AIRTech®, DURATech®, ERGOTech®

Application: DIY, dressing and inspection, gardening, handling small parts, primary, secondary and završna obrada and installation, maintenance, logistics and storage, the use of tools and instruments., precision engineering, general handling;

Sizes available: 6-11;

Standards (standards): EN 420, EN 388 4131;

TOP QUALITY **SANITIZED**

ATG MAXI CUT® OIL™ 34-304
34-304BL

Opis: Rukavica za zaštitu od posekotina u uljastom okruženju. Ultra lagane rukavice sa zgloboom, bez silikona, otporne na rezanje i obložene nitrilnom mikro penom s kožnim dlanom i poledinom;

Dlan: debljina 1,30mm, obložen nitrilnom mikro penom;

Dužina: 25cm;

Boja: zeleno-crna;

Svojstva i prednosti: LIQUEch®, CUTTech®, GRIPech®

Primena: rukovanje keramikom, proizvodnja stakla, valovitih ploča, limarski radovi, logistika i skladištenje, održavanje, primarna i sekundarna i završna obrada i montaža;

Dostupne veličine: 6-11;

Standardi (norme): EN 420, EN 388 4331;

Description: The glove for protection from cuts in oily environments. Ultra lightweight gloves with wrist, silicone-free, resistant to cutting and Nitrile-coated micro-foam with leather palm and backing;

Palm: 1,30mm thickness, coated with Nitrile micro foam;

Length: 25cm;

Color: green-black;

Features and benefits: LIQUEch®, CUTTech®, GRIPech®

Application: Handling ceramics, glass production, corrugated sheets, metal works, logistics and warehousing, maintenance, primary and secondary, and finishing and assembly;

Available sizes: 6-11;

Standards (standards): EN 420, EN 388 4331;

RETAIL MALOPRODAJA
TOP QUALITY **SANITIZED**

ATG MAXI CUT® OIL™ 34-305

Opis: Rukavica za zaštitu od posekotina u uljastom okruženju. Ultra lagane rukavice sa zgloboom,bez silikona, otporne na rezanje i obložene nitrilnom mikro penom s kožnim dlanom i poledinom;

Dlan: debljina 1,30mm, 3/4 umočen u nitrilnu mikro penu;

Dužina: 25cm;

Boja: zeleno-crna;

Svojstva i prednosti: LIQUEch®, CUTTech®, GRIPech®

Primjena: rukovanje keramikom, proizvodnja stakla, valovitih ploča, limarski radovi, logistika i skladištenje, održavanje, primarna i sekundarna i završna obrada i montaža;

Dostupne veličine: 6-11;

Standardi (norme): EN 420, EN 388 4331;

Description: The glove for protection from cuts in oily environments. Ultra light weight gloves with wrist, silicone-free, resistant to cutting and Nitrile-coated micro-foam with leather palm and backing;

Palm: 1,30mm thickness, 3/4 dipped in Nitrile micro foam;

Length: 25cm;

Color: green-black;

Features and benefits: LIQUEch®, CUTTech®, GRIPech®

Application: Handling ceramics, glass production, corrugated sheets, metal works, logistics and warehousing, maintenance, primary and secondary, and finishing and assembly;

Available sizes: 6-11;

Standards (standards): EN 420, EN 388 4331;

NOVO NEW
TOP QUALITY **SANITIZED**

ATG MAXIFLEX CUT® 34-8743
34-8743BL

EN 407 X1XXXX EN 388 3121 CE EN 420

Handling protection **Cut protection**

ATG MAXIFLEX CUT® SA GRANULAMA 34-8443

EN 388 4131 CE EN 388 EN 420

ERGOTech® **AIRtech®** **DURATech®**
Handling protection **Cut protection**

Opis: Rukavica za precizno rukovanje u suvom okruženju, ultra lagane obložene nitrilnom mikropenom;

Dlan: debljina 1mm, premazan nitrilnom mikropenom, bez silikona;

Dužina: 25cm;

Boja: tamno-sivo-crna;

Svojstva i prednosti: AIRTech®, DURATech®, ERGOTech®

Primena: DIY, dorada i inspekcija, vrtlarstvo, rukovanje sitnim delovima, primarna , sekundarna i završna obrada i montaža, održavanje, logistika i skladištenje, upotreba alata i instrumenata., precizna mehanika, opšte rukovanje;

Dostupne veličine: 5-12;

Standardi (norme): EN420, EN388 4131;

Description: Gloves for precision handling in dry environments, ultra lightweight coated nitrile mikropenom;

Palm: 1 mm thickness, coated with Nitrile micro foam, silicone free;

Length: 25cm;

Color: dark gray-black;

Features and benefits: AIRTech®, DURATech®, ERGOTech®

Application: DIY, dressing and inspection, gardening, handling small parts, primary, secondary and finishing and installation, maintenance, logistics and storage, the use of tools and instruments., precision engineering, general handling;

Available sizes: 5-12;

The standards (standard): EN420, EN388 4131;

RETAIL MALOPRODAJA
TOP QUALITY **SANITIZED**

Opis: Rukavica za precizno rukovanje u suvom okruženju. Ultra lagane rukavice sa zgloboom,bez silikona, otporne na rezanje i obložene nitrilnom mikro penom;

Dlan: debljina 0,85mm, obložen nitrilnom mikro penom;

Dužina: 25cm;

Boja: zeleno-crna;

Svojstva i prednosti: AIRTech®, CUTTech®, ERGOTech®

Primena: DIY, dorada i inspekcija, vrtlarstvo, rukovanje sitnim delovima, primarna , sekundarna i završna obrada i montaža, održavanje, logistika i skladištenje, upotreba alata i instrumenata, precizna mehanika, opšte rukovanje;

Dostupne veličine: 6-11;

Standardi (norme): EN 420, EN 388 4331;

Description: Gloves for precision handling in dry environments. Ultra lightweight gloves with wrist, silicone-free, resistant to cutting and Nitrile-coated micro-foam;

Palm: 0,85 mm thickness, coated with Nitrile micro foam;

Length: 25cm;

Color: green-black;

Features and benefits: AIRTech® CUTTech® ERGOTech®

Application: DIY, dressing and inspection, gardening, handling small parts, primary, secondary and finishing and installation, maintenance, logistics and storage, the use of tools and instruments., precision engineering, general handling;

Available sizes: 6-11;

Standards (standards): EN 420, EN 388 4331;

NOVO NEW
TOP QUALITY **SANITIZED**

ATG MAXI CUT® 34-450

EN 420 EN 388 CE EN 420

TOP QUALITY **SANITIZED**

ATG MAXIFLEX CUT® 34-6743

EN 420 EN 388 CE EN 420

NOVO NEW
TOP QUALITY **SANITIZED**

ATG MAXIFLEX CUT® 4331B

EN 420 EN 388 CE EN 420

Handling protection **Cut protection**

ATG MAXIFLEX CUT® 4331B

EN 420 EN 388 CE EN 420

AIRtech® **ERGOTech®** **CUTtech®**
Handling protection **Cut protection**

ATG MAXIFLEX CUT® 4342B

EN 420 EN 388 CE EN 420

AIRtech® **CUTtech®** **GRIPtech®**
Cut protection **Handling protection**

ATG MAXIFLEX CUT® 4X32B

EN 420 EN 388 CE EN 420

AIRtech® **CUTtech®** **GRIPtech®**
Cut protection **Handling protection**



LACUNA

WORKTIME

ATG MAXICUT ULTRA® 44-3745

Opis: Rukavica sa zaštitom od posekotina za suva okruženja. Tanko bez silikona sa visokim nivoom zaštite;

Dlan: debljina 1,00mm , obložen nitrilnom mikro penom na podlozi od najlona;

Dužina: 25cm;

Boja: plavo-crna;

Svojstva i prednosti: AIRTech®, CUTTech® ERGOTech®

Primena: Rukovanje keramikom, korozivnim limovima, delovima s kojih nisu uklonjeni okrajci, staklenim pločama, kalupima za injektiranje plastike, metalnim limovima oštrih ivica, malim oštrim komponentama, logistika i skladištenje, održavanje primarno, sekundarno i završno sastavljanje

Dostupne veličine: 6-11;

Standardi (norme): EN 420, EN 388 4542;

Description: A glove with protection against cuts in dry environments. Thin silicone-free with a high level of protection;

Palm: 1,00mm thickness, coated with Nitrile micro foam on the surface of nylon;

Length: 25cm;

Color: Plavocrn;

Features and benefits: AIRTech®, CUTTech®, ERGOTech® **Application:** Handling ceramics, corrosive plates, portions of which have not been removed stubs, glass plates, molds for injection plastic, metal sheets, sharp edges, small sharp components, logistics and warehousing, maintenance of primary, secondary and final assembly

Available sizes: 6-11;

Standards (standards): EN 420, EN 388 4542;


ATG MAXICUT ULTRA® S GRANULAMA 44-3445

Opis: Rukavica sa zaštitom od posekotina za suva okruženja. Tanko bez silikona sa visokim nivoom zaštite;

Dlan: debljina 1,0mm, obložen nitrilnom mikro penom na podlozi od najlona i granulama;

Dužina: 25cm;

Boja: plavo-crna;

Svojstva i prednosti: AIRTech® CUTTech® ERGOTech®

Primena: Rukovanje keramikom, korozivnim limovima, delovima s kojih nisu uklonjeni okrajci, staklenim pločama, kalupima za injektiranje plastike, metalnim limovima oštrih ivica, malim oštrim komponentama, logistika i skladištenje, održavanje primarno, sekundarno i završno sastavljanje

Dostupne veličine: 6-11;

Standardi (norme): EN 420, EN 388 4542;

Description: A glove with protection against cuts in dry environments. Thin silicone-free with a high level of protection;

Palm: 1,0mm thickness, coated with Nitrile micro foam on the surface of nylon with granules;

Length: 25cm;

Color: Plavocrn;

Features and benefits: AIRTech® CUTTech® ERGOTech® **Application:** Handling ceramics, corrosive plates, portions of which have not been removed stubs, glass plates, molds for injection plastic, metal sheets, sharp edges, small sharp components, logistics and warehousing, maintenance of primary, secondary and final assembly

Available sizes: 6-11;

Standards (standards): EN 420, EN 388 4542;


ATG Navlaka MAXICUT ULTRA® 89-5740

Opis: navlaka za ruke, otporna na rezanje; Samo pletivo bez obloge, može se kombinovati s rukavicom 58-917;

Dužina: 40 cm;

Boja: svetlo plava;

Svojstva i prednosti: CUTTech®, ERGOTech®

Primena: DIY, dorada i inspekcija, vrtlarstvo, rukovanje sitnim delovima, primarna, sekundarna i završna obrada i montaža, održavanje, logistika i skladištenje, upotreba alata i instrumenata, precizna mehanika, opšte rukovanje;

Dostupne veličine:

Standardi (norme): EN 420, EN 388:2003 - 4542;

Description: Gloves for precision handling in dry environments. Ultra lightweight gloves with wrist, silicone-free, resistant to cutting;

Naked liner, can be combined with 58-917 gloves;

Length: 40 cm;

Color: light blue;

Features and benefits: CUTTech®, ERGOTech®

Application: DIY, dressing and inspection, gardening, handling small parts, primary, secondary and finishing and installation, maintenance, logistics and storage, the use of tools and instruments, precision engineering, general handling;

Available sizes:

Standards (standards): EN 420, EN 388:2003 - 4542;


ATG Navlaka MAXICUT ULTRA® 45 cm 89-5745

Opis: navlaka za ruke, otporna na rezanje; Samo pletivo bez obloge, može se kombinovati s rukavicom 58-917;

Dužina: 40 cm;

Boja: svetlo plava;

Svojstva i prednosti: CUTTech®, ERGOTech®

Primena: DIY, dorada i inspekcija, vrtlarstvo, rukovanje sitnim delovima, primarna, sekundarna i završna obrada i montaža, održavanje, logistika i skladištenje, upotreba alata i instrumenata, precizna mehanika, opšte rukovanje;

Dostupne veličine:

Standardi (norme): EN 420, EN 388:2003 - 4542;

Description: Gloves for precision handling in dry environments. Ultra lightweight gloves with wrist, silicone-free, resistant to cutting;

Naked liner, can be combined with 58-917 gloves;

Length: 40 cm;

Color: light blue;

Features and benefits: CUTTech®, ERGOTech®

Application: DIY, dressing and inspection, gardening, handling small parts, primary, secondary and finishing and installation, maintenance, logistics and storage, the use of tools and instruments, precision engineering, general handling;

Available sizes:

Standards (standards): EN 420, EN 388:2003 - 4542;


ATG MAXICUT ULTRA® 44-6745

Opis: Rukavica za precizno rukovanje u suvom okruženju. Ultra lagane rukavice sa zglobom,bez silikona,otporne na rezanje i obložene nitrilnom mikro pjenu;

Dlan: debljina 1,0 mm, obložen nitrilnom mikro penom;

Dužina: 25cm;

Boja: plavo-crna;

Svojstva i prednosti: AIRTech®, DURATEch®, DYNEEMA Diamond, ERGOTech®

Primena: DIY, dorada i inspekcija, vrtlarstvo rukovanje sitnim delovima, primarna, sekundarna te završna obrada i montaža, održavanje, logistika i skladištenje, upotreba alata i instrumenata, precizna mehanika, opšte rukovanje;

Dostupne veličine: 6-11;

Standardi (norme): EN 420, EN 388:2016 - 4X43C;

Description: Gloves for precision handling in dry environments. Ultra lightweight gloves with wrist, silicone-free, resistant to cutting and Nitrile-coated micro-foam;

Palm: 1,00 mm thickness, coated with Nitrile micro foam;

Length: 25cm;

Color: light blue -black;

Features and benefits: AIRTech® DURATEch® DYNEEMA Diamong, ERGOTech®

Application: DIY, dressing and inspection, gardening, handling small parts, primary, secondary and finishing and installation, maintenance, logistics and storage, the use of tools and instruments, precision engineering, general handling;

Available sizes: 6-11;

Standards (standards): EN 420, EN 388:2016 - 4X43C;


ATG MAXICUT 5 LINER® 58-917

Opis: Rukavica za precizno rukovanje u suvom okruženju. Ultra lagane rukavice sa zglobom, bez silikona, otporne na rezanje;

Dlan: debljina 0,80 mm, samo pletivo bez obloge, može se nositi ispod jednokratnih rukavica kao dodatna zaštita

Dužina: 26 cm;

Boja: svetlo plava;

Svojstva i prednosti: CUTTech®, ERGOTech®

Primena: DIY, dorada i inspekcija, vrtlarstvo, rukovanje sitnim delovima, primarna, sekundarna te završna obrada i montaža, održavanje, logistika i skladištenje, upotreba alata i instrumenata, precizna mehanika, opšte rukovanje;

Dostupne veličine: 7-11;

Standardi (norme): EN 420, EN 388:2003 - 3542, food contact FDA;

Description: Gloves for precision handling in dry environments. Ultra lightweight gloves with wrist, silicone-free, resistant to cutting;

Palm: 0,80 mm thickness, naked liner, can be used as underglove underneath disposable or waterproof gloves;

Length: 26 cm;

Color: light blue;

Features and benefits: CUTTech®, ERGOTech®

Application: DIY, dressing and inspection, gardening, handling small parts, primary, secondary and finishing and installation, maintenance, logistics and storage, the use of tools and instruments, precision engineering, general handling;

Available sizes: 7-11;

Standards (standards): EN 420, EN 388:2003 - 3542, food contact FDA;


ATG MAXICHEM® 56-630

Opis: Nitrilna rukavica sa postavom od pamuka za zaštitu pri upotrebi hemikalija. Ultra lagane rukavice obložene sintetičkim nitrilom, otporne na hemikalije (EN374-3 AKL);

Dlan: debljina 1,30mm, obložen sintetičkom nitrilom;

Dužina: 30cm;

Boja: zeleno-crna;

Svojstva i prednosti: LIQULEch®, GRIPech®, ERGOTech®

Primena: mehanička, motor i pogonski sklop, održavanje, montaža u industriji, strojogradnja, autoindustrija, brodogradnja, industrija lakih metala, rukovanje sitnim delovima, primarna, sekundarna te završna obrada i montaža, opšte rukovanje;

Dostupne veličine: 7-11;

Standardi (norme): EN 420, EN 388 4131, EN 374-2, EN 374-3 AKL;

Description: Nitrile glove coated with cotton for protection when using chemicals. Ultralight synthetic nitrile coated gloves, chemical-resistant (EN374-3 AKL);

Palm: 1,30mm thickness, coated with synthetic nitrile;

Length: 30cm;

Color: green-black;

Features and benefits: LIQULEch®, GRIPech®, ERGOTech®

Applications: mechanics, engine and drive train, maintenance, installation industry, mechanical engineering, automotive, shipbuilding, light metal industry, handling small parts, primary, secondary and finishing and assembly, general rukavanje;

Available sizes: 7-11;

Standards (standards): EN 420, EN 388 4131, EN 374-2, EN 374-3 AKL;

ATG	NBR LITE®	34-985
Opis: Rukavica za precizno rukovanje u suvom okruženju, pamuk obložen nitrilom; Dlan: umočen Dužina: 25cm Boja: bela sa žutim premazom , 3/4 premaz; Svojstva i prednosti: lagani premaz daje poboljšanu fleksibilnost i pokretljivost; Udobne za nošenje u dužem periodu; Anatomički oblikovane za savršeno prijanjanje uz ruku; Primena: Odičan hват на сувим и мокрим површинама; Standard: EN388:2003, razine: 4121; Dostupne veličine: 6-10;		
Description: Nitrile on a Cotton Liner; Designed for wet or dry applications in abrasive and rough conditions; Palm: coated Length: 25cm Color: white with yellow coating, 3/4 coating; Features and benefits: Light but tough nitrile coating; Comfortable to wear for long periods of time; Anatomical hand shape for a close fit; Application: Good abrasion resistance; Standard: EN388:2003, levels: 4121; Available sizes: 6-10;		
		
  4121X  EN 420 EN 388		

ATG	NOVATRIL®	24-185
Opis: Rukavica za precizno rukovanje u suvom okruženju, pamuk obložen nitrilom; Dlan: premaz od nitrila Dužina: 25cm Boja: bela sa žutim premazom, 3/4 premaz; Svojstva i prednosti: lagani premaz daje poboljšanu fleksibilnost i pokretljivost; Udobne za nošenje u dužem periodu; Anatomički oblikovane za savršeno prijanjanje uz ruku; Primena: Odičan hват на сувим и мокрим површинама; Standard: EN388:2003, razine: 4121; Dostupne veličine: 6-10;		
Description: Nitrile on a Cotton Liner; Designed for wet or dry applications in abrasive and rough conditions; Palm: 3/4 coated with nitrile Length: +25cm Color: white with yellow coating, 3/4 coating; Features and benefits: Light but tough nitrile coating; Comfortable to wear for long periods of time; Anatomical hand shape for a close fit; Application: Good abrasion resistance; Standard: EN388:2003, levels: 4121; Available sizes: 6-10;		
		
  4121X  EN 420 EN 388		

ATG	NOVATRIL®	24-186
Opis: Rukavica za precizno rukovanje u suvom okruženju, pamuk obložen nitrilom; Dlan: puni premaz od nitrila Dužina: 25cm Boja: bela sa žutim premazom, 3/4 premaz; Svojstva i prednosti: lagani premaz daje poboljšanu fleksibilnost i pokretljivost; Udobne za nošenje u dužem periodu; Anatomički oblikovane za savršeno prijanjanje uz ruku; Primena: Odičan hват на сувим и мокрим површинама; Standard: EN388:2003, razine: 4121; Dostupne veličine: 6-10;		
Description: Nitrile on a Cotton Liner; Designed for wet or dry applications in abrasive and rough conditions; Palm: full coated with nitrile Length: 25cm Color: white with yellow coating, 3/4 coating; Features and benefits: Light but tough nitrile coating; Comfortable to wear for long periods of time; Anatomical hand shape for a close fit; Application: Good abrasion resistance; Standard: EN388:2003, levels: 4121; Available sizes: 6-10;		
		
  4121  EN 420 EN 388		

KOŽNE RUKAVICE LEATHER GLOVES



LACUNA WORKTIME HORA

6HORA 7-11
6HORAWT 07-11Veličina / Size :
07-11Materijal: glatka kozja koža;
Nadlanica: tamno plavi pamuk;
Manžetna: plava elastična, regulirana
je sa Velcro čičkom;
Norma: EN 420, EN 388;Material: palm, tips and thumb in
grain goat skin;
Back: dark blue cotton;
Cuff: blue elastic with Velcro
binding;
Norm: EN 420, EN 388;Stara šifra / Old code:
857 - 861, 857WT-861WTTOP
QUALITYNOVO
NEWRETAIL
MALOPRODAJA2112 CE EN 420
EN 388

LACUNA WORKTIME LAGOA

6LAGO 08-11
6LAGOWT 10-11Veličina / Size :
08-11Materijal: mekana goveda koža
Palac: povezan
Manžetna: elastično stezanje
Originalno pakovanje: 12/120Material: soft cow leather skin
Thumb: wing thumb
Cuff: elastic tightening
Original packaging: 12/120Stara šifra / Old code:
2218-2221/22WT20-22WT21TOP
QUALITYRETAIL
MALOPRODAJARETAIL
MALOPRODAJA3121 CE EN 420
EN 388

LACUNA WORKTIME FASO

6FASO 09-11
6FASOWT 10-11Veličina / Size :
09-11Materijal: kvalitetna glatka
bivoljska koža;
Nadlanica: špalt koža;
Manžetna: elastična;
Norma: EN 420, EN 388;Material: palm and index in grain
buffalo leather;
Back: split leather;
Wing: thumb;
Cuff: tightening elastic;
Norm: EN 420, EN 388;Stara šifra / Old code:
1239-1241/12WT40-12WT41TOP
QUALITYRETAIL
MALOPRODAJARETAIL
MALOPRODAJA3122 CE EN 420
EN 388

LACUNA WORKTIME DOHA

6DOHA 09-10
6DOHAWT 10Veličina / Size :
09-10Materijal: goveda špalt koža;
Manžetna: elastično stezanje
Norma: EN 420, EN 388;Material: palm, tips and thumb in
grain goat skin;
Back: dark blue cotton;
Cuff: blue elastic with Velcro
binding;
Norm: EN 420, EN 388;Stara šifra / Old code:
1109-1110/11WT10TOP
QUALITYRETAIL
MALOPRODAJA3122 CE EN 420
EN 388

LACUNA WORKTIME TOGO

6TOGO 08-11
6TOGOWT 10-11Veličina / Size :
08-11Materijal: goveda glatka koža
Nadlanica: špalt koža
Manžetna: elastično stezanje
Originalno pakovanje: 12/120Material: cow grain leather
Back: split leather
Cuff: elastic tightening
Original packaging: 12/120Stara šifra / Old code:
1218-1221/12WT20-12WT21TOP
QUALITYRETAIL
MALOPRODAJA2121 CE EN 420
EN 388

LACUNA WORKTIME TORO

6TORO 09-11
6TOROWT 10-11Veličina / Size :
09-11Materijal: kvalitetna glatka
bivoljska koža;
Nadlanica: špalt koža;
Manžetna: elastična;
Norma: EN 420, EN 388;Material: palm and index in grain
buffalo leather;
Back: split leather;
Wing: thumb;
Cuff: tightening elastic;
Norm: EN 420, EN 388;Stara šifra / Old code:
2239-2241/22WT40-22WT41TOP
QUALITYRETAIL
MALOPRODAJA3122 CE EN 420
EN 388

LACUNA WORKTIME KOŽNA LEATHER

2558H

Veličina / Size :
2558H-10Materijal: goveda koža spreda,
nazad goveda špalt koža
Manžetna : goveda špalt koža
Pojačanje: na palcu, kažiprstu i na
vrhovima prstiju
Originalno pakovanje: 12/120Material: cow leather, back
cow split leather
Cuff: cow split leather
Reinforcement: on thumb,
forefinger and on top of fingers
Original packaging: 12/120TOP
QUALITYRETAIL
MALOPRODAJA3133 CE EN 420
EN 388

LACUNA WORKTIME KOŽNA LEATHER

2552

Veličina / Size :
2552-10Materijal: goveda koža
Manžetna : goveda špalt koža
Pojačanje: na palcu, kažiprstu i na
vrhovima prstiju, zaštita za zglob
Originalno pakovanje: 12/120Material: cow leather
Cuff: cow leather
Reinforcement: on thumb, forefinger and on the top of fingers, knuckle protector
Original packaging: 12/120TOP
QUALITYRETAIL
MALOPRODAJA3144 CE EN 420
EN 388

LACUNA WORKTIME SANO

6SANO

Veličina / Size :
10Materijal: goveda koža
Nadlanica: goveda koža
Pojačanje: dlan, palac, prsti
Manžetna : špalt koža
Originalno pakovanje: 12/120Material: cow leather skin
Back: cow leather
Reinforcement: palm, thumb, fingers
Cuff: split leather
Original packaging: 12/120TOP
QUALITYRETAIL
MALOPRODAJA2111 CE EN 420
EN 388

LACUNA WORKTIME KOŽNA LEATHER


2559H

Veličina / Size :
2559H-10Materijal: goveda koža spreda,
nazad goveda špalt koža
Manžetna: goveda špalt koža
Pojačanje: na palcu , kažiprstu i na
vrhovima prstiju
Originalno pakovanje: 12/120Material: cow leather, back
cow split leather
Cuff: cow split leather
Reinforcement: on thumb, forefinger and on top of fingers
Original packaging: 12/120TOP
QUALITYRETAIL
MALOPRODAJA3133 CE EN 420
EN 388

LACUNA WORKTIME ANTI VIBRA

2553A

Veličina / Size :
10 - 11Materijal: kvalitetna goveda koža
Nadlanica: pamučna postava sa dodatnim ojačanjem;
Pojačanje: dlan, glatka goveda koža
Nadlanica: goveda koža i prugasti
pamuk, velcro zatvaranje;
Manžetna: prugasti pamuk
Norma: EN 420, EN 388Material: material: quality cow leather;
Palm: cotton lined with reinforcement;
Reinforced: grain leather reinforced
palm;
Back: cow leather and striped
cotton, Velcro fasteningCuff: striped cotton;
Standard: EN 420, EN 388;TOP
QUALITYNOVO
NEW2244 CE EN 420
EN 388



EURETECHNIQUE **ZIMSKA
WINTER** **330**

Veličina / Size :
330-10

Materijal: goveda špalt koža
Dlan: postavljen mekanom vunom
Nadlanica: crveni čvrsti pamuk
Manžetna: čvrsti crveni pamuk
Originalno pakovanje: 12/120

Material: split cow leather
Palm: lined with soft wool
Hand: red strong cotton
Cuff: strong red cotton
Original packaging: 12/120

EN 511
120EN 388
4133

EURETECHNIQUE **ZIMSKA LABRADOR
WINTER LABRADOR** **2469-2470**

Veličina / Size :
2469-9
2470-10

Materijal: glatka goveda koža
Postava: Thinsulate upotpunjeno
Manžetna: proširena
VODOOTPORA
Originalno pakovanje: 12/120

Material: full clear grain cow leather
Inside: Thinsulate fleece
Cuff: extended
WATERPROOF
Original packaging: 12/120

EN 511
12XEN 388
3122

EURETECHNIQUE **ZIMSKA ALASKA
WINTER ALASKA** **2480**

Veličina / Size :
2480-10

Materijal: glatka goveda koža
Podstava: Thinsulate upotpunjeno
Manžetna: velika
Originalno pakovanje: 12/120

Material: grain cow leather
Inside: Thinsulate fleece
Cuff: large
Original packaging: 12/120


EN 511
120EN 388
2111

EURETECHNIQUE **ZIMSKA FINLANDE
WINTER FINLANDE** **2465**

Veličina / Size :
2465-10

Materijal: mukana goveda koža
Dlan: postavljen flisom
Manžetna: elastično pritezanje
Originalno pakovanje: 12/120

Material: full grain cow leather
Palm: fleece lining
Cuff: elastic tightening
Original packaging: 12/120


EN 511
010EN 388
2122

EURETECHNIQUE **ZIMSKA KERGUELEN
WINTER KERGUELEN** **2475**

Veličina / Size :
2475-10

Materijal: glatka goveda koža
Postava: Thinsulate upotpunjeno
Manžetna: proširena
Originalno pakovanje: 12/120

Material: full black grain cow leather
Inside: Thinsulate fleece
Cuff: extended
Original pakiranje: 12/120


EN 511
120EN 388
3122

EURETECHNIQUE **ZIMSKA ISLAND
WINTER ISLAND** **2486-2491**

Veličina / Size :
2486-6, 2487-7, 2488-8,
2489-9, 2490-10, 2491-11

Materijal: glatka goveda koža
Postava: krzno
Manžetna: 32 cm
Originalno pakovanje: 12/120

Material: full clear grain cow leather
Inside: fur lining
Cuff: 32 cm
Original packaging: 12/120

EN 511
220EN 388
3123



VARILAČKE KOŽNE RUKAVICE WELDING LEATHER GLOVES

ARDON / LACUNA WORKTIME VARILAČKA SIMON WELDING SIMON A2008 A2008WT	EUROTECHNIQUE VARILAČKA WELDING 2507
<p>Veličina / Size : A2008-10</p> <p>Materijal: goveda špalt koža Postava: špalt koža Manžetna: špalt koža Originalno pakovanje: 12/120 A2008WT DOSTUPNO PAKOVANJE S KARTONOM</p> <p>Material: split cow leather Inside: cow split lining Cuff: split leather Original packaging: 12/120</p>	<p>Veličina / Size : 2507-10</p> <p>Materijal: goveda špalt koža Palac: povezan Manžetna: špalt koža, 7 cm Originalno pakovanje: 12/60</p> <p>Material: split cow leather Thumb: wing thumb Cuff: split leather, 7 cm Original packaging: 12/60</p>
EUROTECHNIQUE VARILAČKA WELDING 2514	ARDON VARILAČKA MEL WELDING MEL A2007
<p>Veličina / Size : 2514-10</p> <p>Materijal: goveda špalt koža Palac: povezan Manžetna: špalt koža, 15 cm Originalno pakovanje: 12/60</p> <p>Material: cow split leather skin Thumb: wing thumb Cuff: split leather, 15 cm Original packaging: 12/60</p>	<p>Veličina / Size : A2007-10</p> <p>Materijal: goveda špalt koža Manžetna: špalt koža, 15 cm Originalno pakovanje: 12/120</p> <p>Material: split cow leather Cuff: split leather, 15 cm Original packaging: 12/120</p>
EUROTECHNIQUE VARILAČKA WELDING 2539 / 2540	LACUNA WORKTIME VARILAČKA WELDING 2559
<p>Veličina / Size : 2539-9 2540-10</p> <p>Materijal: jagnjeća koža Manžetna: jagnjeća koža, 15 cm Originalno pakovanje: 12/60</p> <p>Material: grain lamb leather Cuff: split leather, 15 cm Original packaging: 12/60</p>	<p>Veličina / Size : 2559-10</p> <p>Materijal: goveda koža, kevlar konac Manžetna: goveda špalt koža Dužina rukavice: 35 cm Pojačanje: na palcu i dlanu sa klapnom od 7 cm Originalno pakovanje: 12/120</p> <p>Material: cow leather, kevlar string Cuff: cow split leather Lenght: 35 cm Reinforcement: on thumb and palm with lap 7 cm Original packaging: 12/120</p>

ARDON

**VARILAČKA SAM
WELDING SAM**

A2012

Veličina / Size :
A2012WT/11-11

Materijal: goveda špalt koža
Manžetna: špalt koža, 15 cm
Originalno pakovanje: 12/60

Material: cow split leather
Inside: thick lining
Cuff: split leather
Original packaging: 12/60

ARDON /
LACUNA WORKTIME**VARILAČKA RENE
WELDING RENE**

A2112 / A2112WT

Veličina / Size :
A2112-11
A2112WT-11

Materijal: goveda špalt koža
Podstava: debela postava
Manžetna : špalt koža, 15 cm
Originalno pakovanje: 12/60

RETAIL
MALOPRODAJA

LACUNA WORKTIME

**VARILAČKA FLASH
WELDING FLASH**6FLASH 10
6FLASHWT 10

Veličina / Size:
10

Stara šifra /old code:
2633, 26WT33

Materijal: goveda špalt koža
Šavovi: KEVLAR®
Postava: platno

Material: cow split leather
Stitches: KEVLAR®
Inside: thick lining
Cuff: split leather, 15 cm
Original packaging: 12/60



EN 407
413X4X
EN 12477
Type A

CE

NOVO
NEW
TOP
QUALITY
RETAIL
MALOPRODAJA



EUROTECHNIQUE

**VARILAČKA
WELDING**

2636

Veličina / Size :
2636-10

Materijal: goveda špalt koža
Pojačanje: Špalt koža na dlanu
Šavovi: KEVLAR®
Postava: platno


Material: cow split leather
Reinforced palm : split.
Stitches: KEVLAR®
Inside: thick lining
Cuff: split leather, 15 cm
Original packaging: 12/60



EN 407
434X4X

350°C 32s
500°C 17s
EN 388
3244

CE

TOP
QUALITY**MORNAR RUKAVICE
DOCKER GLOVES**



LACUNA

WORKTIME

**ARDON /
LACUNA WORKTIME** **MORNAR GINO** A1013 / A1013WT

Veličina / Size :
A1013 – 10
A1013WT – 10

Materijal: siva goveda špalt koža
Dlan: pamučna postava
Nadlanica: beli pamuk
Manžetna: beli pamuk
Originalno pakovanje: 12/120

Material: grey split cow leather
Palm: warm cotton lined
Back: white cotton
Cuff: stiffened white cotton
Original packaging: 12/120

**RETAIL
MALOPRODAJA**


3122

CE EN 420
EN 388
**ARDON /
LACUNA WORKTIME** **MORNAR
MARY**

Veličina / Size :
A1015 – 10
A1015WT – 10

Materijal: goveda špalt koža
Dlan: pamučna postava
Nadlanica: zeleni pamuk
Pojačanje: dlan, kažiprst i palac
Manžetna: zeleni pamuk
Originalno pakovanje: 12/120
A1015WT DOSTUPNO PAKOVANJE S KARTONOM

Material: split cow leather
Palm: warm cotton lined
Back: green cotton
Reinforcement: palm, index and thumb: green split leather
Cuff: stiffened green cotton
Original packaging: 12/120
A1015WT SHELF READY
PACKAGING AVAILABLE

**RETAIL
MALOPRODAJA**
4134X
CE EN388:2016
EUROTECHNIQUE **MORNAR** 152 H

Veličina / Size :
152 H – 10

Materijal: kvalitetna goveda špalt koža
Dlan: pamučna postava
Nadlanica: crveno platno
Manžetna: crveno platno
Originalno pakovanje: 12/120

Material: superior split cow leather
Palm: cotton lined
Back: red strong cotton
Cuff: stiffened red cotton
Original packaging: 12/120



3133

CE EN 420
EN 388
EUROTECHNIQUE **MORNAR** 153

Veličina / Size :
153 – 10

Materijal: kvalitetna goveda špalt koža
Dlan: pamučna postava
Pojačanje: dlan, glatka goveda koža
Nadlanica: prugasti pamuk
Manžetna: prugasti pamuk
Originalno pakovanje: 12/120

Material: yellow superior cow leather
Palm: cotton lined
Reinforcement: grain leather palm
Back: grain leather palm
Cuff: yellow striped cotton
Original packaging: 12/120

3123
CE EN 420
EN 388
ARDON **SIMON MAX** A2056

Veličina / Size :
A2056 – 10

Materijal: kožna rukavica od govede kože
Pojačanje: na dlanu i palcu
Originalno pakovanje: 12/72

**TOP
QUALITY**
3122X
CE EN388:2016
**ARDON /
LACUNA WORKTIME** **MORNAR TOD** A10002 / A10002WT

Veličina / Size :
A10002 – 10
A10002WT – 10

Materijal: goveda špalt koža
Nadlanica: prugasti pamuk
Manžetna: prugasti pamuk
Dlan: pamučna postava
Originalno pakovanje: 12/120
A10002WT DOSTUPNO PAKOVANJE S KARTONOM

**RETAIL
MALOPRODAJA**
3122X
CE EN388:2016
EUROTECHNIQUE **MORNAR** 250

Veličina / Size :
250 – 10

Materijal: glatka svrnska špalt koža
Nadlanica: prugasti pamuk
Manžetna: prugasti pamuk
Originalno pakovanje: 12/120

Material: grain pig leather
Back: striped cotton
Cuff: striped cotton
Original packaging: 12/120

3111
CE EN 420
EN 388
ARDON **MORNAR
TOP UP** A1018

Veličina / Size :
A1018 – 11

Materijal: kvalitetna siva goveda špalt koža
Dlan: pamučna postava
Nadlanica: crveno platno
Manžetna: crveno platno
Originalno pakovanje: 12/72

3122
CE EN 420
EN 388
**ARDON /
LACUNA WORKTIME** **MORNAR DON** A1004 / A1004WT

Veličina / Size :
A1004 – 10
A1004WT – 10

Materijal: goveda koža
Manžetna: bijelo platno
Dlan: pamučna postava s pojačanjem
Originalno pakovanje: 12/120 A1004WT DOSTUPNO PAKOVANJE S KARTONOM

**RETAIL
MALOPRODAJA**
2121X
CE EN388:2016
LACUNA WORKTIME **CROMA** 6CROM 10
6CROMWT 10

Veličina / Size :
10

Materijal: zeleni pamuk
Manžetna: zeleni pamuk
Dlan: kvalitetna glatka koža
Originalno pakovanje: 10/100

**TOP
QUALITY**
**RETAIL
MALOPRODAJA**
3123
CE EN 420
EN 388

ARDON /
LACUNA WORKTIME**PVC RAY
27 CM**

A400827/ A400827WT

Veličina / Size :
A400827-10
A400827WT -10Materijal: PVC crveni
Podloga: pamuk
Manžetna: pletivo
Dužina: 27 cm
Originalno pakovanje: 12/120
A400827WT DOSTUPNO
PAKOVANJE S KARTONOMMaterial: PVC red
Backing: Cotton
Cuff: knitting
Length: 27 cm
Original packaging: 12/120
A400827WT SHELF READY
PACKAGING AVAILABLERETAIL
MALOPRODAJAARDON /
LACUNA WORKTIME**PVC RAY
35 CM**A400835
A400835WTVeličina / Size :
A400835-10
A400835WT-10Materijal: PVC crveni
Podloga: pamuk
Manžetna: pletivo
Dužina: 35 cm
Originalno pakovanje: 12/120Material: PVC red
Backing: Cotton
Cuff: knitting
Length: 35 cm
Original packaging: 12/120RETAIL
MALOPRODAJA

EUROTECHNIQUE

**PVC TOP 36 CM
PVC TOP 40 CM**3634-3636
3640Veličina / Size :
3634-8, 3635-9, 3636-10,
3640-10Materijal: PVC crveni
Podloga: pamuk
Manžetna: pletivo
Dužina: 36 cm / 40 cm
OTPORNA NA BLAŽE KISELINE
Originalno pakovanje: 10/50Material: PVC red
Backing: Cotton
Cuff: knitting
Length: 36 cm / 40 cm
MILD ACID RESISTANT
Original packaging: 10/50TOP
QUALITY
SANITIZEDEN 374
A K LEN 388
4121
CE EN 420

ACTIFRESH™

EUROTECHNIQUE

**PVC POLIMER 40 CM
PVC POLYMER 40 CM**

3740

Veličina / Size :
3740-10Materijal: PVC polimer zeleni
Podloga: pamuk
Dužina: 40 cm
Dlan: DVOSTRUKI NEKLIZAJUĆI
SLOJ
Originalno pakovanje: 10/50Material: PVC green polymer
Backing: Cotton
Length: 40 cm
Palm: GRANULAR FINISH FOR
EXTRA GOOD GRIP
Original packaging: 10/50TOP
QUALITY
SANITIZEDChemical
protection
Handling
protectionACTIFRESH™
EN 374
J K L
EN 388
4121
CE EN 420

LACUNA WORKTIME **BEST**EUROTECHNIQUE **GRAĐEVINSKA 34 CM CONSTRUCTION 34 CM**

3817-3820

Veličina / Size :
10Materijal: LATEKS GUMA žuta s naboranom površinom
Podloga: pamuk
Nadlanica: provetrvajuća
Manžetna: pletena
Originalno pakovanje: 12/120
38WT00 S KARTONOMMaterial: LATEX yellow crinkle finish
Backing: Cotton
Hand: breathable
Cuff: knitted
Original packaging: 12/120
38WT00 SHELF READYStara šifra / old code
3800; 38WT002121 EN 420
EN 388LACUNA WORKTIME **STANDARD**EUROTECHNIQUE **GRAĐEVINSKA (DEBLJA) CONSTRUCTION (THICKER)**

3807-3810

Veličina / Size :
10Materijal: LATEKS GUMA zelena s naboranom površinom
Podloga: pamuk
Nadlanica: provetrvajuća
Manžetna: pletena
Originalno pakovanje: 12/120
38WT05-10 DOSTUPNO
PAKOVANJE S KARTONOMMaterial: LATEX green crinkle finish
Backing: Cotton
Hand: breathable
Cuff: knitted
Original packaging: 12/120
38WT05
SHELF READY PACKAGING AVAILABLEStara šifra / old code
3805-38WT051121 EN 420
EN 388LACUNA WORKTIME **DIFFER**

6DIFF-BOJA

Veličina / Size :
106DIFFBKWT - crna / black
Stara šifra / old code: 38WT9D
6DIFFORWT - narandžasta / orange
Stara šifra / old code: 38WT6D
6DIFFNWWT - plava / blue
Stara šifra / old code: 38WT7D
6DIFFGRWWT - zelena / green
Stara šifra / old code: 38WT8D
6DIFFYLWT - žuta / yellow
Stara šifra / old code: 38WT0D2121 EN 420
EN 388Materijal: dvostruka lateks guma
Pojačanje: dlan i prsti
Nadlanica: provetrvajuća
Manžetna: elastična
Norma: EN420, EN388 2121Material: double-layer
rubber latex
Reinforcement: palm and
fingers
Hand: Breathable
The cuff: elastic
Norm: EN420, EN388 2121

TEKSTILNE RUKAVICE TEXTILE GLOVES



Eurotechnique **LAGANA PAMUČNA
LIGHT COTTON** **4300 /
4305**

Veličina / Size :
4300-7/8
4305-9/10

Materijal: 100% PAMUČNO PLETIVO,
LAGANO sa zglobom
Finoća: 2 niti, finoća 13
Gramaza:
40 g - ŽENSKA veličina
44 g - MUŠKA veličina
Originalno pakovanje: 10/250

Material: 100% COTTON KNIT, LIGHT
with the knit cuff
Fineness: 2 threads, finesse 13
Weight:
40 g - WOMEN size
44 g - MEN size
Original packaging: 10/250



CE EN 420

ARDON **PERRY** **A9011**

Veličina / Size :
A9011- univerzalna universal

Materijal: POLIESTER S
GRANULAMA
Originalno pakovanje:
12/300

Material: POLYESTER WITH
DOTS
Original packaging: 12/300



CE EN 420

ARDON **KEVIN** **A3002**

Veličina / Size :
A3002-6/12

Materijal: PAMUK
Manžetna: pamuk
Originalno pakovanje: 12/600

Material: COTTON
Cuff: cotton
Original packaging: 12/600



CE EN 420

Eurotechnique **LAGANA PAMUČNA DEBLJA
LIGHT COTTON THICKER** **4330 /
4335**

Veličina / Size :
B17-7, 3818-8
B19-9, 3820-10

Materijal: 100% PAMUČNO DEBLJE
PLETIVO, LAGANO sa zglobom
noća: 3 niti, finoća 10
ramaža:
5 g - ŽENSKA veličina
7 g - MUŠKA veličina
Originalno pakovanje: 10/250

Materijal: 100% COTTON THICKER KNIT,
GHT with the knit cuff
Fineness: 2 threads, finesse 10
Weight:
5 g - WOMEN size
7 g - MEN size
Original packaging: 10/250



CE EN 420

ARDON / WORKTIME **QUARRY** **A9093**

Veličina / Size :
A9093 - univerzalna universal
A9093WT- univerzalna universal

Materijal: POLIESTER S PLAVIM
PVC GRANULAMA s obe strane
Originalno pakovanje: 12/300
A9093WT DOSTUPNO
PAKOVANJE S KARTONOM

Material: POLYESTER WITH
BLUE DOTS on both sides
Original packaging: 12/300
A9093WT SHELF READY
PACKAGING AVAILABLE



CE EN 420

LACUNA WORKTIME **TANA** **6TANA
6TANAWT**

Veličina / Size :
9

Materijal: Pamuk sa PVC granulama
Manžetna: pletena

Material: Cotton with PVC dots
Cuff: knitted

Stara šifra / old code
41WT65



CE EN 420



TEKSTILNO POLIAMIDNE RUKAVICE

TEXTILE POLYAMIDE GLOVES

ARDON	POLIAMIDNA POLYAMIDE	6187-6190	LACUNA WORKTIME	PINTO BIJELA PINTO WHITE	6PINTOWH 6PINTOWHWT
Veličina / Size : 6187-7 6188-8 6189-9 6190-10	ANTISTATIC		Veličina / Size : 10	RETAIL MALOPRODAJA	
Materijal: 100% poliamid s bakrenom niti Dlan: obloženi poliuretanom Boja: bela Originalno pakovanje: 10/100		 	Materijal: 100% poliamidno pletivo Dlan: obloženi poliuretanom Boja: bela Originalno pakovanje: 10/100		
Material: 100% knit polyamide with carbon yarn Palm: coated with polyurethane Colour: white Original packaging: 10/100			Material: : 100% knit polyamide Palm: coated with polyurethane Colour: white Original packaging: 10/100		
ARDON	BUCK SIVA BUCK GREY	A9117	LACUNA WORKTIME	PINTO SIVA PINTO GREY	6PINTOGM 6PINTOGMWT
Veličina / Size : 6-11			Veličina / Size : 10	RETAIL MALOPRODAJA	
Materijal: poliester s poliuretanskim premazom Dlan: obloženi poliuretanom Boja: siva Originalno pakovanje: 12/240 S KARTONOM		 	Materijal: 100% poliamidno pletivo Dlan: obloženi poliuretanom Boja: siva Originalno pakovanje: 10/100		
Material: polyester with polyurethane coating Palm: coated with polyurethane Colour: grey Original packaging: 12/240 SHELF READY			Material: : 100% knit polyamide Palm: coated with polyurethane Colour: grey Original packaging: 10/100		
ARDON	BUCK BIJELA BUCK WHITE	A9003	LACUNA WORKTIME	PINTO CRNA PINTO BLACK	6PINTOBK 6PINTOBKWT
Veličina / Size : A9003 - 6-11 A9003WT - 6-11			Veličina / Size : 10	RETAIL MALOPRODAJA	
Materijal: poliester s poliuretanskim premazom Dlan: obloženi poliuretanom Boja: bela Originalno pakovanje: 12/240 S KARTONOM		 	Materijal: poliester s poliuretanskim premazom Dlan: obloženi poliuretanom Boja: siva Originalno pakovanje: 10/100		
Material: polyester with polyurethane coating Palm: coated with polyurethane Colour: white Original packaging: 12/240 SHELF READY			Material: polyester with polyurethane coating Palm: coated with polyurethane Colour: grey Original packaging: 10/100		

ZAŠTITA RUKU – ZAŠTITNE RUKAVICE | HAND PROTECTION – PROTECTIVE GLOVES



LACUNA

WORKTIME

ARDON **BUCK CRNA**
BUCK BLACK

A9061

Veličina / Size:
6-11
Materijal: poliester s poliuretanskim premazom
Dlan: obloženi poliuretanom
Boja: crna
Originalno pakovanje: 12/240 S KARTONOM

Material: polyester with polyurethane coating
Palm: coated with polyurethane
Colour: crna
Original packaging: 12/240 SHELF READY



4131 EN 420
EN 388

LACUNA WORKTIME BOA

1CRLG

Veličina / Size:
7-11
Materijal: pletivo od mješavina niti protiv porezotina, sa premazom od nitrila;
Gustoća: 15g;
Dlan: premaz od crnog nitrila;
Manžetna: elastična;
Norme: EN 420, EN 388 4X44D ;

Material: knitted anticut material,
nitrile lining;
Gauge: 15g;
Palm: black nitrile;
Cuff: elasticated;
Norm: EN 420, EN 388 4X44D



4X44D EN 420
EN 388

LACUNA WORKTIME DODO

Veličina / Size :

6DODOWT-10
Materijal: crni najlon;
Gustoća: 13g;
Dlan: premaz od plavog lateksa;
Manžetna: elastična;
Norme: EN 420, EN 388;
Dostupne veličine: 10;

Material: black nylon;
Gauge: 13;
Palm: blue latex coated;
Cuff: elasticated;
Norm: EN 420, EN 388;
Available sizes: 10



3121X EN388:2016

LACUNA WORKTIME ROCA

6ROCA
6ROCA WT

Veličina / Size:
10
Materijal: 100% poliamidno pletivo
Dlan: obložen poliuretanom
Boja: siva
Originalno pakovanje: 10/100

Material: 100% knit polyamide
Palm: polyurethane coated
Colour: grey
Original packaging: 10/100

Stara šifra / old code
62WT30



3121X EN388:2016

LACUNA WORKTIME FLORA

6FLORAPWT
6FLORARWT

Veličina / Size:
8
6FLORAPWT - 8
6FLORARWT - 8
Materijal: poliester sa premazom od poliuretana;

Dlan: premaz od poliuretanom;
Boja: 6FLORAP-plava,
6FLORAR- roza
Pakovanje: zasebno pakiranje;
Norma: EN 420, EN 388 2131X;

Material: polyester with PU coating;
Palm: PU coated;
Color: 6FLORAP-blue,
6FLORAR-pink

Packing: individual bags;
Norm: EN 420,
EN 388 2131X;



2131X EN 420
EN 388

6DODOWT

RETAIL
MALOPRODAJA

NOVO
NEW



LACUNA WORKTIME HONDO

6HONDOWT

Veličina / Size:
10

RETAIL
MALOPRODAJA

Materijal: poliamid
Boja: plava
Originalno pakovanje: 10/100

Material: polyamide
Color: blue
Original packaging: 10/100

Stara šifra / old code
61WT70P, 61WTOP



3121X EN388:2016

LACUNA WORKTIME LUNA

6LUNAWT

Veličina / Size :
10

RETAIL
MALOPRODAJA

Materijal: poliamid
Boja: crvena
Originalno pakovanje: 10/100

Material: polyamide
Color: red
Original packaging: 10/100

Stara šifra / old code
61WT70R



3121X EN388:2016

ARDON/LACUNA WORKTIME

BLAKE

6BLAKE

Veličina / Size :

6BLAKE-7-11



2121 EN 420
EN 388

Materijal: Polyester rukavica
umočena u lateks
Originalno pakovanje: 12/240
A8021WT - 7/11 DOSTUPNO
PAKOVANJE S KARTONOM

Material: Polyester glove
dipped in latex
Original packaging: 12/240
A8021WT SHELF READY
PACKAGING AVAILABLE

Stara šifra / old code:
A8021/A8021WT



LACUNA WORKTIME MERIDA

6MERDWT

Veličina / Size:
10

RETAIL
MALOPRODAJA

Materijal: poliamid s
nitrilnim premazom
Boja: bela
Originalno pakovanje:
10/100

Material: polyamide with
nitrile coating
Color: white
Original packaging: 10/100

Stara šifra / old code
61WT70N



3122 EN 420
EN 388

LACUNA WORKTIME NEVA

6NEVAWT 07-11

Veličina / Size :
10

RETAIL
MALOPRODAJA

Materijal: najlon sa lateks
premazom
Boja: Hi-Viz žuta
Originalno pakovanje: 10/100

Material: nylon with latex
coating
Color: Hi-Viz yellow
Original packaging: 10/100

Stara šifra / old code
61WT70HV



2131X EN388:2016

ARDON/LACUNA WORKTIME

PETRAX

A8007 / A8007WT

Veličina / Size :
A8007 - 8/10
A8007WT - 8/10

Materijal: Najlon rukavica sa
premazom od latex pene
Originalno pakovanje: 12/240
A8007WT DOSTUPNO PAKOVANJE
S KARTONOM

Material: Nylon glove with a
coat of latex foam
Original packaging: 12/240
A8007WT SHELF READY
PACKAGING AVAILABLE



2121X EN388:2016



EUROTECHNIQUE

KEVLAR ® 27 CM/250°C

4655

Veličina / Size :
4655-10

Materijal: KEVLAR ® pletivo deblje
Postava: debeli pamuk
Toplinska izolacija: 250°C
Dužina: 27 cm
OTPORNA NA SEĆENJE
OTPORNA NA TOPLINU
Originalno pakovanje: 5/50

Material: KEVLAR ® thick knit
Liner: thick cotton
Thermal insulation: 250 °C
Length: 27cm
CUT- RESISTANT
HEAT-RESISTANT
Original packaging: 5/50



4655

EUROTECHNIQUE

KEVLAR ® 33 CM/250°C

4657

Veličina / Size :
4657-10

Materijal: KEVLAR ® pletivo deblje
Postava: debeli pamuk
Toplinska izolacija: 250°C
Dužina: 33 cm
OTPORNA NA SEĆENJE
OTPORNA NA TOPLINU
Originalno pakovanje: 5/50

Material: KEVLAR ® thick knit
Liner: thick cotton
Thermal insulation: 250 °C
Length: 33cm
CUT- RESISTANT
HEAT-RESISTANT
Original packaging: 5/50



4657

EUROTECHNIQUE


**PEKARSKA DUGA
BAKER LONG**

4715


4715-10

Materijal: PAMUK 850g/m2
Manžetna: čvrsti pamuk
Originalno pakovanje: 5/60

Material: COTTON 850g/m2
Cuff: thick cotton
Original packaging: 5/60



NEOPREN, LATEKS, NITRIL RUKAVICE NEOPREN, LATEX, NITRILE GLOVES



LACUNA WORKTIME

KONA

6KONA

Veličina / Size :
7-10 (S-XL)

Materijal: prirodna guma;
Dužina: 300 mm;
Debljina: 0,40 mm;
Podloga: pahuljasti pamuk;
Vanjska završna obrada:
prijanjača;
Norma: EN420;

Stara šifra / old code:
5027C-5030C



EUROTECHNIQUE TEHNIČKA GUMENA 5200 5206-5210
LATEX-JERSEY 5200

Veličina / Size :
5206-6 (XS) / 5207-7 (S)
5208-8 (M) / 5209-9 (L)
5210-10 (XL)

Materijal: PAMUK S GUMENIM PREMAZOM
Dužina: 300mm
Debljina: 1,3 mm
Podloga: pahuljasti pamuk
Vanjska obrada: glatka
Boja: svetlo-plava
Originalno pakovanje: 10/100

Materijal: FULLY LATEX COATED COTTON
Length: 300mm
Thickness: 1.3 mm
Inside: knitted interlock cotton
Finish: smooth
Colour: light blue
Original packaging: 10/100



EUROTECHNIQUE NEOPRENE 5300 5307-5311

Veličina / Size :
5307-7(S)/5308-8 (M)
5309-9 (L)/5310-10 (XL)
5311-11 (XXL)

Materijal: POLIKLOROPREN S PRIRODНОМ ГУМОМ
Dužina: 310mm
Debljina: 0,70 mm
Podloga: pahuljasti pamuk
Spojna obrada: prijanjača
Boja: crna
Originalno pakovanje: 10/100

Materijal: POLYCHLOROPREN WITH NATURAL RUBBER
Length: 310mm
Thickness: 0,70 mm
Inside: cotton flock lined
Finish: grip pattern
Colour: black
Original packaging: 10/100



EUROTECHNIQUE NITRILE PLUS 5500 5507-5510

Veličina / Size :
5507-7(S)
5508-8 (M)
5509-9 (L)
5510-10 (XL)
5531-11 (XXL)

Materijal: NITRILNI KAUČUK
Dužina: 320mm - 5507/5510, 330mm - 5527-5531
Debljina: 0,38mm - 5507/5510, 0,46mm - 5527-5531
Podloga: pahuljasti pamuk
Spojna obrada: prijanjača
Boja: zelena
Originalno pakovanje: 10/100

Materijal: ACRYNITRILE GREEN
Length: 320mm - 5507/5510, 330mm - 5527-5531
Thickness: 0,38mm - 5507/5510, 0,46mm - 5527-5531
Inside: cotton flock lined
Finish: grip pattern
Colour: green
Original packaging: 10/100



NOVO
NEW



CE EN 420

EUROTECHNIQUE TEHNIČKA PROTUKLIZNA 5200 5219-5220
LATEX-JERSEY 5200

Veličina / Size :

5219-9 (L) / 5220-10 (XL)

Materijal: PAMUK S GUMENIM PREMAZOM

Dužina: 300mm

Debljina: 1,3 mm


Podloga: pahuljasti pamuk

Spojna obrada: prijanjača, neklizajuća

Boja: svetlo-plava

Originalno pakovanje: 10/100

Materijal: FULLY LATEX COATED COTTON
Length: 300mm
Thickness: 1.3 mm
Inside: knitted interlock cotton
Finish: rough grip pattern, slip resistant
Colour: light blue
Original packaging: 10/100



EUROTECHNIQUE NITRILE PLUS 5500 5507-5510

Veličina / Size :
5527-7(S)
5528-8 (M)
5529-9 (L)
5530-10 (XL)
5531-11 (XXL)

Materijal: NITRILNI KAUČUK
Dužina: 320mm - 5507/5510, 330mm - 5527-5531
Debljina: 0,38mm - 5507/5510, 0,46mm - 5527-5531
Podloga: pahuljasti pamuk
Spojna obrada: prijanjača
Boja: zelena
Originalno pakovanje: 10/100

Materijal: ACRYNITRILE GREEN
Length: 320mm - 5507/5510, 330mm - 5527-5531
Thickness: 0,38mm - 5507/5510, 0,46mm - 5527-5531
Inside: cotton flock lined
Finish: grip pattern
Colour: green
Original packaging: 10/100



LACUNA WORKTIME SINOP

6SINOP
6SINOPWTVeličina / Size :
10Materijal: nitrilna obloga
Podloga: pamuk
Nadlanica: provetrvajuća
Zglob: rastezljivo pletivo
Originalno pakovanje: 10/100Material: light nitrile coated
Lining: cotton
Back: open
Cuff: elasticated cotton knit
Original packaging:
10/100RETAIL
MALOPRODAJAStara šifra / old code:
9317-9321/93WT20

LACUNA WORKTIME CORDA

6CORDA
6CORDAWTVeličina / Size :
10Materijal: dvostruka nitrilna obloga
Podloga: pamuk
Nadlanica: provetrvajuća
Zglob: rastezljivo pletivo
Manžetna: čvrsto platno
Originalno pakovanje: 10/100Material: double nitrile coated
Lining: cotton
Back: open
Cuff: safety cuff
Original packaging:
10/100RETAIL
MALOPRODAJAStara šifra / old code:
9618-9620/96WT20

EUROTECHNIQUE NITRILNE EUROTRIL 9628-9630

NITRILE EUROTRIL

Veličina / Size :
9628- 8
9629- 9
9630- 10Materijal: dvostruka nitrilna obloga
Podloga: pamuk
Nadlanica: provetrvajuća
Zglob: rastezljivo pletivo
Originalno pakovanje: 10/100Material: double nitrile coated
Lining: cotton
Back: open
Cuff: cotted, elasticated
cotton knit
Original packaging:
10/100TOP
QUALITYLACUNA WORKTIME PARA 6PARA
6PARAWTVeličina / Size :
10Materijal: nitrilna obloga
Podloga: pamuk
Nadlanica: provetrvajuća
Zglob: rastezljivo pletivo
Originalno pakovanje: 10/100Material: single nitrile coated
Lining: cotton
Back: open
Cuff: elasticated cotton knit
Original packaging: 10/100Stara šifra / old code:
9417-9421/94WT20

EUROTECHNIQUE NITRILNE EUROTRIL 9638-9640

NITRILE EUROTRIL

Veličina / Size :
9638- 8
9639- 9
9640- 10Materijal: dvostruka nitrilna obloga
Podloga: pamuk
Nadlanica: provetrvajuća
Zglob: rastezljivo pletivo
Originalno pakovanje: 10/100Material: double nitrile coated
Lining: cotton
Back: open
Cuff: cotted, elasticated cotton knit
Original packaging: 10/100TOP
QUALITY

4221



EUROTECHNIQUE NITRILNE EUROTRIL 9628-9630

NITRILE EUROTRIL

Veličina / Size :
9648- 8
9649- 9
9650- 10Materijal: dvostruka nitrilna obloga
Podloga: pamuk
Nadlanica: provetrvajuća
Zglob: rastezljivo pletivo
Originalno pakovanje: 10/100Material: double nitrile coated
Lining: cotton
Back: open
Cuff: cotted, elasticated
cotton knit
Original packaging:
10/100TOP
QUALITYJEDNOKRATNE RUKAVICE
DISPOSABLE GLOVES

LACUNA
WORKTIME

LACUNA WORKTIME

NITRYLEX BASIC

Opis: Jednokratne zaštitne nesterilisane rukavice bez pudera;
Materijal: nitril, bez pudera;
Boja: plava (navy blue);
Manžetna: ivica sa porubom;
Dužina: 24 cm;
Karakteristike: optimalna taktilna osjetljivost, antistatička svojstva;
Preporučena područja upotrebe: nega bolesnika, dentalna medicina, veterinarska medicina, saloni lepote, kontakt sa hransom, mehaničarski radovi i auto industrija, štamparije, kućna radinost;
AQL: 1,5 u skladu sa ISO 2859-1;
CE klasifikacija: Klasa I - Medicinski proizvodi (93/42/EEC), Kategorija I - osobna zaštita oprema za minimalne rizike;
Norma: EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420;
Dostupne veličine: XS - XL;
Pakovanje: kutija od 100 komada;



Description: Protective and examination non sterile gloves, powder free;
Materijal: nitrile, non-powdered;
Colour: blue (navy blue);
Cuff: beaded;
Length: 24 cm;
Distinctive features: optimal tactile sensitivity, antistatic properties;
Recommended for: nursing care, dentistry, veterinary medicine, beauty and hairdressing salons, food contact, mechanical and automotive industry, minor assembly works, houseworks;
AQL: 1,5 in accordance with ISO 2859-1;
CE classification: Class I - Medical Device, Category I - Personal Protective Equipment;
Norm: EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420;
Available sizes: XS - XL;
Packing: box with 100 gloves;

**RETAIL
MALOPRODAJA**



CE EN 455-1, EN455-2,
EN455-3, EN455-4,
EN980, EN1041, EN ISO 13485,
EN374-1, EN374-2, EN420;

CE EN 455-1, EN455-2,
EN455-3, EN455-4,
EN980, EN1041, EN ISO 13485,
EN374-1, EN374-2, EN420;

RD301050

LACUNA WORKTIME

NITRYLEX CLASSIC

Opis: Jednokratne zaštitne nesterilisane rukavice bez pudera;
Materijal: nitril, bez pudera;
Boja: plava;
Manžetna: ivica sa porubom;
Dužina: 24 cm;
Karakteristike: visoka taktilna osjetljivost;
Preporučena područja upotrebe: nega bolesnika, dentalna medicina, veterinarska medicina, saloni lepote, kontakt sa hransom, mehaničarski radovi i auto industrija, štamparije, kućna radinost;
AQL: 1,0 u skladu sa ISO 2859-1;
CE klasifikacija: Klasa I - Medicinski proizvodi (93/42/EEC), Kategorija III - osobna zaštita oprema;
Norma: EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN374-3, EN420;
Dostupne veličine: XS - XL;
Pakovanje: kutija od 100 komada;



Description: Protective and examination non sterile gloves, powder free;
Materijal: nitrile, non-powdered;
Colour: blue;
Cuff: beaded;
Length: 24 cm;
Distinctive features: enhanced tactile sensitivity;
Recommended for: nursing care, dentistry, veterinary medicine, beauty and hairdressing salons, food contact, mechanical and automotive industry, minor assembly works, houseworks;
AQL: 1,0 in accordance with ISO 2859-1;
CE classification: Class I - Medical device, Category III - Personal Protective Equipment;
Norm: EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN374-3, EN420;
Available sizes: XS - XL;
Packing: box with 100 gloves;

**NOVO
NEW**



CE EN 455-1, EN455-2,
EN455-3, EN455-4,
EN980, EN1041, EN ISO 13485,
EN374-1, EN374-2, EN420;

CE EN 455-1, EN455-2,
EN455-3, EN455-4,
EN980, EN1041, EN ISO 13485,
EN374-1, EN374-2, EN420;

RD300190

LACUNA WORKTIME

NITRYLEX COLLAGEN

Opis: Jednokratne zaštitne nesterilisane rukavice bez pudera;
Materijal: nitril, bez pudera;
Boja: magenta, purpurno crvena;
Manžetna: ivica sa porubom;
Dužina: 24 cm;
Karakteristike: unutrašnji sloj za zaštitu i negu kože, poboljšava stanje kože;
Preporučena područja upotrebe: odjeljenja pedijatrise, saloni za ulepšavanje, nega bolesnika, dentalna medicina, veterinarska medicina, saloni lepote, kontakt sa hransom;
AQL: 1,0 u skladu sa ISO 2859-1;
CE klasifikacija: Klasa I - Medicinski proizvodi (93/42/EEC), Kategorija III - lična zaštita oprema;
Norma: EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN374-3, EN420, EN388;
Dostupne veličine: XS - XL;
Pakovanje: kutija od 100 komada;



Description: Protective and examination non sterile gloves, powder free;
Materijal: nitrile, non-powdered;
Colour: magenta;
Cuff: beaded;
Length: 24 cm;
Distinctive features: skin care layer inside, improves condition of the skin;
Recommended for: pediatric wards, beauty and hairdressing salons, nursing care, dentistry, veterinary medicine, contact;
AQL: 1,0 in accordance with ISO 2859-1;
CE classification: Class I - Medical device, Category III - Personal Protective Equipment;
Norm: EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN374-3, EN420, EN388;
Available sizes: XS - XL;
Packing: box with 100 gloves;

**NOVO
NEW**



CE EN 455-1, EN455-2,
EN455-3, EN455-4,
EN980, EN1041, EN ISO 13485,
EN374-1, EN374-2, EN420;

RD300950

LACUNA WORKTIME

NITRYLEX BLACK

Opis: Jednokratne zaštitne nesterilisane rukavice bez pudera;
Materijal: nitril, bez pudera;
Boja: crna;
Manžetna: ivica sa porubom; Dužina: 24 cm;
Karakteristike: optimalna taktilna osjetljivost, prekrivena crnim bojom;
Preporučena područja upotrebe: mehaničarski radovi i auto industrija, tattoo saloni, osobni za čišćenje, nega bolesnika, dentalna medicina, veterinarska medicina, saloni lepote, kontakt sa hransom, štamparije, kućna radinost;
AQL: 1,5 u skladu sa ISO 2859-1;
CE klasifikacija: Klasa I - Medicinski proizvodi (93/42/EEC), Kategorija I - lična zaštita oprema za minimalne rizike;
Norma: EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420;
Dostupne veličine: XS - XL;
Pakovanje: kutija od 100 komada;



Description: Protective and examination non sterile gloves, powder free;
Materijal: nitrile, non-powdered;
Colour: black;
Cuff: beaded;
Length: 24 cm;
Distinctive features: optimal tactile sensitivity, covering colour;
Recommended for: mechanical and automotive industry, tattoo artists, mechanical workshops, nursing care, dentistry, veterinary medicine, beauty and hairdressing salons, food contact, minor assembly works, houseworks;
AQL: 1,5 in accordance with ISO 2859-1;
CE classification: Class I - Medical Device, Category I - Personal Protective Equipment;
Norm: EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420;
Available sizes: XS - XL;
Packing: box with 100 gloves;

**RETAIL
MALOPRODAJA**



CE EN 455-1, EN455-2,
EN455-3, EN455-4,
EN980, EN1041, EN ISO 13485,
EN374-1, EN374-2, EN420;

RD301040

LACUNA WORKTIME

LACUNA WORKTIME

NITRYLEX CHEMO LONG

Opis: Jednokratne zaštitne nesterilisane rukavice bez pudera;
Materijal: nitril, bez pudera;
Boja: plava;
Manžetna: ivica sa porubom, prođuena manžetna;
Dužina: minimalno 29,5 cm;
Karakteristike: dodatna zaštita za podlakticu;
Preporučena područja upotrebe: polsovi čišćenja i sanitiranja, za kontakt sa određenim hemijskim supstancama, endoskopija,nega bolesnika, dentalna medicina, veterinarska medicina;
AQL: 1,0 u sukladosti sa ISO 2859-1;
CE klasifikacija: Klasa I - Medicinski proizvod(93/42/EEC) , Kategorija III - osobna zaštita oprema;
Norma: EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420, EN388;
Dostupne veličine: XS - XL;
Pakovanje: kutija od 100 komada;



Description: Protective and examination non sterile gloves, powder free;
Materijal: nitrile, non-powdered;
Colour: blue;
Cuff: beaded, extended cuff - at least 30cm;
Length: at least 30 cm;
Distinctive features: additional forearm protection;
Recommended for: endoscopy, sanitary and cleaning works, contact with selected chemicals,nursing care, dentistry, veterinary medicine, food contact;

AQL: 1,0 in accordance with ISO 2859-1;
CE classification: Class I - Medical device, Category III - Personal Protective Equipment;
Norm: EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN388;
Dostupne veličine: XS - XL;
Pakovanje: kutija od 100 komada;

**NOVO
NEW**



CE EN 455-1, EN455-2,
EN455-3, EN455-4,
EN980, EN1041, EN ISO 13485,
EN374-1, EN374-2, EN420;

RD300930

LACUNA WORKTIME

VINYLEX POWDER FREE

Opis: Jednokratne zaštitne nesterilisane rukavice bez pudera;
Materijal: vinyl, bez pudera;
Boja: providna;
Manžetna: ivica sa porubom;
Dužina: 24 cm;
Karakteristika: za prijatniji rad u vinil rukavicama;
Preporučena područja upotrebe: veterinarska medicina, saloni lepote;
AQL: 1,5 u skladu sa ISO 2859-1;
CE klasifikacija: Klasa I - Medicinski proizvod(93/42/EEC) , Kategorija III - lična zaštita oprema;
Norma: EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420;
Dostupne veličine: XS - XL;
Pakovanje: kutija od 100 komada;



Description: Protective and examination non sterile gloves, powder free;
Materijal: vinyl, non-powdered;
Colour: transparent;
Cuff: beaded;
Length: 24 cm;
Distinctive features: more comfortable work in vinyl gloves;
Recommended for: veterinary medicine, beauty and hairdressing salons;

AQL: 1,5 in accordance with ISO 2859-1;
CE classification: Class I - Medical Device, Category III - Personal Protective Equipment;
Norm: EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420;
Available sizes: XS - XL;
Packing: box with 100 gloves;

**NOVO
NEW**



CE EN 455-1, EN455-2,
EN455-3, EN455-4,
EN980, EN1041, EN ISO 13485,
EN374-1, EN374-2, EN420;

RD200180

LACUNA WORKTIME

SANTEX POWDERED

Opis: Jednokratne zaštitne nesterilisane rukavice sa puderom;
Materijal: latex, sa puderom; Boja: krem boja;
Manžetna: ivica sa porubom; Dužina: 24 cm;
Karakteristika: visoka taktilna osjetljivost;
Preporučena područja upotrebe: nega bolesnika, dentalna medicina, veterinarska medicina, saloni lepote, kontakt sa hransom, kućna radinost;
AQL: 1,5 u skladu sa ISO 2859-1;
CE klasifikacija: Klasa I - Medicinski proizvod(93/42/EEC) , Kategorija I - lična zaštita oprema za minimalne rizike;
Norma: EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420;
Dostupne veličine: XS - XL;
Pakovanje: kutija od 100 komada;



Description: Protective and examination non sterile gloves, powdered;
Materijal: latex, powdered;
Colour: cream;
Cuff: beaded;
Length: 24 cm;
Distinctive features: enhanced tactile sensitivity;
Recommended for: nursing care, dentistry, veterinary medicine, beauty and hairdressing salons, food contact, minor assembly works, houseworks;

AQL: 1,5 in accordance with ISO 2859-1;
CE classification: Class I - Medical Device, Category I - Personal Protective Equipment;
Norm: EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420;
Available sizes

LACUNA WORKTIME

DERMAGEL COATED

RD100060

Opis: Jednokratne zaštitne nesterilisane rukavice bez pudera;
Materijal: latex, bez pudera;
Boja: krem;
Manžetna: ivica sa porubom;
Dužina: 24 cm;
Karakteristike: jednostavne za upotrebu;
Preporučena područja upotrebe: za rad u laboratoriju, industrija nameštaja, dijagnostika, saloni lepote, nega bolesnika, dentalna medicina, veterinarska medicina, kontakt sa hranom;
AQL: 1.0 u skladu sa ISO 2859-1;
CE klasifikacija: Klasa I - Medicinski proizvodi(93/42/EEC), Kategorija III - lična zaštita oprema;
Norma: EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420, EN388;
Dostupne veličine: XS - XL;
Pakovanje: kutija od 100 komada;

Description: Protective and examination non sterile gloves, powder free;
Material: latex, powder free;
Colour: cream;
Cuff: beaded;
Length: 24 cm;
Distinctive features: easy donning;
Recommended for: laboratories, furniture industry, diagnostics, nursing care, beauty salons, dentistry, veterinary medicine, food contact;
AQL: 1.0 in accordance with ISO 2859-1;
CE classification: Class I - Medical Device, Category III - Personal Protective Equipment;
Norm: EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420, EN388;
Available sizes: XS - XL;
Packing: box with 100 gloves;



CE EN 455-1, EN455-2,
EN455-3, EN455-4,
EN980, EN1041, EN ISO 13485,
EN374-1, EN374-2, EN420;



LACUNA WORKTIME

AMBULANCE HIGH RISK

RD100110

Opis: Jednokratne zaštitne nesterilisane rukavice bez pudera;
Materijal: latex, bez pudera;
Boja: tamno plava;
Manžetna: ivica sa porubom;
Dužina: minimalno 30 cm;
Karakteristike: visok nivo zaštite
Preporučena područja upotrebe: high risk procedure, hitna služba , za hitne intervencije, industrija nameštaja, dijagnostika, nega bolesnika, dentalna medicina, veterinarska medicina, kontakt sa hranom, kućna radnost; AQL: 1,5 u skladu sa ISO 2859-1;
CE klasifikacija: Klasa I - Medicinski proizvodi(93/42/EEC), Kategorija III - lična zaštita oprema;
Norma: EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420, EN388;
Dostupne veličine: S - XL;
Pakovanje: kutija od 50 komada;

Description: Protective and examination non sterile gloves, powder free;
Material: latex, powder free;
Colour: dark blue;
Cuff: beaded;
Length: at least 30 cm;
Distinctive features: enhanced protection;
Recommended for: high risk procedures, hospital emergency, laboratories, furniture industry, diagnostics, nursing care, dentistry, veterinary medicine, food contact;
AQL: 1.5 in accordance with ISO 2859-1;
CE classification: Class I - Medical Device, Category III - Personal Protective Equipment;
Norm: EN 455-1, EN455-2, EN455-3, EN455-4, EN980, EN1041, EN ISO 13485, EN374-1, EN374-2, EN420, EN388;
Available sizes: S - XL;
Packing: box with 50 gloves;



CE EN 455-1, EN455-2,
EN455-3, EN455-4,
EN980, EN1041, EN ISO 13485,
EN374-1, EN374-2, EN420;



ARDON

HDPE BEZ PUDERA
HDPE WITHOUT POWDER

A5006

Veličina / Size :
9

Materijal: POLIETILEN BEZ PUDERA
Originalno pakovanje: 10/100

Material: POLYETHYLENE
WITHOUT POWDER
Original packaging: 10/100





Worktime

OPREMA ZA VISINSKE RADOVE HEIGHT SAFETY EQUIPMENT





Kompanija KRATOS SAFETY i istoimeni brand, osnovana je 2011. godine i jedna je od najbrže rastućih firmi za proizvodnju visokokvalitetne zaštitne opreme za visinske radove sa sedištem u Francuskoj.

KRATOS SAFETY je vertikalno organizovana kompanija koja svaki i najmanji deo koji je ugrađen u proizvode izrađuje u sopstvenim fabrika-ma smeštenim u Indiji:

- tkanje svih tekstilnih delova koji su ugrađeni u opremu
- Izradu užadi
- izradu svim metalnim i nemetalnim komponenti od kojih se sastoji pojedini proizvod
- sklapanje proizvoda
- dvostruko testiranje svakog proizvoda

Upravo vertikalna organizacija kompanije KRATOS SAFETY omogućava da su sve faze proizvodnje pod strogim nadzorom i kontrolom a što je izuzetno važno s obzirom da zaštitna oprema za visinski rad spada u ličnu zaštitu opremu kategorije III- smrtni rizici.

Lična zaštitna oprema KATEGORIJE III je namenjena zaštiti od smrtnih opasnosti III rizika nepovratnog zdravstvenog oštećenja. Proizvodi kompanije KRATOS SAFETY izrađeni od najkvalitetnijih materijala uz neprekidno usavršavanje i inovacije koje rezultiraju kontinuiranim plesmanom na tržište kako novih proizvoda, tako i usavršavanjem postojećih. U asortimanu se nalazi preko 400 različitih proizvoda svrstanih u 8 grupa. KRATOS SAFETY oprema za visinski rad uspešno se prodaje širom sveta u više od 40 zemalja.

The company KRATOS has been in existence since 2011 and is one of the fastest growing companies to produce high quality protective equipment for height work. The headquarters of the company are in France, a factory located in India. A company is vertically organized that literally produces every piece of equipment in its own factory

- Weaving of all textile parts that are incorporated in the equipment
- Making ropes
- Making all metal and non-metallic components from which each product consists
- Making the product
- Duplicate testing of each product

The vertical organization of the company enables all stages of production to take place under strict supervision and control, which is of particular importance since high performance protective equipment is a category III mortal risk. Personal Protective Equipment CATEGORIES III is intended to protect against death or the risk of irretrievable health damage. Their products are made of the highest quality materials with continuous training and innovation that result in the launch of new products or improvements to the existing market every year. They have a total of around 200 different products in 8 groups. KRATOS is sold in over 40 countries worldwide.

Svi proizvodu su u skladu sa EU direktivom 89/686/CEE koja propisuje zdravstvene i sigurnosne zahteve koje lična zaštitna oprema mora ispunjavati i sertifikovani su po pripadajućim normama.

Unutar propisa donešene su dve evropske smernice koje pokrivaju sigurnost na radu:

I Direktiva 89/656 / CEE od 30. novembra 1989, koja pokriva upotrebu opreme za ličnu zaštitu (PPE), (za korisnike).

I Direktiva 89/686 / CEE od 21. decembra 1989., koja pokriva dizajn OZO, (za proizvođače). Izraz PPE (Personal Protection Equipment) / LZO (Lična Zaštita Oprema) označava „bilo koji uređaj ili sredstva namenjena da se nose ili drže osobu da je zaštite od jednog ili više rizika koji bi mogli ugroziti njeno zdravlje ili sigurnost na radnom mestu, i bilo koji dodatni pribor namenjen za tu svrhu“. Direktiva 89/686 / CEE određuje kategorizaciju LZO. Dakle, za svaku od sledećih kategorija LZO određuje postupke sertifikovanja i tehnička pravila koje oprema mora zadovoljiti.

* Tip I LZO: manji rizici (namenjeni zaštiti od površinskih povreda). Proizvođač ima CE sertifikat. On izjavljuje da, kada je nova, LZO odgovara zahtevima direkтиve. Njegova lična odgovornost je uključena. Proizvod je potom označen CE.

* Tip II LZO: Srednji rizici (namenjeni zaštiti od mehaničkih, topotlovnih i hemijskih rizika). Proizvođač podnosi zahtev za CE inspekciiju, praćen tehničkom dokumentacijom LZO na jedna od 80 obaveštenih evropskih laboratorijskih, koja nastavlja s nizom testova i dodeljuje EC sertifikat za ispitivanje tipa (TEC) ako LZO odgovara zahtevima.

* Tip III LZO: smrtna opasnost (namenjena zaštiti od smrtnе opasnosti ili rizika nepovratne zdravstvene štete).

Proizvođač ima izbor za nadzor proizvodnje svog proizvoda između završenog CE sistema osiguranja proizvoda (11A) ili sistem osiguranja kvaliteta s nadzorom proizvodnje (11B). Pre toga morao je obaviti isti postupak kao i za LZO TIP II - srednji rizici LZO namenjena zaštiti od pada s visina pripadaju kategoriji III. CE oznaka odnosi se na sve tri kategorije. Proizvodi overeni na ovaj način nose oznaku CE, a za kategoriju III sledi broj prijavljene tela kojim se rukovodi kontrola kvaliteta.Za svaki sertifikovani proizvod proizvođač isporučuje korisnička uputstva sa svojim imenom i adresom, skladištenjem, korišćenjem i uputstvom za održavanje, preporučeno vreme upotrebe i značenje oznaka. Sve ove specifikacije su propisane prethodno navedenim "usklađenim" EN standardima.

All products comply with EU Directive 89/686 / EEC which prescribes the health and safety requirements for personal protective equipment to be met and certified according to the relevant standards

Within the regulations, two European Directives covering workplace safety have been adopted:

I Directive 89/656/CEE of 30 November 1989, covering the use of Personal Protection Equipment (PPE), (for users):

I Directive 89/686/CEE of 21 December 1989, covering the design of PPE, (for manufacturers). The term PPE (Personal Protection Equipment) signifies "any device or means intended to be worn or held by a person to protect them from one or more risks likely to threaten their health or their safety in the workplace, and any addition or accessory intended for this purpose".

Directive 89/686/CEE determines the categorisation of PPE. Hence, for each of the following categories of PPE, it lays down the certification procedures and technical rules which the equipment must satisfy to benefit from free circulation within the European Union:

* Type I PPE: Minor risks (intended to protect against superficial injuries). The manufacturer does a CE self-certification. He declares that, when new, the PPE conforms to the requirements of the directive. His personal responsibility is engaged. The product is then marked CE.

* Type II PPE: Intermediate risks (intended to protect against mechanical, thermal and chemical risks). The manufacturer makes an application for a CE inspection, accompanied by the technical file of the PPE to one of the 80 notified European laboratories, which proceeds with a series of tests and studies the file with a view to attributing an EC Type-Examination Certificate (TEC) if the PPE conforms to the requirements.

* Type III PPE: Mortal danger (intended to protect against mortal danger or risks of irreversible health damage). The manufacturer has the choice for the surveillance of the manufacture of his product between the CE finished product guarantee system (11A), or the CE quality assurance system with production monitoring (11B). Previous to this he should have performed the same process as for intermediate risk PPEs. PPEs intended for protection against falls from heights all belong to Category III. CE marking applies to all three categories. Products certified in this way carry CE marking, followed, for category III, by the number of the notified body handling the quality control. For every certified product, the manufacturer supplies user instructions providing his name and address, storage, use and maintenance instructions, a recommended use-by-date and the meaning of the markings. All these specifications are stipulated in the previously listed "harmonised" EN standards.



LACUNA

WORKTIME

NORME / STANDARDS

NORMA / STANDARD	OPIS/ DESCRIPTION
EN341	"Spasilački uređaji za spuštanje/ Rescue descender devices "
EN353-1	Zaustavljanje pada s vodilicom uključujući krutu sidrenu liniju/ Guided type fall arresters including a rigid anchor line
EN353-2	Zaustavljanje pada s vodilicom uključujući fleksibilnu sidrenu liniju/ Guided type fall arresters including a flexible anchor line
EN354	Užad / Lanyards
EN355	Apsorberi energije / Energy absorbent
EN358	Pojasevi za pozicioniranje i zadržavanje radne pozicije i užad za pozicioniranje / Belts for work positioning and restraint and work positioning lanyards restraint
EN360	Uredaji za zaustavljanje pada s automatskim povlačenjem/ Retractable fall arresters
EN361	Uprtači za telo/ Full body harnesses
EN362	Spone, konektori (karabini)/ Connectors
EN567	Planinarska oprema - Hvataljke za uže/ Mountaineering equipment - Rope clamps
EN795 Classe B	Sidreni uređaji/ Anchor devices
EN795 Classe A-C-D-E	
EN813	Pojasevi za bedra / sedni pojasevi/ Sit harnesses
EN1496	Uredaji za podizanje kod spašavanja/ Rescue lifting devices
EN1497	Užad za spašavanje/ Rescue loops
EN1498	Uprtač za spašavanje/ Rescue harnesses
EN1891	Kermantl uže sa niskim nivoom rastegljivosti/ Low stretch Kernmantle rope
EN12 278	Remienici - Sigurnosni zahtevi i metode ispitivanja/ Pulleys - Safety requirements and test methods
EN12 841	Pristupni sistemi - uredaji za podešavanje konopa/ Access system - rope adjustment devices
EN 471	Odeća za visoku vidljivost za profesionalnu upotrebu/ High visibility warning clothing for professional use
EN696	Užad za opšte namene - poliamidna/ Fiber ropes for general service - Polyamide
EN1149-1	Zaštitna odeća - Elektrostaticna svojstva - Površinska otpornost/ Protective clothing - Electrostatic properties - Surface resistivity
EN13463	Ne-električna oprema za upotrebu u potencijalno eksplozivnim atmosferama/ Non-electrical equipment for use in potentially explosive atmospheres
ISO9150	Zaštitna odeća - Sposobnost materijala u kontaktu s malim prskanjem rastaljenog metalja/ Protective clothing - Ability of materials in contact with small splashes of molten metal
ISO15025	Zaštitna odeća - Zaštita od topote i plamena/ Protective clothing - Protection against heat and flames


OPŠTA NAČELA ZA VISINSKE RADOVE/ THE GENERAL PRINCIPLES OF WORKING AT HEIGHT

Lična zaštitna oprema bi trebalo da se koristi samo kada kolektivni sistem zaštite ne može biti postavljen na radno mesto ili privremeno za obavljanje posla.	Personal protection should only be used when collective protection cannot be installed on a site or for a temporary action limited in time.
Lična zaštita od pada s visine zahteva tri neodvojive komponente:	Personal protection against falls from height has the particularity of requiring three inseparable components:
* Sistem za držanje tela,	* A body holding system,
* Sisteme za povezivanje i sprečavanje pada	* Fall prevention linking,
* Sidreni sistem.	* An anchorage system.
Zavisno od konfiguracija nadzemnih radova, može se koristiti nekoliko metoda a time i vrsta opreme za zaštitu i prevenciju od pada:	Depending on the overhead work configurations several working methods, and hence types of equipment, may be used:
PREVENCIJA OD PADA S PLATFORME: svrha ove radne metode je da se spreči da radnik dođe do područja gde postoji mogućnost pada s visine. Osnovna oprema za upotrebu: oprema koja se koristi na platformi je uprtač ili pojas + uže + sidrište Standardi koji se odnose na ovu upotrebu: EN361; EN358; EN354; EN795; EN362	WORK STATION PREVENTION: The purpose of this work method is to prevent the worker from reaching an area where there is a risk of a fall from a height. Basic equipment to be used: Work station holding harness or belt + Lanyard + Anchorage Standards concerned: EN361; EN358; EN354; EN795; EN362"
POZICIONIRANJE NA PLATFORMU: Svrlja ove metode je da se radnik dopusti slobodno i sigurno krećanje i držanje na mestu dok su mu ruke slobodne za obavljanje posla (npr. na stubu) U ovoj radnoj situaciji, važno je razlikovati da li postoji rizik od padanja. Ako postoji osnovna radna stanica koja drži opremu treba koristiti sistem zaštite protiv pada.	WORK STATION HOLDING: The purpose of this work method is to allow a worker to move about freely in safety and to hold them in position while leaving their hands free to do the work (e.g.: on a pylon) In this work situation, it is important to distinguish whether or not there is a risk of falling. If there is, the basic work station holding equipment should be used with a fall prevention protection system.
Osnovna oprema za upotrebu: Držać za radnu stanicu s pojasm za remenje ili radnom stanicom + Držać radne stанице + Sidrište Standardi koji se odnose na ovu upotrebu: EN361; EN358; EN795; EN362	Basic equipment to be used: Work station holding harness with belt or work station holding belt + Work station holding lanyard + Anchorage Standards concerned: EN361; EN358; EN795; EN362
PREVENCIJA KOD PADA: Svrlja ove metode rada je držanje radnika tokom pada i njegovog zadržavanje u najboljim uslovima dok čeka pomoć. Efikasan sistem zaustavljanja pada bi trebalo da smanji visinu pada što je više moguće, apsorbuje što više energije i smanji sile koje deluju na ljudsko telo. Osnovna oprema za upotrebu: Preklopka za sprečavanje ispadanja + Uredaj za sprečavanje pada + Tačka sidrenja. Standardi koji se odnose na ovu upotrebu: EN361; EN353-1, EN 353-2; EN355; EN360; EN795; EN362;	FALL PREVENTION: The purpose of this work method is to hold the worker during a fall and to hold them suspended in the best conditions while awaiting help. An efficient fall arrest system should reduce the height of the fall as much as possible, absorb as much energy as possible to reduce the forces applied to the human body and hold the person suspended while reducing the forces due to the inert (or not) position of a person in their harness. Basic equipment to be used: Fall prevention harness + Fall prevention device + Anchorage point. Standards concerned: EN361; EN353-1, EN 353-2; EN355; EN360; EN795; EN362
RAD U ZATVORENIM PROSTORIMA: Ova metoda rada omogućava radniku ulazak u rezervoare, kanalizaciju, silose, itd. I mogućnost da bi se u bilo kom trenutku mogao podići odozgo. Zato je neophodno da je druga osoba na raspolaženju za ovu operaciju. Osnovna oprema za upotrebu: uprtač za sprečavanje pada + spojni sistem + sistem podizanja (vitlo, itd.) + sidrište (tronožac, vešala, itd) Standardi koji se odnose na ovu upotrebu: EN361; EN360 + EN1496; EN795; EN362	WORK IN CONFINED SPACES: This working method allows a worker to enter tanks, sewers, silos, etc, and to be able to be lifted out at any time from above. Consequently it is necessary for another person to remain available for this operation. Basic equipment to be used: Fall prevention harness+ Connecting system + Lifting system (winch, etc) + Anchorage point (tripod, gallows, etc) Standards concerned: EN361; EN360+EN1496 ; EN795 ; EN362"
PRISTUPNO UŽE: Ova tehnika krećanja na užetu trebalo bi da se koristi samo kada tradicionalni pristupni sistemi ne mogu da se instaliraju. Osnovna oprema za pristup se mora koristiti sa sistemom prevencije padova.	ROPE ACCESS: This technique of movement on a rope should only be used when traditional access systems cannot be installed. The basic rope access equipment should be used with a fall prevention system.
Osnovna oprema za upotrebu: kompletan uprtač za sprečavanje pada + progresivni sistem + sidrište. Standardi koji se odnose na ovu upotrebu: EN361; EN358; EN 813; EN341; EN567; EN12841; EN12278; EN795; EN362	Basic equipment to be used: Complete fall prevention harness + Progression system + Anchorage point. Standards concerned: EN361; EN358; EN 813; EN341; EN567; EN12841; EN12278; EN795; EN362
SPAŠAVANJE I EVAKUACIJA Ova tehnika se koristi u hitnim slučajevima i najoštećljivija je. Ako je korisnik svestran i ima opremu, može sam izvršiti tu intervenciju, ili sa pomagачem. U ovoj situaciji nužno je da se može doći do žrtve, osigura osobu u potpunosti da se podigne ili spusti. Osnovna oprema za upotrebu: Kompletan uprtač za sprečavanje pada + sistem za sprečavanje padova + sistem spašavanja + sidrište. Standardi koji se odnose na ovu upotrebu: EN361; EN1496; EN1498; EN341; EN1865; EN795; EN362	RESUE & EVACUATION: As this technique is used in an emergency it is naturally the most sensitive. This intervention can be performed by the user him/herself, if he/she is conscious and has the necessary equipment for self-extraction, or by a helper. In this situation it is necessary to be able to reach the victim, release him/her in complete safety and remove the person upwards or downwards. Basic equipment to be used: Complete fall prevention harness + fall prevention system + rescue system + anchorage point. Standards concerned: EN361; EN1496; EN1498; EN341; EN1865; EN795; EN362


PODRUČJA UPOTREBE / WORK SITUATIONS

Rad na dizalicu Cherry picker	Nagnuta površina Inclined plan	Ravna površina Horizontal plan	Posicioniranje na platformi Work station holding	Fiksiranje na merdevine Fixed ladder	Skele Scaffolding	Rad na metalnim strukturama Lattice metallic structure
Posicioniranje protiv pada s platforme Work station prevention	Ograničen prostor Confined space	Dvostruko uže Double rope descent	Suspenzija Suspension	Spajanje na okvir vrata Door frame work	Spas - evakuacija Rescue - Evacuation	

LEGENDA OZNAKA / GENERAL KEY



TOČKE SPAJANJA / ATTACHEMENT POINTS



UPRTAČI / HARNESSES



SIDRIŠTA / ANCHORAGES



TABELA MERA / MEASUREMENTS

Za odabir pojasa ili pojasa s ugrađenim prslukom, bitne mere su veličina bedara i veličina grudi, a ostale mere su date kao indikacija.
For selecting a harness or a harness with integrated vest, the essential measures are the thigh size and the bust size, the other measures are given as an indication.

Za odabir pojasa bitna mera je veličina struka. For selecting a belt, the essential measure is the waist size.

Mjere / Measures (cm)	S-L	TU	L-XXL
A - ŠIRINA BEDARA / THIGH SIZE	48-70	55-90	65-95
B - ŠIRINA GRUDI / BUST SIZE	94-114	98-128	114-134
C - ŠIRINA STRUKA / WAIST SIZE	60-105	70-115	75-125
D - VISINA / HIGH	160-185	160-200	170-200



LEGENDA OZNAKA / GENERAL KEY

ŠIFRA ARTIKLA	PODRUČJA UPOTREBE																				
	FA10 102 00	FA10 103 00	FA10 107 01	FA10 402 00	FA10 203 00	FA10 204 01	FA10 202 00	FA10 201 00	FA10 109 00	FA10 113 00	FA10 214 00	FA10 211 00	FA10 212 00	FA10 303 00	FA20 100 XX	FA20 103 00A	FA20 300 02	FA20 400 10	FA30 300 20	FA30 400 18	FA30 500 20
FA10 102 00	✓								✓	✓							✓				
FA10 103 00	✓								✓												✓
FA10 107 01		✓	✓						✓	✓											
FA10 402 00				✓																	
FA10 203 00					✓							✓	✓								
FA10 204 01						✓						✓									
FA10 202 00													✓	✓	✓						✓
FA10 201 00		✓				✓	✓														
FA10 109 00		✓*	✓*																✓*		
FA10 113 00		✓	✓							✓	✓	✓									
FA10 214 00					✓	✓						✓									
FA10 211 00		✓**	✓**	✓**	✓**	✓**						✓**									
FA10 212 00						✓***						✓***	✓***								
FA10 303 00	✓			✓			✓											✓			
FA20 100 XX		✓			✓	✓															
FA20 103 00A		✓				✓												✓	✓	✓	
FA20 300 02	✓					✓															✓
FA20 400 10		✓	✓				✓										✓				✓
FA30 300 20			✓					✓	✓	✓											
FA30 400 18				✓					✓	✓	✓										
FA30 500 20					✓				✓	✓	✓										

- Prikladan/ Suitable
- Prikladno za upotrebu u područjima s potencijalnom eksplozijom (ATEX)/ Suitable for a use in potentially explosive areas (ATEX)
- Prikladan za upotrebu u području s potencijalnim prskanjem malih rastopljenih metala/ Suitable for a use in atmospheres with potential small molten metal splashes
- Prikladno za upotrebu u uslovima gde postoje moguće električne opasnosti/ Suitable for a use in conditions where there are possible electrical hazards



Artikl je prilagođen maloprodaji
The item is customized to retail



Visokokvalitetni proizvodi nastali kao rezultat razvoja, inovacije i dugogodišnjeg iskustva.
High-quality products resulting from development, innovation and years of experience.



Oznaka za nove artikle u katalogu
New items in the catalog



Artikl proizveden u Evropi
The item produced in Europe



LACUNA

WORKTIME

KRATOS

UPRTAČ S JEDNOM TAČKOM KOPČANJA

Opis: Upać s jednom tačkom kopčanja;
Veličina: univerzalna;
Materijal: naramenice: poliester, kopče: čelik;
Težina artikla: 0,72 kg;
Maksimalna nosivost: 100 kg;
Standard: EN361:2002;

Full body Harness
Description: Body harness 1 attachment point;
Size: Universal;
Material: straps: polyester, buckle: steel;
Item weight: 0,72 kg;
Maximum weight: 100 kg;
Standard: EN361:2002;



FA10 102 00



EN361:2002	✓
EN358:2000	
EN813:2008	



• Dorsal



D-Ring/ Dés

Buckles/ Boucles



Size

TU

KRATOS

UPRTAČ SA DVE TAČKE KOPČANJA

Opis: Upać s dve tačke kopčanja;
Veličina: univerzalna;
Materijal: naramenice: poliester, kopče: čelik;
Težina artikla: 0,82 kg;
Maksimalna nosivost: 100 kg;
Standard: EN361:2002;

Description: Body harness 2 attachment points;
Size: Universal;
Material: straps: polyester, buckle: steel;
Item weight: 0,82 kg;
Maximum weight: 100 kg;
Standard: EN361:2002;



FA10 103 00



EN361:2002	✓
EN358:2000	
EN813:2008	



• Stemal

• Dorsal



D-Ring/ Dés

Buckles/ Boucles



Size

TU

KRATOS

UPRTAČ MOVE 3 ZA SKELE

Opis: Upać MOVE 3 za skele s dve tačke kopčanja;
Veličina: univerzalna;
Materijal: naramenice: poliester, kopče: čelik,
prednja kopča: aluminij;
Težina artikla: 1,66 kg;
Maksimalna nosivost: 140 kg;
Standard: EN361:2002;

Description: Body harness MOVE3 for scaffold
2 attachment points;
Size: Universal;
Material: straps: polyester, buckle: steel,
front buckle: aluminium;
Item weight: 1,66 kg;
Maximum weight: 140 kg;
Standard: EN361:2002;



FA 10 107 01



EN361:2002	✓
EN358:2000	
EN813:2008	




• Stemal

• Dorsal



Size

TU



D-Ring/ Dés

Buckles/ Boucles

KRATOS

Pojas za radno pozicioniranje

Opis: Pojas za radno pozicioniranje,
2 bočna prstena za kopčanje;
Veličina: univerzalna;
Materijal: naramenice: poliester, kopče: čelik;
Težina artikla: 0,45 kg;
Standard: EN358:2000;

Description: Work positioning belt, 2 lateral D-rings;
Size: Universal;
Material: straps: polyester, buckle: steel;
Item weight: 0,45kg;
Standard: EN358:2000;



FA10 402 00

EN361:2002	✓
EN358:2000	
EN813:2008	



• Lateral



D-Ring/ Dés

Buckles/ Boucles



Size

TU

KRATOS

Pojas za radno pozicioniranje sa užetom

Opis: Pojas za radno pozicioniranje,
2 bočna prstena za kopčanje i uže FA4090020;
Veličina: univerzalna;
Materijal: naramenice: poliester, kopče: čelik;
Težina artikla: 1,14 kg;
Standard: EN358:2000;

Description: Body harness 2 attachment points, belt
FA1040200 and rope FA4090020;
Size: Universal;
Material: straps: polyester, buckle: steel;
Item weight: 2,02 kg;
Maximum weight: 140 kg;
Standard: EN361:2002, EN358:2000;



FA10 402 00FA4090020

EN361:2002	✓
EN358:2000	
EN813:2008	



• Lateral



D-Ring/ Dés

Buckles/ Boucles



Size

TU

KRATOS

Upać sa dve tačke kopčanja i pojasom

Opis: Upać sa dve tačke kopčanja i pojasom FA1040200;
Veličina: univerzalna;
Materijal: naramenice: poliester, kopče: čelik;
Težina artikla: 1,33 kg;
Maksimalna nosivost: 140 kg;
Standard: EN361:2002, EN358:2000;

Description: Body harness 2 attachment points
and belt FA1040200;
Size: Universal;
Material: straps: polyester, buckle: steel;
Item weight: 1,33 kg;
Maximum weight: 140 kg;
Standard: EN361:2002, EN358:2000;



FA10 203 00

EN361:2002	✓
EN358:2000	
EN813:2008	



• Stemal

• Dorsal



D-Ring/ Dés

Buckles/ Boucles



Size

TU

KRATOS

Upać sa dve tačke kopčanja i pojasom sa užetom

Opis: Upać sa dve tačke kopčanja, pojasom FA1040200 i
užetom FA4090020;
Veličina: univerzalna;
Materijal: naramenice: poliester, kopče: čelik;
Težina artikla: 2,02 kg;
Maksimalna nosivost: 140 kg;
Standard: EN361:2002 , EN358:2000;

Description: Body harness 2 attachment points,
belt FA1040200 and rope FA4090020;
Size: Universal;
Material: straps: polyester, buckle: steel;
Item weight: 2,02 kg;
Maximum weight: 140 kg;
Standard: EN361:2002, EN358:2000;



FA10 203 00FA4090020

EN361:2002	✓
EN358:2000	
EN813:2008	



• Stemal

• Dorsal



D-Ring/ Dés

Buckles/ Boucles



LACUNA

WORKTIME

KRATOS


Uprtač sa dve tačke kopčanja i pojasmom

Opis: Uprtač s dve tačke kopčanja i pojasmom FA10 401 00;
Veličina: univerzalna;
Materijal: naramenice: poliester, kopče: čelik;
Težina artika: 2,01 kg;
Maksimalna nosivost: 140 kg;
Standardi: EN361:2002, EN358:2000;

Description: Body harness 2 attachment points and belt FA10 401 00;
Size: Universal
Material: straps: polyester, buckle: steel;
Item weight: 2,01 kg;
Maximum weight: 140 kg;
Standard: EN361:2002, EN358:2000;



FA10 204 01



KRATOS



Uprtač sa dve tačke kopčanja i pojasmom FLY'IN 3

Opis: Uprtač s dve tačke kopčanja i pojasmom;
Karakteristike: idealan za sedenje, izuzetno udoban za korisnika, automatske kopče;
Veličina: S-L;
Materijal: naramenice: poliester, kopče: čelik, D-prsten: aluminijum;
Težina artika: 2,25 kg;
Maksimalna nosivost: 140 kg;
Standardi: EN361:2002, EN358:2000, EN813:2008;

Description: Body harness 2 attachment points and belt;
Charachteristics: ideall for long sitting, extra comfortable for user, automatic buckles;
Size: S-L;
Material: straps: polyester, buckle: steel, D-ring: aluminium;
Item weight: 2,25 kg;
Maximum weight: 140 kg;
Standard: EN361:2002, EN358:2000, EN813:2008;



FA10 202 00



KRATOS

Uprtač sa dve tačke kopčanja i pojasmom FLY'IN 2

Opis: Uprtač s dve tačke kopčanja i pojasmom;
Karakteristike: idealan za sjedenje, izuzetno udoban za korisnika, automatske kopče;
Veličina: S-L;
Materijal: naramenice: poliester, kopče: čelik;
Težina artika: 2,27 kg;
Maksimalna nosivost: 140 kg;
Standardi: EN361:2002, EN358:2000;

Description: Body harness 2 attachment points and belt;
Charachteristics: ideall for long sitting, extra comfortable for user, automatic buckles;
Size: S-L;
Material: straps: polyester, buckle: steel ;
Item weight: 2,27 kg;
Maximum weight: 140 kg;
Standard: EN361:2002, EN358:2000;



FA10 201 00



KRATOS


Uprtač sa dve tačke kopčanja ATEX

Opis: Uprtač s dve tačke kopčanja;
Karakteristike: ATEX standard za rad u eksplozivnim atmosferama za upotrebu u rudarstvu, petrohemiji;
Veličina: univerzalna;
Materijal: naramenice: antistatični poliester, kopče: čelik;
Težina artika: 1,19 kg;
Maksimalna nosivost: 140 kg;
Standard: EN361: 2002, EN1149-1: 2006, Directive Atex 94/9/CE, EN13463-1 : 2001, EN136463-5 : 2003;

Description: ATEX standard a perfect solution for works at height in explosive atmosphere particularly recommended use: mining, petrochemicals;
Size: Universal
Material: straps: antistatic polyester, buckle: steel;
Item weight: 1,19 kg;
Maximum weight: 140 kg;
Standard: EN361 : 2002, EN1149-1: 2006, Directive Atex 94/9/CE, EN13463-1 : 2001, EN136463-5 : 2003;



FA10 109 00



KRATOS



Uprtač sa dve tačke kopčanja REVOLTA

Opis: Uprtač sa dve tačke kopčanja REVOLTA serije;
Karakteristike: pogodan za sedenje, automatske kopče, trake REVOLTA serije posebno su otporne na vodu i ulje, nečistoće. Za upotrebu u rudarstvu, petrohemiji, u morskim uslovima;
Veličina: S-L;
Materijal: naramenice: poliester, kopče: aluminijum;
Težina artika: 1,47 kg;
Maksimalna nosivost: 140 kg;
Standard: EN361: 2002;

Description: Body harness 2 attachment points REVOLTA series;
Charachteristics: sit harness, automatic buckles, webbing REVOLTA series resistant to water and oil, dirt. For usage in mining, petrochemicals, offshore;
Size: S-L;
Material: straps: polyester, buckle: aluminium;
Item weight: 1,47 kg;
Maximum weight: 140 kg;
Standard: EN361 : 2002;



FA10 113 00



KRATOS



Uprtač sa dve tačke kopčanja i pojasmom REVOLTA

Opis: Uprtač sa dve tačke kopčanja i pojasmom REVOLTA;
Karakteristike: pogodan za sedenje, automatske kopče, trake REVOLTA serije posebno su otporne na vodu i ulje, nečistoće. Za upotrebu u rudarstvu, petrohemiji, u morskim uslovima;
Veličina: S-L;
Materijal: naramenice: poliester, kopče: čelik, D-prsten: aluminijum;
Težina artika: 2,30 kg;
Maksimalna nosivost: 100 kg;
Standard: EN361:2002, EN358:2000;

Description: Body harness 2 attachment points and belt REVOLTA;
Charachteristics: sit harness, automatic buckles, webbing: REVOLTA series resistant to water and oil, dirt. For usage in mining, petrochemicals, offshore;
Size: S-L;
Material: straps: polyester, buckle: steel, D-ring: aluminium;
Item weight: 2,30 kg;
Maximum weight: 100 kg;
Standard: EN361:2002, EN358:2000;



FA10 214 00





LACUNA

WORKTIME

KRATOS

Upać sa dve tačke kopčanja i pojasm FIRE FREE

Opis: Upać s dve tačke kopčanja i pojasm FIRE FREE;

Karakteristike: trake otporne na prskanje rastopljenog metala.

Idealno za varioce, brodogradnju;

Veličina: univerzalna;

Materijal: naramenice:

aramid, kopče: čelik;

Težina artikla: 2,55 kg;

Maksimalna nosivost: 140 kg

Standardi: EN361:2002,

EN358:2000,

ISO9150:1988, ISO15025:2005;

Description: Body harness 2 attachment points and belt FIRE FREE;

Characteristics: webbing resistant to splashes of molten metal. Ideal for welding, shipbuilding;

Size: universal;

Material: straps: aramid, buckle: steel;

Item weight: 2,55 kg;

Maximum weight: 140 kg;

Standard: EN361:2002, EN358:2000,


ISO9150:1988, ISO15025:2005;



EN361:2002	✓
EN358:2000	✓
EN813:2008	



D-Ring/ Dorsal Buckles/ Boucles



KRATOS

Upać sa dve tačke kopčanja i pojasm DIELECTRIC

Opis: Upać s dve tačke kopčanja i pojasm DIELECTRIC;

Karakteristike: električno izolovan;

Veličina: univerzalna;

Materijal: naramenice: poliester, kopče: čelik premazan polimerom;

Težina artikla: 2,31 kg;

Maksimalna nosivost: 140 kg;

Standardi: EN361:2002, EN358:2000;

Description: Body harness 2 attachment points and belt DIELECTRIC;

Characteristics: electrically insulated;

Size: Universal;

Material: straps: polyester, buckle: polymer coated steel;




Item weight: 2,31 kg;

Maximum weight: 140 kg;

Standard: EN361:2002, EN358:2000;



EN361:2002	✓
EN358:2000	✓
EN813:2008	



FA10 211 00

KRATOS

Upać sa dve tačke kopčanja i pojasm FIRE FREE

Opis: Upać s dve tačke kopčanja i pojasm FIRE FREE;

Karakteristike: trake otporne na prskanje rastopljenog metala;

Veličina: univerzalna;

Materijal: naramenice: poliester, kopče:

čelik, vesta: polyamide (240g/m²);

Težina artikla: 1,45 kg;

Maksimalna nosivost: 140 kg;

Standardi: EN361:2002, EN471:2003+A1:2007;

Description: Body harness 2 attachment points and hi vis vest;

Size: Universal;

Material: straps: polyester, buckle: steel, vest: polyamide (240g/m²);

Item weight: 1,45 kg;

Maximum weight: 140 kg;

Standard: EN361:2002, N471:2003+A1:2007;



D-Ring/ Dorsal Buckles/ Boucles



FA10 303 00

Upać sa prslukom visoke vidljivosti

EN361:2002	✓
EN358:2000	✓
EN813:2008	



D-Ring/ Dorsal Buckles/ Boucles





LACUNA

WORKTIME

KRATOS Sprava za zaustavljanje pada (kočnica) i apsorber energije za uže (14 mm)

Opis: sprava za zaustavljanje pada (kočnica) i absorber energije;
Materijal: čelik, absorber: poliester i poliamid, spona: čelik;
 Za upotrebu s užadima od 14 mm;
Konektor: 1 spona FA5010117;
Tačka pucanja: >15kN;
Težina artikla: 1,20 kg;
Standard: EN353-2:2002;

Description: fall arrester with energy absorber;
Material: steel, absorber: polyester and polyamid;
 connector: steel; For usage with rope 14 mm;
Connector: 1 karabiner FA5010117;
 Breaking point: >15kN;
Item weight: 1,20kg ;
Standard: EN353-2:2002;



FA20 100 00B

KRATOS

Uže za kočnicu FA2010000

Opis: uže, prečnik 14 mm
Materijal: poliester;
Tačka pucanja: 29kN;
Standard: EN353-2:2002;

Description: safety rope, diameter 14mm
Material: polyester;
 Breaking point: 29kN;
Standard: EN353-2:2002;

ŠIFRA ARTIKLA	DULJINA	TEŽINA
FA20 100 10	10 m	1.25 kg
FA20 100 20	20 m	2.50 kg
FA20 100 30	30 m	3.90 kg



FA20 100 XX

EN353-2:2002 ✓

KRATOS

Kompaktna sprava za zaustavljanje pada (kočnica)

Opis: kompaktna sprava za zaustavljanje pada (kočnica);
Materijal: aluminijum, spona: čelik ;
 Za upotrebu sa užadi od 12 mm;
Konektor: 1 spona FA5010117;
Tačka pucanja: >15 kN;
Težina artikla: 4,21 kg;
Standard: EN353-2:2002 , EN358:2000;

Description: compact fall arrester;
Material: aluminium, connector: steel;
 For usage with rope 12 mm;
Connector: 1 karabiner FA5010117;
 Breaking point:>15 kN;
Item weight: 4,21 kg;
Standard: EN353-2:2002, EN358:2000;



FA20 103 00A

EN353-2:2002 ✓



KRATOS

Uže za kočnicu FA2010300

Opis: uže, prečnik 12 mm
Materijal: poliester;
Tačka pucanja: 15kN;
Standard: EN353-2:2002;

Description: safety rope, diameter 14mm
Material: polyester;
 Breaking point: 29kN;
Standard: EN353-2:2002;

ŠIFRA ARTIKLA	DULJINA	TEŽINA
FA20 103 10	10 m	1.50 kg
FA20 103 20	20 m	2.55 kg
FA20 103 30	30 m	3.60 kg



FA20 103 xx

EN353-2:2002 ✓

KRATOS

Sprava za zaustavljanje pada s uvlačivom trakom od 2,5 m

Opis: traka sa sistemom za amortizaciju pada, dužine: 1,8 m, širine: 30 mm;
Materijal: traka: poliester, absorber: poliamid i poliester;
Težina artikla: 0,91 kg;
Standard: EN355:2002;

Description: Energy absorbing webbing lanyard, length:1,8m, width: 30 mm;
Material: webbing: polyester, absorber: polyamide and polyester;
Item weight: 0,91 kg;
Standard: EN355:2002;



FA20 300 02

EN360:2002 ✓



KRATOS

Sprava za zaustavljanje pada s čeličnom sajjom 10 m

Opis: Sprava za zaustavljanje pada s čeličnom sajjom 10 m (promjer sajje 4,5 mm)
Materijal: kućište od polimera, sajla: galvanizovani čelik, konektori: čelik;
Konektori: 1 spona FA5010117 i jedna kopča FA5020320;
Nosivost: horizontala 100 kg, vertikalna 140 kg;
Težina artikla: 4,21 kg;
Standard: EN360:2002;

Description: Retractable fall arrester with galvanized steel rope (width 4,5 mm);
Material: casing: polymer, rope: galvanized steel, connector: steel;
Connectors: 1 karabiner FA5010117 and one snap hook FA5020320;
Maximum user weight: horizontal 100 kg, vertical 140 kg;
Item weight: 4,21 kg;
Standard: EN360:2002;



FA20 400 10

EN3 60:2002 ✓



Rope grab / Coulisseau



KRATOS

Uže 1,5 m (12 mm)

Opis: uže, dužina: 1,5 m, prečnik: 12 mm;
Materijal: poliamid;
Tačka pucanja: 22 kN;
Težina artikla: 0,20 kg;
Standard: EN354:2002;

Description: Restraint kermantle lanyard rope, lenght:1,5 m, width: 12 mm;
Material: polyamide;
Breaking strength: 22 kN;
Item weight: 0,20 kg;
Standard: EN354:2002;



FA40 500 15



12 mm



KRATOS

Uže za radno pozicioniranje 2 m sa dvije kopče

Opis: uže s dve kopče, maksimalna dužina:
 2 m, prečnik: 14mm;
Materijal: uže: poliamid, kopče: čelik ;
Konektori: spona FA5010117, kopča FA5020217;
Težina artikla: 0,69 kg;
Standard: EN358:2000;


Description: Work positioning twisted rope lanyard with ring adjuster, lenght: 2 m, width: 14 mm;
Material: rope: polyamide, connectors: steel;
Connectors: karabiner FA5010117, hook FA5020217;
Item weight: 0,69 kg;
Standard: EN358:2000;



FA40 900 20



EN354:2010	50m
EN358:2000	✓
Maxi: 2M	FA 40 900 20





LACUNA

WORKTIME

KRATOS

Traka sa sistemom za amortizaciju pada 1,8 m

FA30 300 20

Opis: traka sa sistemom za amortizaciju pada, dužine: 1,8 m, širine: 30 mm;
Materijal: traka: poliester, absorber: poliamid i poliester;
Težina artikla: 0,91 kg;
Standard: EN355:2002;

Description: Energy absorbing webbing lanyard, length: 1,8m, width: 30 mm;
Material: webbing: polyester, absorber: polyamide and polyester;
Item weight: 0,91 kg;
Standard: EN355:2002;



	Size	1.5M	1.8M
EN355:2002		FA 30 300 15	FA 30 300 20



KRATOS

Dvostruka traka sa sistemom za amortizaciju pada (1,8m) sa kopčama

FA30 400 18

Opis: dvostruka traka sa sistemom za amortizaciju pada, dužina: 1,8 m, širina: 30 mm;
Materijal: traka: poliester, konektor: čelik;
Absorber: poliamid i poliester;
Konektori: jedna spona FA5010117 i dve kopče FA5020755;
Težina artikla: 1,65 kg;
Standard: EN355:2002;

Description: Forked energy absorbing webbing lanyard, length: 1,8 m, width: 30 mm;
Material: webbing: polyester, connector: steel;
absorber: polyamide and polyester;
Connectors: 1 karabiner FA5010117 and 2 snap hooks FA5020755;
Item weight: 1,65 kg;
Standard: EN355:2002;



	Size	1.8M
EN355:2002		FA 30 400 18



KRATOS

Uže sa sistemom za amortizaciju pada 1,8 m

FA30 500 20

Opis: uže sa sistemom za amortizaciju pada,
Dužina: 1,8 m, prečnik: 12 mm;
Materijal: uže: poliamid, absorber: poliamid i poliester;
Težina artikla: 0,48 kg;
Standard: EN355:2002;

Description: Energy absorbing kermantle rope lanyard, length: 1,8 m, width: 12 mm;
Material: rope: polyamide, absorber: polyamide and polyester;
Item weight: 0,48 kg;
Standard: EN355:2002;



	Size	1.5M	1.8M
EN355:2002		FA 30 500 15	FA 30 500 20



KRATOS

Spona čelična (otvor 18 mm)


FA50 101 17

Opis: spona čelična, otvaranje 18 mm, zatvaranje na navoj;
Materijal: čelik;
Tačka pucanja: 25 kN;
Težina artikla: 0,18 kg;
Standard: EN362:2004 klasa B;

Description: steel screw locking karabiner, opening: 18 mm;
Material: steel;
Breaking strength: 25 kN;
Item weight: 0,18 kg;
Standard: EN362:2004 class B;



EN362:2004	
Class A	
Class B	<input checked="" type="checkbox"/>
Class Q	
Class T	



KRATOS

Kopča čelična (otvaranje 50,8 mm)

FA50 207 55

Opis: kopča čelična, otvaranje 50,8 mm;
Materijal: čelik;
Tačka pucanja: 23 kN;
Težina artikla: 0,51 kg;
Standard: EN362:2004;

Description: Steel scaffold hook, opening: 50,8 mm;
Material: steel ;
Breaking strength: 23kN;
Item weight: 0,51 kg;
Standard: EN362:2004;



EN362:2004	
Class A	
Class B	
Class Q	
Class T	<input checked="" type="checkbox"/>



KRATOS

Kopča aluminijска (otvaranje 60 mm)


FA50 208 60

Opis: kopča aluminijска, otvaranje 60 mm;
Materijal: aluminijumska legura;
Tačka pucanja: 23 kN;
Težina artikla: 0,49 kg;
Standard: EN362:2004 Klasa T;

Description: Aluminium rebar hook, opening: 60 mm;
Material: aluminium alloy;
Breaking strength: 23 kN;
Item weight: 0,49 kg;
Standard: EN362:2004 class T;



EN362:2004	
Class A	
Class B	
Class Q	
Class T	<input checked="" type="checkbox"/>



KRATOS

Spona čelična (otvor 23 mm)

FA50 301 23

Opis: spona čelična, otvaranje 23 mm, trostruki sistem zatvaranja;
Materijal: čelik;
Tačka pucanja: 25 kN;
Težina artikla: 0,24 kg;
Standard: EN362:2004 klasa B;

Description: steel triple locking karabiner, opening: 23mm;
Material: steel ;
Breaking strength: 25kN;
Item weight: 0,24 kg;
Standard: EN362:2004 class B;



EN362:2004	
Class A	
Class B	<input checked="" type="checkbox"/>
Class Q	
Class T	



KRATOS

Tronožac (7ft)


FA60 001 00

Opis: Tronožac za spuštanje i dizanje osoba i predmeta u uskim prostorima;
Materijal: legura aluminijuma;
Nosivost: 500 kg;
Težina artikla: 13 kg;
Standard: EN795:2012 tip B

Description: Tripod for access in confined spaces;
Material: aluminium alloy;
Load capacity: 500 kg;
Item weight: 13 kg;
Standard: EN795:2012 tip B

TOP
QUALITYNOVO
NEW

Size	
7 ft	10 ft.
FA 60 001 00	FA 60 002 00
H ↕ 1.15 -> 2.15m	1.9 -> 2.9m
Ø 1.5m	1.8m



EN795:2012	
Type A	
Type B	✓
Type C	
Type D	
Type E	



KRATOS

Vitlo za tronožac (20 m)

FA60 003 00

Opis: Vitlo za tronožac dužine 20 m za spuštanje i dizanje osoba i predmeta u uskim prostorima;
Materijal: legura čelika;
Težina artikla: 9,5 kg;
Nosivost: 135 kg;
Standardi: EN1496: 2006 (klasa A) 2006-42-CE, EN13157 : 2004;

Description: Rescue and work winch for tripod, lenght: 20m;
Material: steel alloy;
Item weight: 9,5 kg;
Safe working load: 135 kg;
Standards: EN1496 : 2006 (class A) 2006-42-CE, EN13157 : 2004;

TOP
QUALITYNOVO
NEW

EN1496:2006	
Class A	✓
Class B	





STAY PROTECTED

Worktime

RADNA ODEĆA WORKWEAR



TEHNIČKE KARAKTERISTIKE MATERIJALA

MATERIAL TECHNICAL FEATURES

100% PAMUK

Pamuk je prirodno biljno vlakno dobijeno iz niti koje raste oko semena biljke pamuka. Poznat je po komforu, spoljašnjosti i lako se prede. Pamuk je načelno veoma elastičan. Može podneti visoke temperature, može se prati više puta i ima veliku mogućnost apsorpcije. Kako bismo što više profitirali iz njegove udobnosti, pomešali smo ga sa sintetičkim vlaknem poliesterom koje je veoma otporno i glatko i održava tkaninu mekom i izdržljivom.

PAMUK-POLIESTER

Pamuk 60 % / Poliestersko vlakno 40 %: mešavina sa većim udelom pamuka kako bi se tkanina održala mekom i čvrstom te odgovorila zahtevima radne odeće. Toplje zimi i dobra apsorpcija leti.

Poliestersko vlakno 65 % / Pamuk 35 %: Mešavina sa većim udelom poliesterskog vlakna za jeftiniju tkaninu sa lakšim održavanjem nego održavajući mekoću pamuka. Ne preporučuje se radnim mestima na kojima je moguće prskanje topljenih metalnih delova.

CORDURA®

Registrani zaštitni znak INVISTA-e, ovoj preovetrvajućoj sintetičkoj tkanini svojstvena su povećana izdržljivost bez uticaja na udobnost nošenja. Otpornost na trošenje je tri puta veća nego kod obične sintetičke tkanine. Brzo se suši i lagano se pere.

BEAVER

Dvostrana sjajna tkanina pamuk/poliester, lomljena na spoljnoj strani. Prednost: sneg klizi po površini, odeća ostaje suva dugo, otporna je na hladnoću, i štiti protiv veta. Veoma je otporna i lako se pere i održava dugo vremena po upotrebi, zadržava boju.

POLIURETAN (PU)

Poliuretan (PU): Omogućava lagani komfor čemu ne može parirati nijedan drugi vodootporni materijal. Poliuretan ili PU je alveo-izolator što izjednačava sa ostalim izolatorima i daje vitkost materijalu.

POLIAMID

Mekan poliamid: lagana i glatka tkanina sa premazom PVC-a na spoljnoj strani.

PVC

Klasična tkanina za kišnu odeću. Prateći materijali (pamuk/ poliestersko vlakno) su u potpunosti obložena sa 2 sloja PVC-a.

POLAR FLIS

Radi lagalog materijala, mekoće i posebno toplotne izolacije, odlučili smo da kreiramo kape iz flisane tkanine od 100% poliesterskog vlakna. Ne gubi svoj oblik, nema mirisa i pruža dobru zaštitu pri upotrebi.

ŠIVANI I VARENİ ŠAVOVI

Naša kišna odela su izrađena od vodootpornog materijala. Šavovi su tretirani termovarenjem, vezeni zajedno kako bi omogućili savršenu vodootpornošću i vetro-nepropusnost za ukupnu odeću. Ova operacija podrazumeva i finu završnu obradu.

COTTON

Cotton is a natural vegetable fiber from the hairs surrounding the seeds on the cotton plant. It's known for its comfort, aspect and is easy to spin. Cotton, in general, is very elastic. It can withstand high temperatures, has high washability and is very absorbent. In order to profit from cotton's comfort, it's blended with the synthetic fiber polyester which is very resistant and self smoothing out to obtain a soft and resistant fabric.

POLIESTER COTTONPOLY

Cotton 60% / polyester 40%: Mixture with a majority of cotton in order to obtain a soft and solid fabric which replies to the requirements for workwear. 'Warmer' in winter and good sweat absorption in Summer.

Polyester 65% / cotton 35%: Mixture with a majority of polyester in order to obtain a cheaper fabric with easy care although keeping the softness of the cotton. Is not recommended for working places where splashes of melted metal could occur.

CORDURA®

Registered trademark of INVISTA, it is about an airy synthetic fabric which offers a greater solidity by remaining light. Its resistance in the abrasion is approximately 3 times superior to that of usual nylon. It quickly dries and washes easily.

BEAVER

Two faced cotton/polyester fabric, glossed heavy fabric, scraped on back. Benefit: snow slips on surface, consequently clothes remain dry for a long time, cold resistant and windcheater effect. Very resistant in usage and easy to wash it remains long time bright and well coloured.

POLIURETAN (PU)

Polyurethane (PU): Gives a soft comfort which cannot be compared to any other waterproof material. The polyurethane or PU is alveolar insulator which, to lower thickness, brings a heat insulation equal to other insulators.

POLYAMIDE

Soft polyamide: Light and smooth fabric with PVC coating on the outside.

PVC

Classic fabric for rainwear. The supporting fibers (cotton/ polyester) are entirely coated with 2 PVC layers.

POLAR FLEECE

For its assets of lightness, softness and especially warmth, we have chosen to create coverheads made in fleece fabrics in 100% polyester. It does not lose its shape, it is odourless and offers a good resistance in use.

SEAMED AND WELDED SEWINGS

Our rainwears are made with a waterproof fabric. The sewings have been thermowelded, it's to say «stitched» together with heat in order to ensure a perfect water and wind tightness for the whole garment. This operation confers also a very neat finish.

TEHNIČKE INFORMACIJE TECHNICAL INFORMATION

TEHNIČKE KARAKTERISTIKE MATERIJALA TECHNICAL PROPERTIES OF MATERIALS



PROVETRENOST

Materijal koji omogućava vlagu tela izlazi kroz tkaninu.



BREATHEABLE

Material which allows the body's moister to get through the fabric.



VODOODBOJNOST

Svojstvo tkanine da ne upija vodu, brzo se suši.



HYDROPHOBIC

Performant fabric which do not absorb water and eases drying after washing.

INDUSTRJA PRIMENE INDUSTRY APPLICATION



Poljoprivreda / vrtlarstvo
Agriculture / gardening



2u1



Građevina
Construction industry



3u1



Teška industrija
Heavy industry



4u1



Laka industrija
Light industry



**IZNUTRA
INSIDE**



Pomoći poslovi / zanati
Auxiliary operations / crafts



**RETAIL
MALOPRODAJA**



Usluge / logistika
Services / logistics



**TOP
QUALITY**



Oznaka za nove artikle u katalogu
New items in the catalog



EUROPE

VELIČINA SIZE MEASUREMENTS

	Tablica veličina za radnu odjeću/Tablica velikosti za delovnu obleku/Table with sizes for working clothes														
	Velicina prema HRN EN 13402		XS		S		M		L		XL		XXL		XXXL
Brojčana oznaka veličine Konferencijska veličina Number size label	40	42	44	46	48	50	52	54	56	58	60	62	64	66	
1 Tjedna visina (cm) Telesna visina (cm) Body height (cm)	168	170	172	174	176	178	180	182	184	186	188	190	192	194	
2 Opseg prsi (cm) Opseg prsi (cm) Brest range (cm)	78-82	82-86	86-90	90-94	94-98	98-102	102-110	110-118	118-122	122-129	129-132				
3 Opseg struka (cm) Opseg pasu (cm) Waist range (cm)	66-74		74-82		82-90		90-99		99-109		109-124		124-139		
4 Dužina rukava (cm) Dolžina rukava (cm) Length of sleeve (cm)	60	60	62	62	64	64	66	66	68	68	70	70	70	70	
5 Dužina hlača Dolžina hlača Length of trousers	99	101	102	104	105	107	108	110	111	113	114	116	114	116	



LACUNA
WORKTIME

ODEĆA / DIZAJNIRANA ZA UDOBNOST I SIGURNOST

Lacuna WORKTIME radna odeća sinonim je za sigurnost, zaštitu i udobnost. Konstrukcija naše radne odeće prati prirodne pokrete tela u radu, što odeći daje udobnost i funkcionalnost.

Pri izradi se koriste samo materijali visokih tehničkih performansi koji pri tome imaju svojstva izdržljivosti i udobnosti nošenja.

WORKWEAR / DESIGNED FOR COMFORT AND SAFETY

Lacuna WORKTIME work wear, is a synonym for safety, protection and comfort. The design of our Workwear follows the natural body movements in work, which gives comfort and functionality.

The materials we use must have high technical, endurance and comfort properties.





LACUNA WORKTIME

SPIRIT

8SPIRJS
siva

SPIRIT – RADNA JAKNA
САСТАВ ТКАНИНЕ: 65% poliestersko vlakno, 35% pamuk, 245g/m²
ЗАТВАРАЊЕ: YKK patent zatvarač sa čičak trakom
KRAGNA: visoka
ДŽЕПОВИ: 7
ВЕЛИЧИНА: S-XXXL
Originalno pakovanje: 1/10

SPIRIT – WORKING JACKET
FABRIC COMPOSITION: 65% polyester, 35% cotton, 245g/m²
CLOSURE: YKK zipper with Velcro strap
COLLAR: high
POCKETS: 7
TIGHTENING: Velcro tape
SIZE: S-XXXL
Original packaging: 1/10



SPIRIT JAKNA / JACKET	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
SIVA / GREY	8SPIRJSS	8SPIRJSM	8SPIRJSL	8SPIRJSXL	8SPIRJSXXL	8SPIRJSXXXL

LACUNA WORKTIME

SPIRIT

8SPIRPS
siva

SPIRIT – ПАНТАЛОНКИ КЛАСИЧНЕ
САСТАВ ТКАНИНЕ: 65% poliestersko vlakno, 35% pamuk, 245g/m²
ЗАТВАРАЊЕ: YKK patent zatvarač sa čičak trakom
ДЖЕПОВИ: 7
ZADNJI ДŽЕП: s pojačanjem
DONJI DEO NOGAVICE: pojačanje CORDURA
KOLENA: dodatno pojačanje sa džepom za štitnike
ВЕЛИЧИНА: S-XXXL
Originalno pakovanje: 1/10

SPIRIT - TROUSERS
FABRIC COMPOSITION:
65% polyester, 35% cotton, 245g/m²
CLOSURE: YKK zipper with Velcro strap
POCKETS: 7
BACK POCKET: reinforced with fabric
KNEES: reinforcement fabric with pockets for knee protectors
SIZE: S-XXXL
Original packaging: 1/10



SPIRIT PANTALONE / TROUSERS	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
SIVA / GREY	8SPIRPPS	8SPIRPSM	8SPIRPSL	8SPIRJPXL	8SPIRPSXXL	8SPIRPSXXXL





8SPIRJC
crvena

8SPIRJP
tamno plava

8SPIRJB
bež

8SPIRJN
crna



**RETAIL
MALOPRODAJA**

LACUNA
WORKTIME



TENCATE
Materials that make a difference

YKK

Tecawork™

245 g/m²
CE EN 13688

SPIRIT JAKNA / JACKET	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
CRVENA / RED	8SPIRJCS	8SPIRJCM	8SPIRJCL	8SPIRJCXL	8SPIRJCXXL	8SPIRJCXXXL
TAMNO PLAVA / DARK BLUE	8SPIRJPS	8SPIRJPM	8SPIRJPL	8SPIRJPXL	8SPIRJPXXL	8SPIRJPXXXL
BEŽ / BEIGE	8SPIRJBS	8SPIRJBM	8SPIRJBL	8SPIRJBXL	8SPIRJBXXL	8SPIRJBXXXL
CRNA / BLACK	8SPIRJNS	8SPIRJNM	8SPIRJNL	8SPIRJNXL	8SPIRJNXXL	8SPIRJNXXXL

8SPIRPC
crvena

8SPIRPP
tamno plava

8SPIRPB
bež

8SPIRPN
crna



**RETAIL
MALOPRODAJA**

LACUNA
WORKTIME



TENCATE
Materials that make a difference

YKK

Tecawork™

245 g/m²
CE EN 13688

SPIRIT HLAČE / TROUSERS	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
CRVENA / RED	8SPIRPCS	8SPIRPCM	8SPIRPL	8SPIRPCXL	8SPIRPCXXL	8SPIRPCXXXL
TAMNO PLAVA / DARK BLUE	8SPIRPPS	8SPIRPPM	8SPIRPLL	8SPIRPPXL	8SPIRPPXXL	8SPIRPPXXXL
BEŽ / BEIGE	8SPIRPBS	8SPIRPM	8SPIRPL	8SPIRPXL	8SPIRPXXL	8SPIRPXXXL
CRNA / BLACK	8SPIRPNS	8SPIRPNM	8SPIRPNL	8SPIRPNXL	8SPIRPNXXL	8SPIRPNXXXL

SPIRIT

215





LACUNA WORKTIME

STYLEWORK

8STYLJP – 8STYLJS

STYLEWORK RADNA JAKNA
Sastav tkanine: 65% poliestersko vlakno, 35% pamuk, 245g/m²
Zatvaranje: YKK patent zatvarač
Džepovi: 4
Veličina: 48-62
Norma: EN 13688, zaštitna odeća – opšti uslovi
Originalno pakovanje: 1/10

STYLEWORK WORKING JACKET
Fabric composition: 65% polyester, 35% cotton, 245g/m²
Closure: YKK zipper
Pockets: 4
Size: 48-62
Standard: EN 13688, protective clothing
Original packaging: 1/10



245 g/m²
CE EN 13688

LACUNA WORKTIME

STYLEWORK

8STYLPP – 8STYLPs

STYLEWORK PANTALONE KLASIČNE
Sastav tkanine: 65% poliestersko vlakno, 35% pamuk, 245g/m²
Zatvaranje: YKK patent zatvarač
Džepovi: 9
Veličina: 48-62
Norma: EN 13688, zaštitna odeća – opšti uslovi
Originalno pakovanje: 1/10

STYLEWORK TROUSERS
Fabric composition: 65% polyester, 35% cotton, 245g/m²
Closure: YKK zipper
Pockets: 9
Size: 48-62
Standard: EN 13688, protective clothing
Original packaging: 1/10



245 g/m²
CE EN 13688

STYLEWORK JAKNA / JACKET	48	50	52	54	56	58	60	62
PLAVA / BLUE	8STYLJP/48	8STYLJP/50	8STYLJP/52	8STYLJP/54	8STYLJP/56	8STYLJP/58	8STYLJP/60	8STYLJP/62
SIVA / GREY	8STYLJS/48	8STYLJS/50	8STYLJS/52	8STYLJS/54	8STYLJS/56	8STYLJS/58	8STYLJS/60	8STYLJS/62

STYLEWORK PANTALONE / TROUSERS	48	50	52	54	56	58	60	62
PLAVA / BLUE	8STYLPP/48	8STYLPP/50	8STYLPP/52	8STYLPP/54	8STYLPP/56	8STYLPP/58	8STYLPP/60	8STYLPP/62
SIVA / GREY	8STYLPs/48	8STYLPs/50	8STYLPs/52	8STYLPs/54	8STYLPs/56	8STYLPs/58	8STYLPs/60	8STYLPs/62



KOLEKCIJA ALARA

Alaru karakteriše pročišćen dizajn, uži kroj koji ne umanjuje udobnost već omogućava slobodne pokrete tela u radu, kao i suzdržana paleta boja. Kolekcija Alara prepoznata je u različitim industrijskim kategorijama kako zbog svoje funkcionalnosti, kvaliteta materijala tako i zbog izgleda.

ALARA COLLECTION

Alara is characterised by purified design, a slim fit that does not reduce comfort, but allows free movement of the body in action, and a restrained colour palette. Alara collection has been recognised in various industries for its functionality, quality of the materials, as well as appearance.





LACUNA WORKTIME

ALARA

8ALARJP

8ALARJS

8ALARJU

ALARA – RADNA JAKNA
SASTAV TKANINE: 65% poliestersko vlakno, 35% pamuk, 245g/m²
ZATVARANJE: YKK drukeri
KRAGNA: visoka
DŽEPOVI: 5
VELIČINA: 48-62
Originalno pakovanje: 1/10

ALARA – WORKING JACKET
FABRIC COMPOSITION: 65% polyester, 35% cotton, 245g/m²
CLOSURE: YKK buttons
COLLAR: high
POCKETS: 7
SIZE: 48-62
Original packaging: 1/10



LACUNA
WORKTIME



TENCATE
materials that make a difference

YKK



245 g/m²

CE EN 13688

ALARA JAKNA / JACKET	48	50	52	54	56	58	60	62
PLAVA / BLUE	8ALARJP48	8ALARJP50	8ALARJP52	8ALARJP54	8ALARJP56	8ALARJP58	8ALARJP60	8ALARJP62
SIVA / GREY	8ALARJS48	8ALARJS50	8ALARJS52	8ALARJS54	8ALARJS56	8ALARJS58	8ALARJS60	8ALARJS62
ULTRAMARIN/ ULTRAMARINE	8ALARJU48	8ALARJU50	8ALARJU52	8ALARJU54	8ALARJU56	8ALARJU58	8ALARJU60	8ALARJU62

LACUNA WORKTIME

ALARA

8ALARPP
plava / blue

8ALARPS
siva / grey

8ALARPU
ultramarin/ultramarine

LACUNA
WORKTIME

ALARA – PANTALONE KLASIČNE
SASTAV TKANINE: 65% poliestersko vlakno, 35% pamuk, 245g/m²
ZATVARANJE: YKK patent zatvarač
DŽEPOVI: 7
KOLENA: dodatno pojačanje tkanine sa džepom za štitnike za kolena
VELIČINA: 48-62
Originalno pakovanje: 1/10

ALARA – TROUSERS
FABRIC COMPOSITION: 65% polyester, 35% cotton, 245g/m²
CLOSURE: YKK zipper
POCKETS: 7
KNEES: reinforcement fabric with pocket for knee protectors
SIZE: 48-62
Original packaging: 1/10



RETAIL
MALOPRODAJA

MODERN
FITTING

TOP
QUALITY



TENCATE
materials that make a difference

CORDURA
FABRIC

YKK



245 g/m²

CE EN 13688

ALARA PANTALONE/ TROUSERS	48	50	52	54	56	58	60	62
PLAVA / BLUE	8ALARPP48	8ALARPP50	8ALARPP52	8ALARPP54	8ALARPP56	8ALARPP58	8ALARPP60	8ALARPP62
SIVA / GREY	8ALARPS48	8ALARPS50	8ALARPS52	8ALARPS54	8ALARPS56	8ALARPS58	8ALARPS60	8ALARPS62
ULTRAMARIN / ULTRAMARINE	8ALARPU48	8ALARPU50	8ALARPU52	8ALARPU54	8ALARPU56	8ALARPU58	8ALARPU60	8ALARPU62

ALARA



225



LACUNA

WORKTIME

LACUNA WORKTIME

ALARA

8ALARCS

8ALARCU

8ALARCP

ALARA – PANTALONE KLASIČNE
SASTAV TKANINE: 65% poliestersko
 vlakno, 35% pamuk, 245g/m²
ZATVARANJE: YKK drikeri
KOLENA: dodatno pojačanje tkanine
 sa džepom za štitnike za kolena
DŽEPOVI: 11
VELIČINA: 48-62
 Originalno pakovanje: 1/10



ALARA – WORKING COVERALL
FABRIC COMPOSITION: 65% polyest
 ter, 35% cotton, 245g/m²
CLOSURE: YKK buttons
KNEES: reinforcement fabric with
 pocket for knee protectors
POCKETS: 11
SIZE: 48-62
 Original packaging: 1/10



POJAČANA ZAŠTITA –
CORDURA I DŽEP ZA
ŠТИTNIKE
ENHANCED
PROTECTION – CORDURA
AND POCKETS FOR
KNEE PROTECTOR



TENCATE
 materials that make a difference

CORDURA

YKK



Tecawork™

245 g/m²
CE EN 13688

ALARA KOMBINEZON/COVERALL	48	50	52	54	56	58	60	62
■ SIVA / GREY	8ALARCS48	8ALARCS50	8ALARCS52	8ALARCS54	8ALARCS56	8ALARCS58	8ALARCS60	8ALARCS62
■ ULTRAMARIN / ULTRAMARINE	8ALARCU48	8ALARCU50	8ALARCU52	8ALARCU54	8ALARCU56	8ALARCU58	8ALAR CU60	8ALARCU62
■ PLAVA / BLUE	8ALARCP48	8ALARCP50	8ALARCP52	8ALARPP54	8ALARCP56	8ALARPP58	8ALARCP60	8ALARCP62



MNOŠTVO DŽEPOVA / MULTI POCKETS

Kako bismo vam osigurali što više mogućnosti za praktično odlaganje, na primer alata, naši modeli su dizajnirani s brojnim dežpovima različitih oblika i prilagođeni vašim potrebama.



POJAČANI ŠAVOVI / ENHANCED SEAMS

Doprinose učvršćivanju, visokoj performansi i estetici.


They provide additional durability and also contribute to the overall appearance.

In order to offer you maximum possibilities for smart storage, our workwear have been designed with numerous pockets in different sizes and shapes and thus adapted to your needs.

POJAČANA ZAŠTITA KOLENA / ENHANCED KNEE PROTECTION

Doprinose učvršćivanju, visokoj performansi i estetici.

They provide additional durability and also contribute to the overall appearance.



ŠТИTNICI ZA KOLENA / KNEEPADS

Džep koji omogućava umetanje štitnika za kolena te tako čini rad udobnijim.

Kneepad pocket which allows kneepad to be inserted thus making the work more comfortable.

TENCATE
materials that make a difference



Džep koji omogućava umetanje štitnika za kolena te tako čini rad udobnijim.

Kneepad pocket which allows kneepad to be inserted thus making the work more comfortable.

LACUNA WORKTIME

SPEKTAR

8SPEKJC

SPEKTAR – RADNA JAKNA
SASTAV TKANINE: 65% poliestersko vlakno, 35% pamuk, 245g/m²
ZATVARANJE: patent zatvarač na čičak i traku
KRAGNA: klasična
DŽEPOVI: 5
PRITEZANJE: čičak traka
VELIČINA: S-XXXL
Originalno pakovanje: 1/10

SPEKTAR – WORKING JACKET
FABRIC COMPOSITION: 65% polyester, 35% cotton, 245g/m²
CLOSURE: zipper Velcro strip
COLLAR: classic
POCKETS: 5
TIGHTENING: Velcro tape
SIZE: X-XXXL
Original packaging: 1/10



LACUNA
WORKTIME

SPEKTAR JAKNA / JACKET

44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
---------	---------	---------	----------	-----------	------------

CRVENA / RED

8SPEKJCS 8SPEKJCM 8SPEKJCL 8SPEKJXL 8SPEKJXXL 8SPEKJXXXL

LACUNA WORKTIME

SPEKTAR

8SPEKPC

SPEKTAR – PANTALONE KLASIČNE
SASTAV TKANINE: 65% poliestersko vlakno, 35% pamuk, 245g/m²
ZATVARANJE: patent zatvarač
DŽEPOVI: 4
ZAŠTITA KOLENA: dodatno pojačana tkanina sa džepom za štitnike
PRITEZANJE: čičak traka
VELIČINA: S-XXXL
Originalno pakovanje: 1/10

SPEKTAR – TROUSERS
FABRIC COMPOSITION: 65% polyester, 35% cotton, 245g/m²
CLOSURE: zipper
POCKETS: 4
KNEE PROTECTION: additional reinforcement fabric with kneepad pockets
TIGHTENING: Velcro tape
SIZE: X-XXXL
Original packaging: 1/10



LACUNA
WORKTIME

SPEKTAR PANTALONE / TROUSERS

44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
---------	---------	---------	----------	-----------	------------

CRVENA / RED

8SPEKPCS 8SPEKPCM 8SPEKPCL 8SPEKPCXL 8SPEKPCXXL 8SPEKPCXXXL

LACUNA WORKTIME

SPEKTAR

8SPEKBC

SPEKTAR – PANTALONE FARMER
SASTAV TKANINE: 65% poliestersko vlakno, 35% pamuk, 245g/m²
ZATVARANJE: patent zatvarač
DŽEPOVI: 6
ZAŠTITA KOLENA: dodatno pojačana tkanina sa džepom za štitnike
PRITEZANJE: čičak traka
VELIČINA: S-XXXL
Originalno pakovanje: 1/10

SPEKTAR – BIBS
FABRIC COMPOSITION: 65% polyester, 35% cotton, 245g/m²
CLOSURE: zipper
POCKETS: 6
KNEE PROTECTION: additional reinforcement fabric with kneepad pockets
TIGHTENING: Velcro tape
SIZE: X-XXXL
Original packaging: 1/10



LACUNA
WORKTIME

SPEKTAR FARMER PANTALONE / BIBS

44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
---------	---------	---------	----------	-----------	------------

CRVENA / RED

8SPEKBCS 8SPEKBCM 8SPEKBCL 8SPEKBCXL 8SPEKBCXXL 8SPEKBCXXXL



SPEKTAR JAKNA / JACKET	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
■ TAMNO PLAVA / DARK BLUE	8SPEKJBS	8SPEKJBM	8SPEKJBL	8SPEKJBLX	8SPEKJBXXXL	8SPEKJBXXXXL
■ BELA / WHITE	8SPEKJWS	8SPEKJWM	8SPEKJWL	8SPEKJWXL	8SPEKJWXXXL	8SPEKJXXXXL
■ ROYAL PLAVA / ROYAL BLUE	8SPEKJRS	8SPEKJRM	8SPEKJRL	8SPEKJRXL	8SPEKJRXXXL	8SPEKJRXLLL
■ SIVA / GREY	8SPEKJGS	8SPEKJGM	8SPEKJGL	8SPEKJGXL	8SPEKJGXXXL	8SPEKJGXXXXL



SPEKTAR PANTALONE / TROUSERS	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
■ TAMNO PLAVA / DARK BLUE	8SPEKPBS	8SPEKPBM	8SPEKPL	8SPEKPBLX	8SPEKPBXXXL	8SPEKPBXXXXL
■ BELA / WHITE	8SPEKPWS	8SPEKPWM	8SPEKPWL	8SPEKPWXL	8SPEKPWXXXL	8SPEKPXXXXL
■ ROYAL PLAVA / ROYAL BLUE	8SPEKPRS	8SPEKPRM	8SPEKPRL	8SPEKPRXL	8SPEKPRXXXL	8SPEKPRLLL
■ SIVA / GREY	8SPEKPGS	8SPEKPGM	8SPEKPLG	8SPEKPGXL	8SPEKPGXXXL	8SPEKPGXXXXL



PANTALONE FARMER / BIB PANTS	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
■ TAMNO PLAVA / DARK BLUE	8SPEKBB5	8SPEKBBM	8SPEKBL	8SPEKBBXL	8SPEKBBXXXL	8SPEKBBXXXXL
■ BELA / WHITE	8SPEKBWS	8SPEKBWM	8SPEKBWL	8SPEKBWXL	8SPEKBWXXXL	8SPEKBXXXXL
■ ROYAL PLAVA / ROYAL BLUE	8SPEKBR5	8SPEKBRM	8SPEKBR	8SPEKBRXL	8SPEKBRXXXL	8SPEKBRLLL
■ SIVA / GREY	8SPEKBG5	8SPEKBM	8SPEKBLG	8SPEKBGXL	8SPEKBGXXXL	8SPEKBGXXXXL

LACUNA WORKTIME

CITY

NAVY – RADNA BLUZA
SASTAV TKANINE: 60% pamuk, 40% poliestersko vlakno, 245 g/m²
KRAGNA: klasična
ZATVARANJE: jednosmerni zatvarač
RUKAVI: Velcro trake na stezanje
DŽEPOVI: gore 5, dolje 3
VELIČINA: S-XXXL
BOJA: TAMNO PLAVA - SIVA
Original pakovanje: 1/10

Stara šifra / old code:
8NAVV



NAVY – WORKING BLOUSE
FABRIC COMPOSITION: 60% cotton, 40% polyester, 245 g/m²
COLLAR: classic
CLOSING: one way zipper
SLEEVES: Velcro straps to tighten
POCKETS: up 5, down 3
SIZE: S-XXXL
COLOR: NAVY - GREY
Original packaging: 1/10



LACUNA WORKTIME

CITY

NAVY - PANTALONE KLASIČNE
SASTAV TKANINE : 60% pamuk, 40% poliestersko vlakno, 245 g/m²
ZATVARANJE: patent zatvarač
KOLENA: pojačana, prostor za umetanje štitnika
NOGAVICE: vezica za pritezanje, na dnu čičak traka
DŽEPOVI: 7
VELIČINA: XS-XXXL
BOJA: TAMNO PLAVA - SIVA

Stara šifra / old code:
8NAVP



NAVY – TROUSERS FABRIC
COMPOSITION: 60% cotton, 40% polyester, 245 g/m²
CLOSING: zipper
KNEES: reinforced, pockets for protectors
LEGS: tightening lace, Velcro strap at the bottom
POCKETS: 7
SIZE: XS-XXXL
COLOR: NAVY - GREY



LACUNA WORKTIME

CITY

NAVY – PANTALONE FARMER
SASTAV TKANINE: 60% pamuk, 40% poliestersko vlakno, 245 g/m²
ZATVARANJE: patent zatvarač
KOLENA: pojačana, mesto za umetanje štitnika za kolena.
NOGAVICE: vezica za pritezanje
DŽEPOVI: 10
VELIČINA: S-XXL
BOJA: TAMNO PLAVA - SIVA
Original pakovanje: 1/10

Stara šifra / old code:
8NAVB



NAVY - BIB PANTS
FABRIC COMPOSITION: 60% cotton, 40% polyester, 245 g/m²
CLOSING: zipper
KNEES: reinforced, pocket for protectors
LEGS: tightening lace
POCKETS: 10
SIZE: S-XXL
COLOR: NAVY - GREY
Original packaging: 1/10



CITY	40/42 S	44/46 M	48/50 L	52/54 XL	56/58 XXL	60/62 XXXL
RADNA BLUZA	8CITYJP/S	8CITYJP/M	8CITYJP/L	8CITYJP/XL	8CITYJP/XXL	8CITYJP/XXXL
KLASIČNE PANTALONE	8CITYPP/S	8CITYPP/M	8CITYPP/L	8CITYPP/XL	8CITYPP/XXL	8CITYPP/XXXL
FARMER PANTALONE	8CITYBP/S	8CITYBP/M	8CITYBP/L	8CITYBP/XL	8CITYBP/XXL	8CITYBP/XXXL

LACUNA WORKTIME

CITY

NAVY – KOMBINEZON
SASTAV TKANINE : 60% pamuk, 40% poliestersko vlakno, 245 g/m²
ZATVARANJE: patent zatvarač
KOLENA: pojačana, mesto za umetanje štitnika za kolena.
NOGAVICE: vezica za pritezanje
DŽEPOVI: 11
VELIČINA: S-XXXL


Stara šifra / old code:
8NAVC



NAVY – WORKING COVERALL
FABRIC COMPOSITION: 60% cotton, 40% polyester, 245 g/m²
CLOSING: zipper
KNEES: reinforced, pocket for protectors
LEGS: tightening lace
POCKETS: 11
SIZE: S-XXXL



8CITYCP



COVERGUARD

CITY

NAVY – BERMUDE
SASTAV TKANINE: 60% pamuk, 40% poliestersko vlakno, 245 g/m²
ZATVARANJE: patent zatvarač
DŽEPOVI: 6
VELIČINA: S-XXL
Original pakovanje: 1/10

NAVY - SHORT PANTS
FABRIC COMPOSITION: 60% cotton, 40% polyester, 245 g/m²
CLOSING: zipper
POCKETS: 6
SIZE: S-XXL
Original packaging: 1/10



8NAVS



COVERGUARD

CITY

NAVY – RADNI PRSLUK
SASTAV TKANINE: 60% pamuk, 40% poliestersko vlakno, 245 g/m²
KRAGNA: ravna
ZATVARANJE: jednosmerni zatvarač
DŽEPOVI: 6
VELIČINA: S-XXL
Original pakovanje: 1/10

NAVY – WORKING WAISTCOAT
FABRIC COMPOSITION: 60% cotton, 40% polyester, 245 g/m²
COLLAR: flat
CLOSING: one way zipper
POCKETS: 6
SIZE: S-XXL
Original packaging: 1/10



8NAVG



CITY	40/42 S	44/46 M	48/50 L	52/54 XL	56/58 XXL	60/62 XXXL
KOMBINEZON	8CITYCP/S	8CITYCP/M	8CITYCP/L	8CITYCP/XL	8CITYCP/XXL	8CITYCP/XXXL
BERMUDE	8NAVSS	8NAVSM	8NAVSL	8NAVXL	8NAVSXXL	8NAVXXXL
RADNI PRSLUK	8NAVGS	8NAVGM	8NAVGL	8NAVXL	8NAVXXL	8NAVXXXL

LACUNA WORKTIME

CITY – RADNA BLUZA
SASTAV TKANINE: 60% pamuk, 40% poliestersko vlakno, 245 g/m²
KRAGNA: klasična
ZATVARANJE: jednosmerni zatvarač
RUKAVI: Velcro trake na stezanje
DŽEPOVI: gore 5, dolje 3
VELIČINA: S-XXXL
BOJA: SIVA - NARANDŽASTA
Original pakovanje: 1/10

Stara šifra / old code:
8PADV

CITY

CITY – WORKING BLOUSE
FABRIC COMPOSITION: 60% cotton, 40% polyester, 245 g/m²
COLLAR: classic
CLOSING: one way zipper
SLEEVES: Velcro straps to tighten
POCKETS: up 5, down 3
SIZE: S-XXXL
COLOR: GREY - ORANGE
Original packaging: 1/10



8CITYJS



245 g/m²
CE EN 13688



LACUNA WORKTIME

CITY - PANTALONE KLASIČNE
SASTAV TKANINE: 60% pamuk, 40% poliestersko vlakno, 245 g/m²
ZATVARANJE: patent zatvarač
KOLENA: pojačana, prostor za umetanje štitnika
NOGAVICE: vezica za pritezanje
DŽEPOVI: 7
VELIČINA: S-XXXL
BOJA: SIVA - NARANDŽASTA
Original pakovanje: 1/10

Stara šifra / old code:
8PADP

CITY

CITY – TROUSERS FABRIC
COMPOSITION: 60% cotton, 40% polyester, 245 g/m²
CLOSING: zipper
KNEES: reinforced, pocket for protectors
LEGS: tightening lace
POCKETS: 7
SIZE: S-XXXL
COLOR: GREY - ORANGE
Original packaging: 1/10



8CITYPS



245 g/m²
CE EN 13688



LACUNA WORKTIME

CITY – PANTALONE FARMER
SASTAV TKANINE : 60 % pamuk, 40% poliestersko vlakno, 245 g/m²
ZATVARANJE: patent zatvarač
KOLENA: pojačana
NOGAVICE: vezica za pritezanje
DŽEPOVI: 10
VELIČINA: S-XXXL
BOJA: SIVA - NARANDŽASTA
Original pakovanje: 1/10

Stara šifra / old code:
8PADB

CITY

CITY - BIB PANTS
FABRIC COMPOSITION: 60 % cotton, 40 % polyester , 245 g/m²
CLOSING: zipper
KNEES: reinforced
LEGS: tightening lace
POCKETS: 10
SIZE: S-XXXL
COLOR: GREY - ORANGE
Original packaging: 1/10



8CITYBS



245 g/m²
CE EN 13688



LACUNA WORKTIME

CITY – KOMBINEZON
SASTAV TKANINE: 60% pamuk, 40% poliestersko vlakno, 245 g/m²
ZATVARANJE: patent zatvarač
KOLENA: pojačana, prostor za štitnike
NOGAVICE: čičak traka na dnu
DŽEPOVI: 11
VELIČINA: S-XXXL
BOJA: SIVA - NARANDŽASTA
Original pakovanje: 1/10

Stara šifra / old code:
8PADC

CITY

CITY – WORKING COVERALL
FABRIC COMPOSITION: 60% cotton, 40% polyester, 245 g/m²
CLOSING: zipper
KNEES: reinforced, pocket for protectors
LEGS: Velcro strap at the bottom
POCKETS: 11
SIZE: S-XXXL
COLOR: GREY - ORANGE
Original packaging: 1/10



8CITYCS



245 g/m²
CE EN 13688

COVERGUARD

CITY

CITY – BERMUDE
SASTAV TKANINE: 60% pamuk, 40% poliestersko vlakno, 245 g/m²
ZATVARANJE: patent zatvarač i gumb
DŽEPOVI: 7
VELIČINA: XS-XXXL
BOJA: SIVA - NARANDŽASTA

8PADS



CITY - SHORT PANTS
FABRIC COMPOSITION: 60% cotton, 40% polyester, 245 g/m²
CLOSING: zipper and button
POCKETS: 7
SIZE: XS-XXXL
COLOR: GREY - ORANGE



245 g/m²
CE EN 13688

CITY	40/42 S	44/46 M	48/50 L	52/54 XL	56/58 XXL	60/62 XXXL
RADNA BLUZA	8CITYJS/S	8CITYJS/M	8CITYJS/L	8CITYJS/XL	8CITYJS/XXL	8CITYJS/XXXL
KLASIČNE PANTALONE	8CITYPS/S	8CITYPS/M	8CITYPS/L	8CITYPS/XL	8CITYPS/XXL	8CITYPS/XXXL
FARMER PANTALONE	8CITYBS/S	8CITYBS/M	8CITYBS/L	8CITYBS/XL	8CITYBS/XXL	8CITYBS/XXXL

CITY	40/42 S	44/46 M	48/50 L	52/54 XL	56/58 XXL	60/62 XXXL
KOMBINEZON	8CITYCS/S	8CITYCS/M	8CITYCS/L	8CITYCS/XL	8CITYCS/XXL	8CITYCS/XXXL
BERMUDE	8PADSS	8PADSM	8PADSL	8PADSXL	8PADSXXL	8PADSXXXL



LACUNA WORKTIME	ATLANTIC	8ATLAJP	8ATLAJS	8ATLAJI
ATLANTIC – RADNA JAKNA SASTAV TKANINE: 65% poliestersko vlakno, 35% pamuk, 245g/m ² ZATVARANJE: patent zatvarač s klapom na drikere KRAGNA: klasična DŽEPOVI: 5, kopčanje na drikere RUKAVI: gumica na rukavima VELIČINA: S-XXXXL Originalno pakovanje: 1/10	ATLANTIC – WORKING JACKET FABRIC COMPOSITION: 65% polyester, 35% cotton, 245g/m ² CLOSURE: zipper with snap buttons flap COLLAR: classic POCKETS: 5, snap buttons flap SLEEVES: elasticated edges SIZE: X-XXXL Original packaging: 1/10			

245 g/m² EN 13688

ATLANTIC JAKNA / JACKET	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
PLAVA / BLUE	8ATLAJPS	8ATLAJPM	8ATLAJPL	8ATLAJPIXL	8ATLAJXXL	8ATLAJXXXL
SIVA / GREY	8ATLAJSS	8ATLAJSM	8ATLAJSL	8ATLAJSXL	8ATLAJSXXL	8ATLAJSXXXL
INDIGO PLAVA / INDIGO BLUE	8ATLAJIS	8ATLAJIM	8ATLAJIL	8ATLAJIXL	8ATLAJXXL	8ATLAJXXXL

LACUNA WORKTIME	ATLANTIC	8ATLAPP	8ATLAPS	8ATLAPI
-----------------	----------	---------	---------	---------

ATLANTIC – PANTALONE KLASIČNE SASTAV TKANINE: 65% poliestersko vlakno, 35% pamuk, 245g/m ² ZATVARANJE: patent zatvarač DŽEPOVI: 7, kopčanje na drikere KOLENA: pojačana tkanina s džepom za štitnike VELIČINA: S-XXXXL Originalno pakovanje: 1/10	ATLANTIC – TROUSERS FABRIC COMPOSITION: 65% polyester, 35% cotton, 245g/m ² CLOSURE: zipper POCKETS: 7, snap buttons flap KNEES: reinforced fabric with pockets for knee protectors SIZE: X-XXXL Original packaging: 1/10			
---	---	--	--	--

ATLANTIC	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
PLAVA / BLUE	8ATLAPPS	8ATLAPPMM	8ATLAPPL	8ATLAPPXL	8ATLAPPXXL	8ATLAPXXXL
SIVA / GREY	8ATLAPSS	8ATLAPSM	8ATLAPSL	8ATLAPSXL	8ATLAPSXXL	8ATLAPSXXXL
INDIGO PLAVA / INDIGO BLUE	8ATLAPIS	8ATLAPIM	8ATLAPIL	8ATLAPIXL	8ATLAPIXXL	8ATLAPIXXXL

LACUNA WORKTIME	ATLANTIC	8ATLABP	8ATLABS	8ATLABI
-----------------	----------	---------	---------	---------

ATLANTIC – PANTALONE FARMER SASTAV TKANINE: 65% poliestersko vlakno, 35% pamuk, 245g/m ² ZATVARANJE: patent zatvarač DŽEPOVI: 8, kopčanje na drikere KOLENA: pojačana tkanina s džepom za štitnike VELIČINA: S-XXXXL Originalno pakovanje: 1/10	ATLANTIC – BIB PANTS FABRIC COMPOSITION: 65% polyester, 35% cotton, 245g/m ² CLOSURE: zipper POCKETS: 8, snap buttons flap KNEES: reinforced fabric with pockets for knee protectors SIZE: X-XXXL Original packaging: 1/10			
---	--	--	--	--

ATLANTIC	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
PLAVA / BLUE	8ATLABPS	8ATLABPM	8ATLABPL	8ATLABPIXL	8ATLABXXL	8ATLABXXXL
SIVA / GREY	8ATLABSS	8ATLABSM	8ATLABSL	8ATLABSXSL	8ATLABSXXL	8ATLABXXXL
INDIGO PLAVA / INDIGO BLUE	8ATLABIS	8ATLABIM	8ATLABIL	8ATLABIXL	8ATLABIXXL	8ATLABIXXXXL

245 g/m² EN 13688





LACUNA WORKTIME

CLASSIC PLUS8CLASJB
tamno plava8CLASJG
siva

CLASSIC PLUS – RADNA BLUZA
SASTAV TKANINE: 65% poliester-sko vlakno, 35% pamuk, 245g/m²
DŽEPOVI: 7
VELIČINA: S-XXXL
Originalno pakiranje: 1/10



 LACUNA
WORKTIME

 RETAIL
MALOPRODAJA

**CLASSIC PLUS – WORKING
BLOUSE**
FABRIC COMPOSITION: 65% polyester, 35% cotton, 245g/m²
POCKETS: 7
SIZE: S-XXXL
Original packaging: 1/10


 245 g/m²

 CE EN 13688

CLASSIC PLUS	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
PLAVA / BLUE	8CLASJBS	8CLASJBM	8CLASJBL	8CLASJBXL	8CLASJBXXL	8CLASJBXXXL
SIVA / GREY	8CLASJGS	8CLASJGM	8CLASJGL	8CLASJGXL	8CLASJGXXL	8CLASJGXXXL

LACUNA WORKTIME

CLASSIC PLUS8CLASPB
tamno plava8CLASPG
siva

 LACUNA
WORKTIME

 RETAIL
MALOPRODAJA

**CLASSIC PLUS – PANTALONE /
BERMUDA**
SASTAV TKANINE: 65% poliestersko
vlakno, 35% pamuk, 245g/m²
DŽEPOVI: 7
NOGAVICE: odvojive patent zatvaračem
VELIČINA: S-XXXL
Originalno pakovanje: 1/10



CLASSIC PLUS – TROUSER / SHORTS
FABRIC COMPOSITION: 65% polyester,
35% cotton, 245g/m²
POCKETS: 7
TROUSERS: convertible to shorts with
zipper
SIZE: S-XXXL
Original packaging: 1/10


 245 g/m²

 CE EN 13688

CLASSIC PLUS	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
PLAVA / BLUE	8CLASPBS	8CLASPBW	8CLASPBBL	8CLASPBXL	8CLASPBXXL	8CLASPBXXXL
SIVA / GREY	8CLASPGS	8CLASPGW	8CLASPGBL	8CLASPGXL	8CLASPGXXL	8CLASPGXXXL

CLASSIC PLUS



LACUNA WORKTIME CLASSIC PLUS 8CLASBB
tamno plava 8CLASBG
siva

CLASSIC PLUS – PANTALONE FARMER
SASTAV TKANINE: 65% poliester-sko vlakno, 35% pamuk, 245g/m²
DŽEPOVI: 10
VELIČINA: S-XXXL
Originalno pakovanje: 1/10

CLASSIC PLUS – BIBS
FABRIC COMPOSITION:
65% polyester, 35% cotton, 245g/m²
POCKETS: 10
SIZE: S-XXXL
Original packaging: 1/10



CLASSIC PLUS	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL	64/66 XXXL
● PLAVA / BLUE	8CLASBBS	8CLASBBM	8CLASBBL	8CLASBBXL	8CLASBBXXL	8CLASBXXXL
● SIVA / GREY	8CLASBGS	8CLASBGM	8CLASBGL	8CLASBGXL	8CLASBGXXL	8CLASBGXXXL



LACUNA
WORKTIME

RETAIL
MALOPRODAJA

245 g/m²
CE EN 13688

LACUNA WORKTIME CLASSIC PLUS 8CLASOB-TC
tamno plava 8CLASOG -TC
siva

CLASSIC PLUS – KOMBINEZON
SASTAV TKANINE: 65% poliestersko
vlakno, 35% pamuk, 245g/m²
DŽEPOVI: 7
VELIČINA: S-XXXL
Originalno pakovanje: 1/10
*TC šifre – odnose se na proizvode od
Tencate tkanina, pogodne za industrijsko
pranje, proizvedene u Evropi

CLASSIC PLUS – WORKING COVERALL
FABRIC COMPOSITION: 65% polyester,
35% cotton, 245g/m²
POCKETS: 7
SIZE: S-XXXL
Original packaging: 1/10
*TC code – relates to products made
from Tencate fabrics, suitable for
industrial laundry, produced in Europe



LACUNA
WORKTIME

RETAIL
MALOPRODAJA

245 g/m²
CE EN 13688

TENCATE Tecwork™ TENCATE materials that make a difference

CLASSIC PLUS **44/46 S** **48/50 M** **52/54 L** **56/58 XL** **60/62 XXL** **64/66 XXXL**

● PLAVA / BLUE	8CLASOBS-TC	8CLASOBM-TC	8CLASBL-TC	8CLASOBXL-TC	8CLASOBXXL-TC	8CLASOBXXXL-TC
● SIVA / GREY	8CLASOGS-TC	8CLASOGM-TC	8CLASOGL-TC	8CLASOGXL-TC	8CLASOGXXL-TC	8CLASOGXXXL-TC



LACUNA WORKTIME

CARGO PANTALONE

8CARGPN

8CARGPP

8CARGPC

8CARGPR

8CARGPS



CARGO PANTALONE
SASTAV TKANINE: 65% poliestersko
 vlakno, 35% pamuk, 245g/m²
ZATVARANJE: patent zatvarač
DŽEPOVI: 7
VELIČINA: 48-62
 Originalno pakovanje: 1/10

CARGO TROUSERS
FABRIC COMPOSITION:
 65% polyester, 35% cotton, 245g/m²
CLOSURE: zipper
POCKETS: 7
SIZE: 48-62
 Original packaging: 1/10



TENCATE
Tecawork™
 materials that make a difference



245 g/m²

CE EN 13688

CARGO PANTALONE/TROUSERS	48	50	52	54	56	58	60	62
● CRNA/BLACK	8CARGPN/48	8CARGPN/50	8CARGPN/52	8CARGPN/54	8CARGPN/56	8CARGPN/58	8CARGPN/60	8CARGPN/62
● PLAVA/NAVY	8CARGPP/48	8CARGPP/50	8CARGPP/52	8CARGPP/54	8CARGPP/56	8CARGPP/58	8CARGPP/60	8CARGPP/62
● CRVENA/RED	8CARGPC/48	8CARGPC/50	8CARGPC/52	8CARGPC/54	8CARGPC/56	8CARGPC/58	8CARGPC/60	8CARGPC/62
● PLAVA ROYAL/ROYAL BLUE	8CARGPR/48	8CARGPR/50	8CARGPR/52	8CARGPR/54	8CARGPR/56	8CARGPR/58	8CARGPR/60	8CARGPR/62
● SIVA/GREY	8CARGPS/48	8CARGPS/50	8CARGPS/52	8CARGPS/54	8CARGPS/56	8CARGPS/58	8CARGPS/60	8CARGPS/62



ARDON	R8ED+	H9700	H9714
R8ED+ JAKNA SASTAV TKANINE: 65% poliester, 35% pamuk, 245 g/m ² ; POJAČANJA: CORDURA; DŽEPOVI: tri gornja džepa, dva bočna džepa i jedan džep na rukavu; ZATVARANJE: patentnim zatvaračem; RUKAVI: elastične manžete sa dodatnim čičak pričvršćivanjem; DODATAK: reflektirajući detalji; VELIČINA: 46 -64; Original pakiranje: 1/10	R8ED+ JACKET FABRIC COMPOSITION: 65% polyester, 35% cotton, 245 g/m ² REINFORCEMENTS: CORDURA; POCKETS: three upper pockets, two side pockets and a pocket on the sleeve; CLOSING: a zipper; SLEEVE: elastic cuffs with additional Velcro fastening; ADDITION: reflecting details; SIZE: 46 -64; Original packaging: 1/10		

NOVO
NEW

TOP
QUALITY

245 g/m²
CE EN 13688

ARDON	R8ED+	H9701	H9715
R8ED+ PANTALONE KLASIČNE SASTAV TKANINE: 65% poliester, 35% pamuk, 245 g/m ² ; POJAČANJA: CORDURA; DŽEPOVI: mnoštvo multifunkcionalnih džepova ZATVARANJE: dugme i patentni zatvarač; KOLENA: dvostruki anatomske oblikovani delovi kolena za dodatno umetanje jastučića; DODATAK: reflektirajući detalji; VELIČINA: 46 -64; Original pakovanje: 1/10	R8ED + TROUSERS FABRIC COMPOSITION: 65% polyester, 35% cotton, 245 g/m ² ; REINFORCEMENTS: CORDURA; POCKETS: many of multifunctional pockets CLOSING: button and patent zipper; KNEESE: double anatomically shaped knee parts for further pad insertion; ADDITION: reflecting details; SIZE: 46 -64; Original packaging: 1/10		

NOVO
NEW

TOP
QUALITY

245 g/m²
CE EN 13688

ARDON	R8ED+	H9702	H9716
R8ED+ PANTALONE FARMER SASTAV TKANINE: 65% poliester, 35% pamuk, 245 g/m ² ; POJAČANJA: CORDURA; DŽEPOVI: mnoštvo multifunkcionalnih džepova ZATVARANJE: dugme i patentni zatvarač; KOLENA: dvostruki anatomske oblikovani delovi kolena za dodatno umetanje jastučića; DODATAK: reflektirajući detalji; VELIČINA: 46 -64; Original pakovanje: 1/10	R8ED + BIB PANTS FABRIC COMPOSITION: 65% polyester, 35% cotton, 245 g/m ² ; REINFORCEMENTS: CORDURA; POCKETS: many of multifunctional pockets CLOSING: button and patent zipper; KNEESE: double anatomically shaped knee parts for further pad insertion; ADDITION: reflecting details; SIZE: 46 -64; Original packaging: 1/10		

NOVO
NEW

TOP
QUALITY

245 g/m²
CE EN 13688

ARDON	48	50	52	54	56	58	60	62	64
JAKNA PLAVA/ BLUE	H9700/48	H9700/50	H9700/52	H9700/54	H9700/56	H9700/58	H9700/60	H9700/62	H9700/64
KLASIČNE PANTALONE PLAVE/ BLUE	H9701/48	H9701/50	H9701/52	H9701/54	H9701/56	H9701/58	H9701/60	H9701/62	H9701/64
FARMER PANTALONE PLAVE/ BLUE	H9702/48	H9702/50	H9702/52	H9702/54	H9702/56	H9702/58	H9702/60	H9702/62	H9702/64
JAKNA CRNA/ BLACK	H9714/48	H9714/50	H9714/52	H9714/54	H9714/56	H9714/58	H9714/60	H9714/62	H9714/64
KLASIČNE PANTALONE CRNA/ BLACK	H9715/48	H9715/50	H9715/52	H9715/54	H9715/56	H9715/58	H9715/60	H9715/62	H9715/64
FARMER PANTALONE CRNA/ BLACK	H9716/48	H9716/50	H9716/52	H9716/54	H9716/56	H9716/58	H9716/60	H9716/62	H9716/64

R8ED+

245



ARDON

4TECH

4 TECH - JAKNA
SASTAV TKANINE : 65% polyester, 35% pamuk, 240 g/m²
POJAČANJA: 600D poliester OXFORD, s pojačanjima na izloženim područjima
DŽEPOVI: dva gornja džepa, dva bočna džepa
ZATVARANJE: patentnim zatvaračem sa dodatnom klapnom na čičak pričvršćivanje
RUKAVI: elastične manžetne s dodatnim čičak pričvršćivanjem
LEĐA: reflektujuća traka na ledima
VELIČINA: 46-64
BOJA: PLAVO - CRNA
Original pakovanje: 1/10



4 TECH – JACKET
FABRIC COMPOSITION: 65% polyester, 35% cotton, 240 g/m²
REINFORCEMENT: 600D poliester OXFORD, with reinforcements in exposed areas
POCKETS: two upper pockets, two side pockets
CLOSING: zipper flap with additional Velcro fastening
SLEEVEES : elastic cuffs with additional Velcro fastening
BACK: reflective tape on the back
SIZE: 46-64
COLOR: BLUE - BLACK
Original packaging: 1/10



H9400

RETAIL
MALOPRODAJA

240 g/m²

CE EN ISO 13688

ARDON

4TECH

4 TECH - PANTALONE KLASIČNE
SASTAV TKANINE : 65% polyester, 35% pamuk, 240 g/m²
POJAČANJA: 600D poliester OXFORD, s pojačanjima na izloženim područjima
DŽEPOVI: klasične hlače sa dva prednja džepa, dva stražnja džepa, multifunkcionalni bočni džep
ZATVARANJE: dugme i patentni zatvarač
KOLENA: dvostruki anatomske oblikovani delovi kolena za dodatno umetanje jastučića,
VELIČINA: 46-64
BOJA: PLAVO - CRNA
Original pakovanje: 1/10



4 TECH – TROUSERS
FABRIC COMPOSITION: 65% polyester, 35% cotton, 240 g/m²
REINFORCEMENT: 600D poliester OXFORD, with reinforcements in exposed areas
POCKETS: The classic pants with two front pockets, two back pockets, multifunctional side pockets
CLOSING: button and zipper
KNEESE: a double anatomically shaped knee parts for further insert pads,
SIZE: 46-64
COLOR: BLUE - BLACK
Original packaging: 1/10



H9401

RETAIL
MALOPRODAJA

240 g/m²

CE EN ISO 13688

ARDON

4TECH

4 TECH - PANTALONE FARMER
SASTAV TKANINE : 65% polyester, 35% pamuk, 240 g/m²
POJAČANJA: 600D poliester OXFORD, s pojačanjima na izloženim područjima
DŽEPOVI: dva prednja džepa, dva stražnja džepa, multifunkcionalni bočni džep, plastron džep sa patent zatvaračem
ZATVARANJE: dugme i patentni zatvarači
NARAMENICE: elastične naramenice sa plastičnim kopčama
KOLENA: dvostruki anatomske oblikovani delovi kolena za dodatno umetanje jastučića,
VELIČINA: 46-64
BOJA: PLAVO - CRNA
Original pakovanje: 1/10



4 TECH - BIB PANTS
FABRIC COMPOSITION: 65% polyester, 35% cotton, 240 g/m²
REINFORCEMENT: 600D poliester OXFORD, with reinforcements in exposed areas
POCKETS: two front pockets, two back pockets, multifunctional side pocket, plastron pocket with zipper
CLOSING: button and zipper
SUSPENDERS: elastic straps with plastic buckles
KNEESE: a double anatomically shaped knee parts for further insert pads,
SIZE: 46-64
COLOR: BLUE - BLACK
Original packaging: 1/10



H9402

RETAIL
MALOPRODAJA

240 g/m²

CE EN ISO 13688

4 TECH	46/48	50/52	54/56	58/60	62/64
JAKNA	M	L	XL	XXL	XXXL
KLASIČNE PANTALONE	H9400/46 H9400/48	H9400/50 H9400/52	H9400/54 H9400/56	H9400/58 H9400/60	H9400/62 H9400/64
FARMER PANTALONE	H9402/46 H9402/48	H9402/50 H9402/52	H9402/54 H9402/56	H9402/58 H9402/60	H9402/62 H9402/64



LACUNA

WORKTIME

ARDON

4 TECH

H9300

4 TECH - JAKNA
SASTAV TKANINE: 65% poliester, 35% pamuk, 240 g/m²
POJAČANJA: 600D poliester OXFORD, s pojačanjima na izloženim područjima
DŽEPOVI: dva gornja džepa, dva bočna džepa
ZATVARANJE: patentnim zatvaračem sa dodatnom klaponom na čičak pričvršćivanje
RUKAVI: elastične manžete s dodatnim čičak pričvršćivanjem
LEĐA: reflektirajuća traka na ledjama
VELIČINA: 46-64
BOJA: SIVA - CRNA
Original pakovanje: 1/10



4 TECH - JACKET
FABRIC COMPOSITION: 65% polyester, 35% cotton, 240 g/m²
REINFORCEMENT: 600D poliester OXFORD, with reinforcements in exposed areas
POCKETS: two upper pockets, two side pockets
CLOSING: zipper flap with additional Velcro fastening
SLEEVES: elastic cuffs with additional Velcro fastening
BACK: reflective tape on the back
SIZE: 46-64
COLOR: GREY - BLACK
Original packaging: 1/10

RETAIL
MALOPRODAJA240 g/m²
CE EN 13688

ARDON

4 TECH

H9301

4 TECH - PANTALONE KLASIČNE
SASTAV TKANINE: 65% poliester, 35% pamuk, 240 g/m²
POJAČANJA: 600D poliester OXFORD, s pojačanjima na izloženim područjima
DŽEPOVI: klasične pantalone sa dva prednja džepa, dva zadnja džepa, multifunkcionalni bočni džep
ZATVARANJE: dugme i patentni zatvarač
KOLENA: dvostruki anatomske oblikovani delovi kolena za dodatno umetanje jastučića,
VELIČINA: 46-64
BOJA: SIVA - CRNA
Original pakovanje: 1/10



4 TECH - TROUSERS
FABRIC COMPOSITION: 65% polyester, 35% cotton, 240 g/m²
REINFORCEMENT: 600D poliester OXFORD, with reinforcements in exposed areas
POCKETS: The classic pants with two front pockets, two back pockets, multifunctional side pockets
CLOSING: button and zipper
KNEESE: a double anatomically shaped knee parts for further insert pads,
SIZE: 46-64
COLOR: GREY - BLACK
Original packaging: 1/10

RETAIL
MALOPRODAJA240 g/m²
CE EN 13688

ARDON

4 TECH

H9302

4 TECH - PANTALONE FARMER
SASTAV TKANINE: 65% poliester, 35% pamuk, 240 g/m²
POJAČANJA: 600D poliester OXFORD, s pojačanjima na izloženim područjima
DŽEPOVI: dva prednja džepa, dva zadnja džepa, multifunkcionalni bočni džep, plastron džep sa patent zatvaračem
ZATVARANJE: dugme i patentni zatvarač
NARAMENICE: elastične naramenice sa plastičnim kopčama
KOLENA: dvostruki anatomske oblikovani delovi kolena za dodatno umetanje jastučića,
VELIČINA: 46-64
BOJA: SIVA - CRNA
Original pakovanje: 1/10



4 TECH - BIB PANTS
FABRIC COMPOSITION: 65% polyester, 35% cotton, 240 g/m²
REINFORCEMENT: 600D poliester OXFORD, with reinforcements in exposed areas
POCKETS: two front pockets, two back pockets, multifunctional side pocket, plastron pocket with zipper
CLOSING: button and zipper
SUSPENDERS: elastic straps with plastic buckles
KNEESE: a double anatomically shaped knee parts for further insert pads,
SIZE: 46-64
COLOR: GREY - BLACK
Original packaging: 1/10

RETAIL
MALOPRODAJA240 g/m²
CE EN 13688

4 TECH	46/48	50/52	54/56	58/60	62/64
M		L	XL	XXL	XXXL
JAKNA	H9300/46	H9300/46	H9300/50	H9300/52	H9300/54
KLASIČNE PANTALONE	H9301/46	H9301/48	H9301/50	H9301/52	H9301/54
FARMER PANTALONE	H9302/46	H9302/48	H9302/50	H9302/52	H9302/54
			H9302/56	H9302/58	H9302/60
				H9302/62	H9302/64

ARDON

4TECH

H9313

JAKNA

Jakna 4TECH zimska sivo-crna
Materijal: 100% poliester 450DX450D, PU premaž, vodootporan
Izolacija: 100% poliester, 100 g/m²
Zatvaranje: zatvarač
Veličina: M-XXXL
Pakovanje: 1/10 kom



Jacket 4TECH winter grey-black
Material: 100% poliester 450DX450D, PU coating, waterproof
Isolation: 100% polyester, 100 g/m²
Closing: zipper
Size: M-XXXL
Original packaging: 1/10

240 g/m²
CE EN ISO 13688

ARDON

4TECH

H9304

PRSLUK

Prsluk 4TECH sivo-crni
Materijal: 65% poliester, 35% pamuk, 240 g/m², pojačanje od 600D poliester
Džepovi: 2 gore, 2 dolje
Vidljivost: ukrasna reflektujuća traka
Veličina: 46-64
Pakovanje: 1/10 kom



Waistcoat 4TECH grey-black
Material: 65% poliester, 35% cotton, 240 g/m², 600D polyester reinforcement
Pockets: 2 up, 2 down
Visibility: decorative reflective stripe
Size: 46-64
Original packaging: 1/10

240 g/m²
CE EN ISO 13688

4 TECH

4 TECH

H9303

PRSLUK

4 TECH	46/48	50/52	54/56	58/60	62/64
M	L	XL	XXL	XXXL	XXXXL
JAKNA	H9313/M	H9313/L	H9313/XL	H9313/XXL	H9313/XXXXL
PRSLUK	H9304/46	H9304/48	H9304/50	H9304/52	H9304/54
			H9304/54	H9304/56	H9304/58
				H9304/60	H9304/62
					H9304/64

ARDON

4TECH

H9303

PRSLUK

Prsluk 4TECH zimski sivo-crni
Opis: Zimski prsluk
Materijal: 65% poliester, 35% pamuk, 240 g/m²
Postava: 600D poliester Oxford tkanina
Vidljivost: reflektujuće trake
Džepovi: 2 na prsima, 2 at bottom
Izolacija: 100% poliester, podstava 200 g/m²
Veličina: M-XXXL
Pakovanje: 1/10 kom



Winter waistcoat 4TECH grey-black
Material: 65% poliester, 35% cotton, 240 g/m²
Lining: 600D polyester Oxford fabric
Visibility: reflective stripes
Pockets: 2 on chest, 2 at bottom
Insulation: 100% polyester, lining 200 g/m²
Size: M-XXXL
Original packaging: 1/10

240 g/m²
CE EN ISO 13688

4 TECH

4 TECH

H9303

PRSLUK

4 TECH	46/48	50/52	54/56	58/60	62/64
M	L	XL	XXL	XXXL	XXXXL
PRSLUK	H9303/M	H9303/L	H9303/XL	H9303/XXL	H9303/XXXXL

ARDON

4TECH

H9305

BERMUDE

Bermude 4TECH
Opis: Sportske kratke hlače
Materijal: 65% poliester, 35% pamuk, 240 g/m²
Džepovi: multifunkcionalni
Remen: tekstilni s metalnom kopčom
Veličina: 46-64
Pakovanje: 1/10 kom



Coverall shorts 4TECH grey-black
Material: 65% poliester, 35% cotton, 240 g/m²
Pockets: multifunctional
Belt: textile with metal bucket
Size: 46-64
Original packaging: 1/10

240 g/m²
CE EN ISO 13688

4 TECH

4 TECH

H9305

BERMUDE

4 TECH	46/48	50/52	54/56	58/60	62/64
M	L	XL	XXL	XXXL	XXXXL
BERMUDE	H9305/46	H9305/48	H9305/50	H9305/52	H9305/54
			H9305/54	H9305/56	H9305/58
				H9305/60	H9305/62
					H9305/64

ARDON COOL TREND

H8208
sivo narandžastaH8100
royal plava

Jakne COOL TREND
 Materijal: 100% pamuk, 260 g/m²
 Zatvaranje: zatvarač
 Vidljivost: reflektivni dodaci
 Džepovi: multifunkcionalni
 Veličina: 46-66
 Pakovanje: 1/10 kom

Workshirt COOL TREND
 Material: 100% cotton, 260 g/m²
 Closing: zipper
 Visibility: reflective accessories
 Pockets: multifunctional
 Size: 46-66
 Original packaging: 1/10

RETAIL
MALOPRODAJA

COOL TREND	46	48	50	52	54	56	58	60	62	64	66
SIVO-NARANDŽASTA	H8208/46	H8208/48	H8208/50	H8208/52	H8208/54	H8208/56	H8208/58	H8208/60	H8208/62	H8208/64	H8208/66
ROYAL PLAVA	H8100/46	H8100/48	H8100/50	H8100/52	H8100/54	H8100/56	H8100/58	H8100/60	H8100/62	H8100/64	H8100/66
BELO-SIVA	H8800/46	H8800/48	H8800/50	H8800/52	H8800/54	H8800/56	H8800/58	H8800/60	H8800/62	H8800/64	H8800/66

H8800
belo sivaH8106
crveno crnaH8220
plavaH8103
zeleno crna260 g/m²

CE EN ISO 13688

ARDON COOL TREND

H8308
sivo narandžastaH8101
royal plava

Hlače klasične COOL TREND
 Materijal: 100% pamuk, 260 g/m²
 Zatvaranje: zatvarač
 Struk: elastičan
 Kolena: pojaćana
 Džepovi: multifunkcionalni
 Remen: tekstilni s plastičnom kopčom
 Vidljivost: reflektivni dodaci
 Veličina: 46-66
 Pakovanje: 1/10 kom

Trousers COOL TREND
 Material: 100% cotton, 260 g/m²
 Closing: zipper
 Waist: elasticated
 Knees: reinforced
 Pockets: multifunctional
 Belt: textile with plastic buckle
 Visibility: reflective accessories
 Size: 46-66
 Original packaging: 1/10

RETAIL
MALOPRODAJA

COOL TREND	46	48	50	52	54	56	58	60	62	64	66
SIVO-NARANDŽASTA	H8308/46	H8308/48	H8308/50	H8308/52	H8308/54	H8308/56	H8308/58	H8308/60	H8308/62	H8308/64	H8308/66
ROYAL PLAVA	H8101/46	H8101/48	H8101/50	H8101/52	H8101/54	H8101/56	H8101/58	H8101/60	H8101/62	H8101/64	H8101/66
BELO-SIVA	H8801/46	H8801/48	H8801/50	H8801/52	H8801/54	H8801/56	H8801/58	H8801/60	H8801/62	H8801/64	H8801/66

H8801
belo sivaH8107
crveno crnaH8320
plavaH8104
zeleno crna260 g/m²

CE EN ISO 13688

ARDON COOL TREND

H8408
sivo narandžastaH8102
royal plava

Panalone farmer COOL TREND
Materijal: 100% pamuk, 260 g/m²
Zatvaranje: zatvarač, dugme na levom boku
Struk: elastičan
Kolena: pojčana
Džepovi: multifunkcionalni
Vidljivost: reflektivni dodaci
Veličina: 46-66
Pakovanje: 1/10 kom

RETAIL
MALOPRODAJA

Bib pants COOL TREND
Material: 100% cotton, 260 g/m²
Closing: zipper, button on the left hip
Waist: elasticated
Knees: reinforced
Pockets: multifunctional
Visibility: reflective accessories
Size: 46-66
Original packaging: 1/10 pcs



COOL TREND	46	48	50	52	54	56	58	60	62	64	66
SIVO-NARANDŽASTA	H8408/46	H8408/48	H8408/50	H8408/52	H8408/54	H8408/56	H8408/58	H8408/60	H8408/62	H8408/64	H8408/66
ROYAL PLAVA	H8102/46	H8102/48	H8102/50	H8102/52	H8102/54	H8102/56	H8102/58	H8102/60	H8102/62	H8102/64	H8102/66
BELO-SIVA	H8802/46	H8802/48	H8802/50	H8802/52	H8802/54	H8802/56	H8802/58	H8802/60	H8802/62	H8802/64	H8802/66

H8802
belo sivaH8108
crveno crnaH8420
plavaH8105
zeleno crna260 g/m²

CE EN ISO 13688

ARDON COOL TREND

H8150

Prsluk COOL TREND
Materijal: 100% pamuk, 260 g/m²
Zatvaranje: sa zatvaračem
Džepovi: multifunkcionalni
Vidljivost: reflektivni dodaci
Donja ivica: elastična
Veličina: 46-66
Pakovanje: 1/10 kom

Waistcoat COOL TREND
Material: 100% cotton, 260 g/m²
Closing: zipper
Pockets: multifunctional
Visibility: reflective accessories
Bottom hem: elasticated
Size: 46-66
Original packaging: 1/10 pcs

260 g/m²
CE EN ISO 13688

COOL TREND	46	48	50	52	54	56	58	60	62	64	66
ROYAL PLAVA	H8150/46	H8150/48	H8150/50	H8150/52	H8150/54	H8150/56	H8150/58	H8150/60	H8150/62	H8150/64	H8150/66

ARDON COOL TREND

H8180

Bermude COOL TREND
Materijal: 100% pamuk, 260 g/m²
Zatvaranje: zatvarač
Džepovi: multifunkcionalni
Remen: tekstilni s plastičnom kopčom (royal plava varijanta)
Vidljivost: reflektivni dodaci
Veličina: 46-66
Pakovanje: 1/10 kom

Shorts COOL TREND
Material: 100% cotton, 260 g/m²
Closing: zipper
Pockets: multifunctional
Belt: textile with plastic buckle (royal blue version)
Visibility: reflective accessories
Size: 46-66
Original packaging: 1/10 pcs



COOL TREND	46	48	50	52	54	56	58	60	62	64	66
ROYAL PLAVA	H8180/46	H8180/48	H8180/50	H8180/52	H8180/54	H8180/56	H8180/58	H8180/60	H8180/62	H8180/64	H8180/66

260 g/m²
CE EN ISO 13688



LACUNA

WORKTIME

COVERGUARD ŠTITNICI ZA KOLENA

78410

ŠTITNICI ZA KOLENA
MATERIJAL: etilen, vinil vlakna, termoplastični acetat
Veličina: univerzalna
Original pakovanje: 5 pari LOT



KNEEPADS
MATERIAL: Ethylene, Vinyl, Acetate thermoplastic
Size: UNI
Original packaging: Lot with 5 pair:



COVERGUARD POJAČANJE ZA KOLENA

8KNEE

POJAČANJE ZA KOLENA
MATERIJAL: etilen, vinil vlakna, termoplastični acetat
Original pakovanje: LOT od 5 pari

KNEE ENHANCEMENT
MATERIAL: Ethylene, Vinyl, Acetate thermoplastic
Original packaging: Lot with 5 pairs



COVERGUARD REMEN ELASTIČNI

8BELE120

REMEN ELASTIČNI
MATERIJAL: 50% polipropilen, 50% elastin
OPIS: metalna kopča «COVERGUARD». Podesiva veličina, fleksibilan.
DIMENZIJA: 120 x 4 cm
Original pakovanje: 1/100

ELASTIC BELT
MATERIAL: 50% polypropylene, 50% elastane
DESCRIPTION: metal buckle
 "COVERGUARD." Adjustable size, flexible.
DIMENSIONS: 120 x 4 cm
Original packaging: 1/100



COVERGUARD ŠTITNICI ZA KOLENA

78450

ŠTITNICI ZA KOLENA
MATERIJAL: bela kapa od PVC-a, 6 metalnih rupica
Unutrašnji materijal: 600 deniski najlon i pena
OPIS: absorpcija udaraca EVA (Ethylene Vinyl Acetate)
ZATEZANJE: 2 podesive elastične Velcro trake
Veličina: univerzalna
Original pakovanje: 1/1



KNEEPADS
MATERIAL: white PVC cap, 6 ventilation copper circled holes
Inner material: 600 denier nylon and foam inside
DESCRIPTION: Cushions in EVA (Ethylene Vinyl Acetate)
TIGHTENING: 2 adjustable elastic Velcro straps
Size: UNI
Original packaging: 1/1



CE EN 14404:2004+A1:2010

COVERGUARD ŠTITNICI ZA KOLENA

8KNEG

ŠTITNICI ZA KOLENA
OPIS: štitnik za kolena EVA (Thermoplastic ethylene Vinyl-Acetate) s plastičnom kapom ispunjen gelom za više udobnosti. Pritezanje s dvije plastične trake.
Original pakovanje: 1/10



KNEEPADS
DESCRIPTION: Independent kneepads in EVA (Thermoplastic ethylene Vinyl-Acetate) with a plastic cap and gel inside for more comfort. 2 tightening elastic straps with a plastic buckle fastening system
Original packaging: 1/10



COVERGUARD REMEN PAMUČNI

8BELE120

REMEN PAMUČNI
MATERIJAL: 100% pamuk
OPIS: metalna kopča « COVERGUARD ». Podesiva veličina.
DIMENZIJA: 120 x 4 cm
Original pakovanje: 1/100

COTTON BELT
MATERIAL: 100% cotton
DESCRIPTION: metal buckle
 "COVERGUARD." Adjustable size.
DIMENSIONS: 120 x 4 cm
Original packaging: 1/100



COVERGUARD

MANŽETNA KOŽNA MAN

5MAN

MANŽETNA KOŽNA
MATERIJAL: goveda špalt koža
OPIS: triko
DUŽINA: 40 cm
Veličina: univerzalna
Original pakovanje: 1/150
Stara šifra / old code:
 57540



LEATHER SLEEVE
MATERIAL: spil cow leather
DESCRIPTION: knit cuff
LENGTH: 40 cm
Size: UNI
Original packaging: 1/150

CE EN 11611 Class 2 A1



COVERGUARD

ŠTITNIK ZA CIPELU ŠTIT

5STIT

ŠTITNIK ZA CIPELU
MATERIJAL: goveda špalt koža
ZATEZANJE: trake
VISINA: 30 cm
Original pakovanje: 1/50
Stara šifra / old code:
 57460



SHOE SHIELD
MATERIAL: spil cow leather
STRAINING: tensioning straps
HEIGHT: 30 cm
Original packaging: 1/50

CE EN 11611 Class 2 A1



VELIČINA

UNIVERZALNA

MANŽETNA KOŽNA
 57540

ŠTITNIK ZA CIPELU
 57640

COVERGUARD

VARILAČKA KOŠULJA

57455

VARILAČKA KOŠULJA
MATERIJAL: goveda špalt koža
ZATVARANJE: drikeri
KRAGNA: ravna
LEĐA: proveravajuća
ZATEZANJE: dugme oko zglobova
DUŽINA: 75 cm
Original pakovanje: 1/1



WELDING SHIRT
MATERIAL: spil cow leather
CLOSING: press buttons
COLLAR: straight
BACK: ventilated
TIGHTENING: elastic around the wrists
LENGTH: 75 cm
Original packaging: 1/1

CE EN 11611 Class 2 A1



VELIČINA

UNIVERZALNA

VARILAČKA KOŠULJA
 57455

COVERGUARD

VARILAČKA KECELJA

5PREG

56602

56605

VARILAČKA KECELJA
MATERIJAL: goveda špalt koža
ZATEZANJE: trake
Original pakovanje: 1/25

WELDING APRON
MATERIAL: spil cow leather
TIGHTENING: button, around the wrists
Original packaging: 1/25

Stara šifra / old code:
 56600



VELIČINA

90x60 cm

110x70 cm

120x90 cm

VARILAČKA KECELJA
 5PREG

56602

56605

CE EN 11611 Class 2 A1



COVERGUARD

BEAVER

8BEAVP

BEAVER JAKNA
MATERIJAL: 60% pamuk, 40% poliestersko vlakno, vodooodbojan
POSTAVA: 100% poliestersko krvno
ZATVARANJE: patent zatvarač sa preklopom na drikere
KAPULJAČA: skida se, na drikere, sa postavljenim krznom
PRIČVRŠČIVANJE: elastično pričvršćenje
VELIČINA: S-XXXL
BOJA: plava
Original pakovanje: 1/10

BEAVER JACKET
MATERIAL: 60% cotton, 40% polyester, water repellent
LINING: 100% polyester fur
CLOSING: zipper flap with the button panel
HOOD: detachable, the button panel, lined with fur
FIXING: elastic fastening
SIZE: S-XXXL
COLOR: navy
Original packaging: 1/10



COVERGUARD

BEAVER

8BEAVB

BEAVER FARMER PANTALONE
MATERIJAL: 60% pamuk, 40% poliestersko vlakno, vodooodbojan
POSTAVA: 100% poliestersko vlakno
ZATVARANJE: podesive naramenice, patent zatvarač
NOGAVICE: retroreflektivni pojaz s prednje i zadnje strane
VELIČINA: S-XXXL
BOJA: plava
Original pakovanje: 1/10

BEAVER BIB PANTS
MATERIAL: 60% cotton, 40% polyester, water repellent
LINING: 100% polyester
CLOSING: zipper, adjustable shoulder straps
LEGS: retroreflective band front and back
SIZE: S-XXXL
COLOR: navy
Original packaging: 1/10



VELIČINA	40/42 S	44/46 M	48/50 L	52/54 XL	56/58 XXL	60/62 XXXL
BEAVER JAKNA	8BEAVPS	8BEAVPM	8BEAVPL	8BEAVPXL	8BEAVPXXL	8BEAVPXXXL
PANTALONE	8BEAVBS	8BEAVBM	8BEAVBL	8BEAVBXL	8BEAVBXXL	8BEAVBXXXL

COVERGUARD

BEAVER

8BEAVC

BEAVER KOMBINEZON
MATERIJAL: 60% pamuk, 40% poliestersko vlakno, vodooodbojan
POSTAVA: 100% poliestersko krvno
ZATVARANJE: patent zatvarač
KAPULJAČA: s postavljenim krznom
NOGAVICE: zatvarač sa spoljne strane od stopala do lista, retroreflektivni pojaz s prednje i zadnje strane
VELIČINA: S-XXXL
BOJA: plava
Original pakovanje: 1/5

BEAVER COVERALL
MATERIAL: 60% cotton, 40% polyester, water repellent
LINING: 100% polyester fur
CLOSING: zipper
HOOD: with removable fur
LEGS: zipper on outside from foot to calf, retro-reflective band on front and back side
SIZE: S-XXXL
COLOR: navy
Original packaging: 1/5



COVERGUARD

BEAVER

57610

BEAVER KAPA
MATERIJAL: poliestersko vlakno/pamuk
POSTAVA: krzno, akril
Zaštita ušju i potiljka: krzno na spuštanje
BOJA: plava
Original pakovanje: 1/10

BEAVER CAP
MATERIAL: polyester/cotton
LINING: fur-lined in acrylic
EARS AND NAP PROTECTION: fur-lined, folding
COLOR: navy
Original packaging: 1/10



VELIČINA	UNIVERZALNA U	40/42 S	44/46 M	48/50 L	52/54 XL	56/58 XXL	60/62 XXXL
KOMBINEZON		8BEAVCS		8BEAVCM		8BEAVCL	8BEAVCXL
KAPA	57610					8BEAVCXXL	8BEAVCXLLL

COVERGUARD

ZIMSKA KAPA

57151 57150

ZIMSKA KAPA S UTOPLJENJEM
Materijal: najlon
Postava: 100% akril
Zaštita za uha: na preklop
Boje: zelena, plava
Original pakovanje: 1/60



WARM WINTER CAP
Material: nylon
Lining: 100% acrylic
Color: green, blue
Original packaging: 1/60

VELIČINA	UNIVERZALNA
ZIMSKA KAPA PLAVA	57151
ZIMSKA KAPA ZELENA	57150



STAY PROTECTED

Worktime

KIŠNI PROGRAM RAINWEAR



LACUNA

WORKTIME

**LACUNA
WORKTIME**
**ODELO NYLON-PVC
SUIT NYLON-PVC**
50500-50504
zelena50510-50514
žuta50520-50524
t.plava

SPOLJNI MATERIJAL: poliamid sa slojem PVC-a, vodootporen;
KAPULJAČA: pripojena, s vrpcem za zatezanje
RUKAVI: s unutrašnje strane elastična zaštita od veta
DŽEPOVI: 2 spoljna
PANTALONE: elastična gumica u stuku
ŠAVOVI: lepljeni
Originalno pakovanje: 1/10

OUTER MATERIAL: 100% PU, on a bed of polyamide (170g/m²)
HOOD: merged with ribbon tensioning
SLEEVES: elastic protection from the wind on the inside
POCKETS: two outer
TROUSERS: elastic rubber band at the waist
STICHES: adhesive
Original packaging: 1/10

Stara šifra / old code:
RNY, RNG, RNDB




CE EN 13688

VELIČINA	44/46 M	48/50 L	52/54 XL	56/58 XXL
ODELO ZELENO/ SUIT GREEN	50500	50501	50502	50503
ODELO ŽUTO/ SUIT YELLOW	50510	50511	50512	50513
ODELO TAMNO PLAVO/ SUIT BLUE	50520	50521	50522	50523

**LACUNA
WORKTIME**
**OGRTAČ NYLON-PVC
COAT NYLON-PVC**

SPOLJNI MATERIJAL: poliamid sa slojem PVC-a, vodootporen,
ZATVARANJE: patent zatvarač
KAPULJAČA: pripojena, s vrpcem za zatezanje
RUKAVI: s unutrašnje strane elastična zaštita od veta
DŽEPOVI: 2 spoljna
PANTALONE: elastična gumica u stuku, na nogama sa metalnim drikeraima
ŠAVOVI: šiveni i lepljeni
Originalno pakovanje: 1/20

Stara šifra / old code:
RNY, RNG, RNDB



CE EN 13688

VELIČINA	48/50 L	52/54 XL	56/58 XXL	60/62 XXXL
OGRTAČ PLAVI/ COAT BLUE	50571	50572	50573	50574

**LACUNA
WORKTIME**
**ODELO PU
SUIT PU**

SPOLJNI MATERIJAL: PU
KAPULJAČA: sakrivena
VENTILACIJA: Otvor za ventilaciju na ledima.
PANTALONE: s elastičnom vrpcom
DŽEPOVI: Dva džepa na jakni
Originalno pakovanje: 1/20



CE EN 13688

VELIČINA	44/46 M	48/50 L	52/54 XL	56/58 XXL	60/62 XXXL
ODELO TAMNO PLAVO/ SUIT BLUE	50820	50821	50822	50823	50824

**LACUNA
WORKTIME**
**ODELO PVC-POLIESTER
SUIT PVC-POLYESTER**

SPOLJNI MATERIJAL: dvostruki sloj PVC-a na podlozi od pamuka/poliesterskog vlakna, vodootporen
ŠAVOVI: šiveni i lepljeni
ZATVARANJE: patentni zatvarač s prekllopom na metalne drikere
KAPULJAČA: pripojena s vezicom za zatezanje
RUKAVI: s unutrašnje strane elastična zaštita od veta
DŽEPOVI: 2 spoljna
PANTALONE: elastična gumica u stuku
Originalno pakovanje: 1/10

OUTER MATERIAL: PVC double layer on the surface of cotton / polyester fibers, water resistant
SEAMS: sewn and glued
CLOSING: zipper with metal buttons
HOOD: merged with cord tensioning
SLEEVES: elastic protection from the wind on the inside
POCKETS: two outside
TROUSERS: elastic rubber on the waist
Original packaging: 1/10

Stara šifra / old code:
RY, RG

50200-50204
50210-50214

CE EN 13688

VELIČINA	44/46 M	48/50 L	52/54 XL	56/58 XXL	60/62 XXXL
KIŠNO ODELO ZELENO/ SUIT GREEN	50200	50201	50202	50203	50204
KIŠNO ODELO ŽUTO/ SUIT YELLOW	50210	50211	50212	50213	50214

**LACUNA
WORKTIME**
**OGRTAČ PVC-POLIESTER
COAT PVC-POLYESTER**

SPOLJNI MATERIJAL: dvostruki sloj PVC-a na podlozi od pamuka/poliesterskog vlakna, vodootporen
ŠAVOVI: šiveni i lepljeni
ZATVARANJE: patentni zatvarač s prekllopom na metalne drikere
KAPULJAČA: pripojena s vezicom za zatezanje
RUKAVI: s unutrašnje strane elastična zaštita od veta
DŽEPOVI: 2 spoljna
Originalno pakovanje: 1/10

OUTER MATERIAL: PVC double layer on the surface of cotton / polyester fibers, water resistant
SEAMS: sewn and glued
CLOSING: zipper with metal buttons
HOOD: merged with cord tensioning
SLEEVES: elastic protection from the wind on the inside
POCKETS: two outside
Original packaging: 1/10

Stara šifra / old code:
RLCY, RLCG

50300-50304
50310-50314

CE EN 13688

VELIČINA	44/46 M	48/50 L	52/54 XL	56/58 XXL	60/62 XXXL
OGRTAČ ZELENI/ COAT GREEN	50300	50301	50302	50303	50304
OGRTAČ ŽUTI/ COAT YELLOW	50310	50311	50312	50313	50314



STAY PROTECTED

Worktime

LACUNA MULTINORM ZAŠTITNA ODEĆA

LACUNA MULTINORM SAFETY WEAR



LACUNA

MULTINORM

ZAŠTITNA ODEĆA

Multinorm znači mnogo normi - a to je upravo što Lacuna Multinorm nudi! Asortiman Lacune nudi optimalnu zaštitu, udobnost i funkcionalnost za one koji su izloženi surovim okruženjima i rizicima koji s njima dolaze.

Neki radnici su stalno izloženi grubim okruženjima i rizicima koji s njima dolaze. Štaviše, neka od ovih okruženja izlazu radnike spoju nekoliko rizika u isto vreme. Multinorm zaštita ograničava moguće opasnosti od pojavljivanja niza rizika i smanjuje rizik od lične povrede kroz visok nivo zaštite.

Kako bismo osigurali da Multinorm odevni predmeti pruže najvišu zaštitu, naši se odevni predmeti strogo pridržavaju evropskih standarda navedenih u ovom dokumentu. Vaš odevni predmet ima etikete i oznake koje vam govore kojim standardima za zaštitnu odeću udovoljavaju.

Zaštitna od plamena

Postoje dve metode proizvodnje sporo gorivih tkanina, a Lacuna Multinorm assortiman nudi odevne predmete izradene od obe vrste tkanina, hemijski tretiranih tkanina i inherentno sporo gorivih tkanina. Obe vrste Lacuna Multinorm tkanina su izuzetno mekane i udobne - jedva da možete prepoznati da su ove tkanine visoko efikasne u zaštiti od plamena - jednostavno se čini kao još jedan materijal Lacuna kvaliteta. Inherentno sporo goriva tkanina znači da je sama tkanina tkania od sporo gorivih vlakana, tako da je zaštita od plamena ugrađena u tkaninu. Ova svojstva su trajna i ne mogu se "isprati".

Naša hemijski tretirana VO tkanina tretirana je PROBAN®-om, koji nudi dobru zaštitu a tkanina zadržava svoju mekoću i prozračnost. Postoji direktna veza između vlakna i PROBAN®-a, tako da se tretman ne može tokom vremena ukloniti. PROBAN® ne nestaje ni abrazijom ni pranjem. Tkanine tretirane PROBAN®-om ispunjavaju zahtevastandarda Oeko-tex 100, klasi proizvoda II (direktan dodir s kožom). Sporogorive tkanine imaju karakteristike koje smanjuju zapaljivost tkanina i/ili ograničavaju širenje plamena. Sigurnost i visok nivo zaštite su ono čemu Lacuna pridaje 100%-tu pažnju, kako biste vi dobili optimalnu radnu odeću. Zato, čvrsto preporučujemo da odevni predmet koristite onoliko koliko je preporučeno i da sledite uputstva za održavanje.

INDUSTRija PRIMENE INDUSTRY APPLICATIONS



Naftna industrija
Oil industry



Metalna industrija
Metal industry




Energetika
Energetic



Hemispska industrija
Chemical industry

Tablica za određivanje veličine / jakne / hlače

VELIČINA / SIZE	S	M	L	XL	XXL
A Visina / Height (cm)	44 46	48 50	52 54	56 58	60 62
B Obim grudi / Chest (cm)	170 - 174	174-178	178-182	182-186	186-190
C Obim struka / Waist (cm)	90-94	98-102	106-110	114-118	122-129



Artikl je prilagođen maloprodaji
The item is customized to retail



Visokokvalitetni proizvodi nastali kao rezultat razvoja, inovacije i dugogodišnjeg iskustva.
High-quality products resulting from development, innovation and years of experience.



Oznaka za nove artikle u katalogu
New items in the catalog



Artikl proizveden u Evropi
The item produced in Europe

LACUNA

MULTINORM

SAFETY WEAR

Multinorm znači mnogo normi - a to je upravo što Lacuna Multinorm nudi! Asortiman Lacune nudi optimalnu zaštitu, udobnost i funkcionalnost za one koji su izloženi surovim okruženjima i rizicima koji s njima dolaze.

Some workers are continuously exposed to tough environments and the risks that come with these. Moreover, several of these environments expose workers to a combination of risks at the same time. Multinorm protection limits the potential threats of a number of these risks, and reduces the risk for personal injury through its high level of protection. In order to ensure Multinorm garments provide the maximum protection, our garments comply strictly with the European standards outlined in this folder. Your garment has labels and hangtags to tell you which protective clothing standards it meets.

Flame protection

There are two different methods for producing flame-retardant fabrics, and the Lacuna Multinorm range offers garments made in both kinds of fabric, chemical treated fabric and inherent fabric. Both of the Lacuna Multinorm fabrics are extremely soft and comfortable – you hardly recognize that these fabrics are high-performance flame materials – they simply feel like one more Lacuna quality material. Inherent fabric means that the fabric itself is woven from flame-retardant fibres, so the flame protection is built into the fabric. These properties are life-long, and cannot be "washed out".

Our chemically treated FR fabric is treated with PROBAN®, which provides good protection and still lets the fabric keep its softness and breathability. There is a direct link between the fibre and PROBAN®, so the treatment cannot be removed over time. Neither abrasion nor washing can make PROBAN® disappear. PROBAN® treated fabrics meet Oeko-tex 100 requirements, product class II (direct skin contact). Flame-retardant fabrics have properties that reduce the flammability of the fabrics and/or limit the flame spread. The safety and high level of protection are the 100% focus for Lacuna, to give you the optimal workwear. Therefore, we strongly recommend you only use the garment for its recommended life and you follow the care instructions.

INDUSTRija PRIMENE INDUSTRY APPLICATIONS



Naftna industrija
Oil industry



Metalna industrija
Metal industry



Energetika
Energetic



Hemispska industrija
Chemical industry

NORME STANDARDS



EN ISO 11612

Zaštitna odeća sertifikovana u skladu s normom ISO 11612 štiti od kratkog kontakta s topotom i plamenom. Norma je podeljena u različite kategorije, gde kodne oznake označavaju koje zahteve za zaštitu od topote i gasa odgovarajući predmet ispunjava. Svaka kategorija dodatno je podeljena u različite nivo, u zavisnosti od nivoa zaštite.

- (A1) Ograničeno širenje plamena
- (A2) Ograničeno širenje plamena, opšiveni uzorci
- (B) Konvektivna topota, stepeni 1-3 gde je 3 najbolji
- (B) Radijacijska topota, stepeni 1-4 gde je 4 najbolji
- (D) Prskanje livenog aluminijuma, stepeni 1-3 gde je 3 najbolji
- (E) Prskanje livenog gvožđa, stepeni 1-3 gde je 3 najbolji
- (F) Kontaktna topota, stepeni 1-3 gde je 3 najbolji



EN ISO 11611

Zaštitna odeća sertifikovana u skladu s normom ISO 11611 pruža zaštitu od prskanja (male kapljice livenog metal) i kratkog kontakta s plamenom.

Klasa 1 - štiti protiv manje opasnih zavarivačkih tehnika i situacija, koje uzrokuju niže nivo prskanja i radijacijske topote

Klasa 2 - štiti protiv manje rizičnijih zavarivačkih tehnika i situacija koje uzrokuju više nivo prskanja i radijacijske topote

- (A1) Ograničeno širenje plamena
- (A2) Ograničeno širenje plamena, opšiveni uzorci



EN 1149-5

Zaštitna odeća sertifikovana u skladu s normom EN 1149 pruža zaštitu protiv elektrostatickog elektriciteta i ograničava mogući rizik od zapaljenja. Odevni predmet je potrebno koristiti kao deo uzemljenja električnog sistema kako bi se sprečilo nastajanje iskri.



EN 61482-1-2

Zaštitna odeća sertifikovana u skladu s normom EN 61482-1-2 pruža zaštitu od toplotnog efekta električnog luka. Ova norma pokazuje da li odevni predmet štiti od toplotnog efekta električnog luka i deli se u klasu.

Klasa 1 - Zaštita od toplotnog efekta električnog luka 4kA

Klasa 2 - Zaštita od toplotnog efekta električnog luka 7kA

Odevni predmet se testira pri napunu električnog luka od otprilike 400 V s dužinom luka od 500 ms.



EN 13034 type 6

Zaštitna odeća sertifikovana u skladu s normom EN 13034 pruža zaštitu od tečnih hemikalija i namenjena je za upotrebu ako su rizici procenjeni kao niski i nije potrebna potpuna nepropusnost za tečnosti, tj. kad osobe koje nose odeću mogu na vreme preduzeti odgovarajuće radne akcije u slučaju kontaminacije. Niski rizici mogu biti potencijalna izloženost malim količinama raspršene tečnosti ili slučajno prskanje, u malom obimu.



EN 20471

Zaštitna odeća sertifikovana u skladu s normom ISO 471 pruža visoku vidljivost u opasnim situacijama tokom celog dana. Zahtevi su postavljeni za osvetljenost i refleksiju. Odevni predmet je sertifikovan s obzirom na površinu vidljivog površinskog materijala.

Protective clothing certified to ISO 11612 protects against brief contact with heat and flame. The standard is divided into different categories, where the code letters indicate which heat and flame requirements the garment fulfills. Each category is subdivided into different levels, depending on how good the protection is.

(A1) Limited flame spread

(A2) Limited flame spread, hemmed specimens

(B) Convective heat, scale 1-3 where 3 is the best

(C) Radiant heat, scale 1-4, where 4 is best

(D) Molten aluminium splash, scale 1-3 where 3 is the best (E) Molten iron splash, scale 1-3 where 3 is the best

(F) Contact Heat, scale 1-3 where 3 is the best

Protective clothing certified to EN 11611 provides protection against spatter (small splashes of molten metal) and brief contact with flame.

Class 1 - Protects against less hazardous welding techniques and situations, causing lower spatter and radiant heat

Class 2 - Protects against riskier welding techniques and situations, which causes higher levels of spatter and radiant heat

(A1) Limited flame spread

(A2) Limited flame spread, hemmed Specimens

Protective clothing certified to EN 1149-5 provides protection against electrostatic build up and limits the potential risk of ignition. The garment should be used as a part of an earthed electrical system to prevent sparks.

Protective clothing certified to EN61482-1-2 provides protection against the thermal hazards of an electric arc. The standard tells if the garment protects against electric arc and it is divided into classes.

Class 1 - Protection against electric arc 4kA

Class 2 - Protection against electric arc 7kA

The garment is tested at an arc voltage of up to approximately 400 V with an arc duration of 500 ms.

Protective clothing to EN 13034 provides protection against liquid chemicals and is intended for use if the risks are assessed as low and a full liquid permeation barrier is not necessary, i.e. when wearers are able to take timely adequate action if their clothing becomes contaminated.

Low risks could be a potential exposure to small quantities of spray or accidental, low volume, splashes.

Protective clothing certified to EN 471 provides high visibility in dangerous situations during all hours of the day. Requirements are set for luminance and reflection. The garment is certified relative to the area of visible surface material.



TOBA



EXTREME MULTINORM WORKING RISK ENVIRONMENTS

Poizvedeno od TenCate Tecasafe® Plus tkanine.
Zaštitna odeća poizvedena od tkanine s najboljim rezultatima na testu. Šiveno negorivim koncem i označeno negorivim reflektujućim trakama.

Sastav –

51% ppan-fr, 43% lyocell vlakna, 5% para aramidna vlakna,
1% statička vlakna
Težina – 240 g/m²

Standardna boja / Standard colour



Twilight 89250

Delftblue 89249

Moonmist 89253 / 89251

Ribbon crvena 89252 Ribbon red 89252

HV Žuta (EN 47) HV Yellow (EN 47)

Crni somot 89254 Black velvet 89254

Developed with TenCate Tecasafe® Plus fabric.
Protective clothing made of fabric with highest score on the fabric test. Sewn with flame retardant thread and marked with flame retardant reflective strips.

Composition –

51% ppan-fr, 43% lyocell, 5% para aramid, 1% static control

Weight – 240 g/m²

Pranje u domaćinstvu Domestic laundering



Industrijsko pranje Industrial laundering



LACUNA WORKTIME

TOBA

MN/TOB

BLUZA / JAKNA:
Bluza klasičnog kroja sa ruskom kragnom.
Prekriveno zatvaranje na drikere. Džepovi na grudima sa preklopom. Našiveni prednji donji džepovi koji se zatvaraju sa preklopom.
Mogućnost regulacije u zglobo. U području ramena i na završecima rukava reflektujuća traka.

BLOUSE / JACKET:
Classic cut blouse with Russian collar.
Concealed buttoning. Chest flap pockets.
Sewn front lower flap pockets. Wrist regulation.
Reflective tape in the shoulder area and at the ends of the sleeve.



EN11612



EN11611



EN1149



EN61482
neobavezno



EN13034
neobavezno



EN20471
neobavezno



Tencate
Tecasafe® Plus

Tencate
materials that make a difference

CE EN 13688

VELIČINA SIZE	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL
TWILIGHT	MN/TOBTS	MN/TOBTM	MN/TOBTL	MN/TOBTXL	MN/TOBXXL
DELFTBLUE	MN/TOBDS	MN/TOBDM	MN/TOBDL	MN/TOBDXL	MN/TOBXXL
MOONMIST	MN/TOBMS	MN/TOBMM	MN/TOBML	MN/TOBMLX	MN/TOBXXL
RIBBON RED	MN/TOBRS	MN/TOBRM	MN/TOBRL	MN/TOBRLX	MN/TOBXXL
HV YELLOW	MN/TOBYS	MN/TOBYM	MN/TOBYL	MN/TOBYXL	MN/TOBXXL
BLACK VELVET	MN/TOBBS	MN/TOBBM	MN/TOBBL	MN/TOBBLX	MN/TOBXXL

LACUNA WORKTIME

TOBA

PANTALONE NA TREGERE:
Zatvaranje jednostrani zatvarač,
dugme u struku. Dvostruki šavovi. Plas-
tron džep sa preklopom. Koso ušiveni
džepovi. Pojačanje na kolenima. Pozadi
džep s preklopom. Džep za alat.


BIB TROUSERS:
Sided zipper closing, button at the waist.
Double seams. Jacket flap pocket.
Side sewn pockets. Reinforcements on
the knees. Rear flap pocket. Tool pocket.



MN/TOP



EN11612 EN11611 EN1149 EN61482 neobavezno EN13034 neobavezno EN20471 neobavezno



Tecasafe® Plus

Tencate
materials that make a difference

EN 13688

VELIČINA SIZE

	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL
--	---------	---------	---------	----------	-----------

TWILIGHT

MN/TOPTS	MN/TOPTM	MN/TOPTL	MN/TOPTXL	MN/TOPTXXL
----------	----------	----------	-----------	------------

DELFTBLUE

MN/TOPDS	MN/TOPDM	MN/TOPDL	MN/TOPDXL	MN/TOPDXXL
----------	----------	----------	-----------	------------

MOONMIST

MN/TOPMS	MN/TOPMM	MN/TOPML	MN/TOPMXL	MN/TOPMXXL
----------	----------	----------	-----------	------------

RIBBON RED

MN/TOPRS	MN/TOPRM	MN/TOPRL	MN/TOPRXL	MN/TOPRXXXL
----------	----------	----------	-----------	-------------

HV YELLOW

MN/TOPYS	MN/TOPYM	MN/TOPYL	MN/TOPYXL	MN/TOPYXXXL
----------	----------	----------	-----------	-------------

BLACK VELVET

MN/TOPBS	MN/TOPBM	MN/TOPBL	MN/TOPBXL	MN/TOPBXXXL
----------	----------	----------	-----------	-------------

LACUNA WORKTIME

TOBA

MN/TOT

PANTALONE KLASIČNE (do struka): Zatvaran-
je jednostrani zatvarač skriven klapnom.
Dvostruki šavovi. Koso ušiveni
džepovi. Pojačanje na kolenima. Pozadi džep
s preklopom. Alat džep.

CLASSIC TROUSERS (till waist):
Closing, sided zipper hidden flap. Double
seams. Side sewn pockets. Reinforcements
on the knees. Rear flap pocket. Tool pocket.



EN11612 EN11611 EN1149 EN61482 neobavezno EN13034 neobavezno EN20471 neobavezno



Tecasafe® Plus

Tencate
materials that make a difference

EN 13688

VELIČINA SIZE

	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL
--	---------	---------	---------	----------	-----------

TWILIGHT

MN/TOTTS	MN/TOTTM	MN/TOTTL	MN/TOTTXL	MN/TOTXXL
----------	----------	----------	-----------	-----------

DELFTBLUE

MN/TOTDS	MN/TOTDM	MN/TOTDL	MN/TOTDXL	MN/TOTDXXL
----------	----------	----------	-----------	------------

MOONMIST

MN/TOTMS	MN/TOTMM	MN/TOTML	MN/TOTMXL	MN/TOTMXXL
----------	----------	----------	-----------	------------

RIBBON RED

MN/TOTRS	MN/TOTRM	MN/TOTRL	MN/TOTRXL	MN/TOTRXXL
----------	----------	----------	-----------	------------

HV YELLOW

MN/TOTYS	MN/TOTYM	MN/TOTYL	MN/TOTYXL	MN/TOTYXXXL
----------	----------	----------	-----------	-------------

BLACK VELVET

MN/TOTBS	MN/TOTBM	MN/TOTBL	MN/TOTBXL	MN/TOTBXXXL
----------	----------	----------	-----------	-------------



LAWU**HIGH MULTINORM
WORKING RISK ENVIRONMENTS**

Proizvedeno od TenCate Tecapro® tkanine. Zaštitna odeća proizvedena od tkanine s najboljim rezultatima na testu. Šiveno negorivim koncem i označeno negorivim reflektujućim trakama.

Sastav:
79% pamuk, 20% poliesterska vlakna, 1% statička vlakna
Težina: 450 g/m²

Standardna boja Standard colour

River 60662 River 60662

Tamno plava 63805 Navy 63805

Vulcano 66935 Vulcano 66935

Developed with TenCate Tecapro® fabric. Protective clothing made of fabric with highest score on the fabric test. Sewn with flame retardant thread and marked with flame retardant reflective strips.

Composition:
79% cotton, 20% pes, 1% static
Weight: 450 g/m²

Pranje u domaćinstvu Domestic laundering



Industrijsko pranje Industrial laundering

**LACUNA WORKTIME****LAWU****MN/LAB**

BLUZA / JAKNA:
Bluza klasičnoga kroja sa ruskom kragnom. Prekriveno zatvaranje na drikere. Džepovi na grudima sa preklopom. Našiveni prednji donji džepovi koji se zatvaraju sa preklopom. Mogućnost regulacije u zglobu. U području ramena i na završcima rukava reflektujuća traka.

BLOUSE / JACKET:
Classic cut blouse with Russian collar. Concealed buttoning. Chest flap pockets. Sewn front lower flap pockets. Wrist regulation. Reflective tape in the shoulder area and at the ends of the sleeve.



EN11612 EN11611 EN1149 EN61482 neobavezno EN13034 neobavezno



neobavezno

Tecapro® materials that make a difference

CE EN 13688

VELIČINA SIZE	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL
RIVER	MN/LABRS	MN/LABRM	MN/LABRL	MN/LABRXL	MN/LABRXXL
NAVY	MN/LABNS	MN/LABNM	MN/LABNL	MN/LABNXL	MN/LABNXXL
VULCANO	MN/LABVS	MN/LABVM	MN/LABVL	MN/LABVXL	MN/LABVXXL

LACUNA WORKTIME**LAWU****MN/LAP**

PANTALONE NA TREGERE:
Zatvaranje jednostrani zatvarač, dugme u struku. Dvostruki šavovi. Plastron džep sa preklopom. Koso ušiveni džepovi. Pojačanje na koljenima. Pozadi džep s preklopom. Džep za alat.

BIB TROUSERS:
Sided zipper closing, button at the waist. Double seams. Jacket flap pocket. Side sewn pockets. Reinforcements on the knees. Rear flap pocket. Tool pocket.



EN11612



EN11611



EN1149



EN61482 neobavezno



EN13034 neobavezno



Tencate Tecapro® materials that make a difference

CE EN 13688

VELIČINA SIZE

44/46 S

48/50 M

52/54 L

56/58 XL

60/62 XXL

RIVER

MN/LAPRS

MN/LAPRM

MN/LAPRL

MN/LAPRXL

MN/LAPRXXL

NAVY

MN/LAPNS

MN/LAPNM

MN/LAPNL

MN/LAPNXL

MN/LAPNXXL

VULCANO

MN/LAPVS

MN/LAPVM

MN/LAPVL

MN/LAPVXL

MN/LAPVXXL

LACUNA WORKTIME**LAWU****MN/LAT**

PANTALONE KLASIĆNE:

Zatvaranje: jednostrani zatvarač skriven klapnom. Dvostruki šavovi. Koso ušiveni džepovi. Pojačanje na koljenima. Pozadi džep s preklopom. Džep za alat.

CLASSIC TROUSERS:

Closing, sided zipper hidden flap. Double seams. Side sewn pockets. Reinforcements on the knees. Rear flap pocket. Tool pocket.



EN11612



EN11611



EN1149



EN61482 neobavezno



EN13034 neobavezno



Tencate Tecapro® materials that make a difference

CE EN 13688

VELIČINA SIZE

44/46 S

48/50 M

52/54 L

56/58 XL

60/62 XXL

RIVER

MN/LATRS

MN/LATRM

MN/LATRL

MN/LATRXL

MN/LATRXXL

NAVY

MN/LATNS

MN/LATNM

MN/LATNL

MN/LATNXL

MN/LATNXXL

VULCANO

MN/LATVS

MN/LATVM

MN/LATVL

MN/LATVXL

MN/LATVXXL

EREBUS**HIGH MULTINORM
WORKING RISK ENVIRONMENTS**

Proizvedeno od TenCate Tecapro® tkanine. Zaštitna odeća proizvedena od tkanine s najboljim rezultatima na testu. Šiveno negorivim koncem te označeno negorivim reflektujućim trakama.

Sastav:
79% pamuk, 20% poliesterska vlakna, 1% statička vlakna
Težina: 350 g/m²

Standardna boja Standard colour

River 60622	River 60622
Tamno plava 63805	Navy 63805
Papaja 61070	Papaya 61070
Vulcano 66935	Vulcano 66935
Marmelada 66777	Marmelada 66777
HV Žuta 64516	HV Yellow 64516

Developed with TenCate Tecapro® fabric. Protective clothing made of fabric with highest score on the fabric test. Sewn with flame retardant thread and marked with flame retardant reflective strips.

Composition:
79% cotton, 20% pes, 1% static
Weight: 350 g/m²

Pranje u domaćinstvu Domestic laundering

Industrijsko pranje Industrial laundering

75°

LACUNA WORKTIME**EREBUS****MN/ERB**

BLUZA / JAKNA:
Bluza klasičnoga kroja sa ruskom kragnom.
Prekriveno zatvaranje na drikere. Džepovi na grudima sa preklopom. Našiveni prednji donji džepovi koji se zatvaraju sa preklopom.
Mogućnost regulacije u zglobo. U području ramena i na završecima rukava reflektujuća traka.

BLOUSE / JACKET:
Classic cut blouse with Russian collar.
Concealed buttoning. Chest flap pockets.
Sewn front lower flap pockets. Wrist regulation. Reflective tape in the shoulder area and at the ends of the sleeve.



EN11612	EN11611	EN1149	EN61482 neobavezno	EN13034 neobavezno	EN20471 neobavezno
---------	---------	--------	--------------------	--------------------	--------------------

Tecapro
materials that make a difference

EN 13688

VELIČINA SIZE	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL
RIVER	MN/ERBRS	MN/ERBRM	MN/ERBRL	MN/ERBRXL	MN/ERBXXL
NAVY	MN/ERBNS	MN/ERBNM	MN/ERBNL	MN/ERBNXL	MN/ERPNXL
PAPAYA	MN/ERBPS	MN/ERBPM	MN/ERBPL	MN/ERBPXXL	MN/ERPPXL
VULCANO	MN/ERBV5	MN/ERBVM	MN/ERBVL	MN/ERBVXL	MN/ERPVXL
MARMELADA	MN/ERBMS	MN/ERBMM	MN/ERBML	MN/ERBMXL	MN/ERMXXL
HV YELLOW	MN/ERBYS	MN/ERBYM	MN/ERBYL	MN/ERBYXL	MN/ERTYXL

LACUNA WORKTIME**EREBUS****MN/ERP****PANTALONE NA TREGERE:**

Zatvaranje jednostrani zatvarač, dugme u struku. Dvostruki šavovi. Plastron džep sa preklopom. Koso ušiveni džepovi. Pojačanje na koljenima. Pozadi džep s preklopom. Džep za alat.

BIB TROUSERS:

Sided zipper closing, button at the waist.
Double seams. Jacket flap pocket. Side sewn pockets. Reinforcements on the knees. Rear flap pocket. Tool pocket.



EN11612	EN11611	EN1149	EN61482 neobavezno	EN13034 neobavezno	EN20471 neobavezno
---------	---------	--------	--------------------	--------------------	--------------------

Tecapro

Tecapro
materials that make a difference

EN 13688

VELIČINA SIZE	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL
RIVER	MN/ERPRS	MN/ERPRM	MN/ERPRL	MN/ERPRXL	MN/ERPRXXL
NAVY	MN/ERPNS	MN/ERPNM	MN/ERPNL	MN/ERPNXL	MN/ERPNXXL
PAPAYA	MN/ERPPS	MN/ERPPM	MN/ERPPL	MN/ERPPXL	MN/ERPPXXL
VULCANO	MN/ERPVS	MN/ERPVM	MN/ERPVL	MN/ERPVLX	MN/ERPVXXL
MARMELADA	MN/ERPMS	MN/ERPMM	MN/ERPML	MN/ERPMXL	MN/ERPMXXL
HV YELLOW	MN/ERPYS	MN/ERPYM	MN/ERPYL	MN/ERPYXL	MN/ERPYXXL

LACUNA WORKTIME**EREBUS****MN/ERT****PANTALONE KLASIĆNE:**

Zatvaranje: jednostrani zatvarač skriven klapnom. Dvostruki šavovi. Koso ušiveni džepovi. Pojačanje na koljenima. Pozadi džep s preklopom. Džep za alat.

CLASSIC TROUSERS:

Closing, sided zipper hidden flap. Double seams. Side sewn pockets. Reinforcements on the knees. Rear flap pocket. Tool pocket.



EN11612	EN11611	EN1149	EN61482 neobavezno	EN13034 neobavezno	EN20471 neobavezno
---------	---------	--------	--------------------	--------------------	--------------------

Tecapro

Tecapro
materials that make a difference

EN 13688

VELIČINA SIZE	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL
RIVER	MN/ERTRS	MN/ERTRM	MN/ERTRL	MN/ERTXL	MN/ERTXXL
NAVY	MN/ERTNS	MN/ERTNM	MN/ERTNL	MN/ERTNLX	MN/ERTNXXL
PAPAYA	MN/ERTPS	MN/ERTPM	MN/ERTPL	MN/ERTPLX	MN/ERTPXXL
VULCANO	MN/ERTVS	MN/ERTVM	MN/ERTVL	MN/ERTVLX	MN/ERTVXXL
MARMELADA	MN/ERTMS	MN/ERTMM	MN/ERTML	MN/ERTMLX	MN/ERTMXXL
HV YELLOW	MN/ERTYS	MN/ERTYM	MN/ERTYL	MN/ERTYXL	MN/ERTYXXL

MERU**HIGH MULTINORM
WORKING RISK ENVIRONMENTS**

Proizvedeno od TenCate Tecapro® tkanine. Zaštitna odeća proizvedena od tkanine s najboljim rezultatima na testu. Šiveno negorivim koncem te označeno negorivim reflektujućim trakama.

Sastav:
79% pamuk, 20% poliesterska vlakna, 1% statička vlakna
Težina: 260 g/m²

Standardna boja Standard colour

River 60622	River 60622
Tamno plava	63805 Navy 63805
Papaja 61070	Papaya 61070
Vulcano 66935	Vulcano 66935
Marmelada 66777	Marmelada 66777
HV Žuta 64516	HV Yellow 64516

Developed with TenCate Tecapro® fabric. Protective clothing made of fabric with highest score on the fabric test. Sewn with flame retardant thread and marked with flame retardant reflective strips.

Sastav:
79% pamuk, 20% poliesterska vlakna, 1% statička vlakna
Težina: 260 g/m²

Pranje u domaćinstvu Domestic laundering



Industrijsko pranje Industrial laundering



LACUNA WORKTIME

MERU

BLUZA / JAKNA:
Bluza klasičnog kroja sa ruskom kragnom. Prekriveno zatvaranje na drikere. Džepovi na grudima sa preklopom. Našiveni prednji donji džepovi koji se zatvaraju sa preklopom. Mogućnost regulacije u zglobo. U području ramena i na završecima rukava reflektujuća traka.

BLOUSE / JACKET:
Classic cut blouse with Russian collar. Concealed buttoning. Chest flap pockets. Sewn front lower flap pockets. Wrist regulation. Reflective tape in the shoulder area and at the ends of the sleeve.



EN11612	EN11611	EN1149	EN61482 neobavezno	EN13034 neobavezno	EN20471 neobavezno
---------	---------	--------	--------------------	--------------------	--------------------

Tencate
Tecapro®

Tencate
materials that make a difference

CE EN 13688

VELIČINA SIZE	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL
RIVER	MN/MEBRS	MN/MEBRM	MN/MEBRL	MN/MEBRXL	MN/MEBRXXL
NAVY	MN/MEBNS	MN/MEBNM	MN/MEBNL	MN/MEBNXL	MN/MEBNXXL
PAPAYA	MN/MEBPS	MN/MEBPM	MN/MEBPL	MN/MEBPXL	MN/MEPXXL
VULCANO	MN/MEBVS	MN/MEBVM	MN/MEBVL	MN/MEBVXL	MN/MEBVXXL
MARMELADA	MN/MEBMS	MN/MEBMM	MN/MEBML	MN/MEBMXL	MN/MEBMXXL
HV YELLOW	MN/MEBYS	MN/MEBYM	MN/MEBYL	MN/MEBYXL	MN/MEBYXXL

LACUNA WORKTIME

MERU

PANTALONE NA TREGERE:
Zatvaranje jednostrani zatvarač, dugme u struki. Dvostruki šavovi. Plastron džep sa preklopom. Koso ušiveni džepovi. Pojačanje na koljenima. Pozadi džep s preklopom. Džep za alat.



MN/MEP



Tencate
Tecapro®

Tencate
materials that make a difference

CE EN 13688

VELIČINA SIZE	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL
RIVER	MN/MEPRS	MN/MEPRM	MN/MEPRL	MN/MEPRXL	MN/MEPRXXL
NAVY	MN/MEPNS	MN/MEPNM	MN/MEPNL	MN/MEPNXL	MN/MEPNXXL
PAPAYA	MN/MEPPS	MN/MEPPM	MN/MEPPL	MN/MEPPXL	MN/MEPPXXL
VULCANO	MN/MEPVS	MN/MEPVW	MN/MEPVL	MN/MEPVXL	MN/MEPVXXL
MARMELADA	MN/MEPMS	MN/MEPMW	MN/MEPML	MN/MEPMXL	MN/MEPMXXL
HV YELLOW	MN/MEPYS	MN/MEPYW	MN/MEPYL	MN/MEPYXL	MN/MEPYXXL

LACUNA WORKTIME

MERU

PANTALONE KLASIČNE:
Zatvaranje jednostrani zatvarač skriven klapnom. Dvostruki šavovi. Koso ušiveni džepovi. Pojačanje na koljenima. Pozadi džep s preklopom. Džep za alat.



MN/MET



Tencate
Tecapro®

Tencate
materials that make a difference

CE EN 13688

VELIČINA SIZE	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL
RIVER	MN/METRS	MN/METRM	MN/METRL	MN/METRXL	MN/METRXXL
NAVY	MN/METNS	MN/METNM	MN/METNL	MN/METNXL	MN/METNXXL
PAPAYA	MN/METPS	MN/METPM	MN/METPL	MN/METPXL	MN/METPXXL
VULCANO	MN/METVS	MN/METVM	MN/METVL	MN/METVXL	MN/METVXXL
MARMELADA	MN/METMS	MN/METMM	MN/METML	MN/METMXL	MN/METMXXL
HV YELLOW	MN/METY S	MN/METY M	MN/METY L	MN/METY XL	MN/METY XXL

**ETNA****HIGH MULTINORM
WORKING RISK ENVIRONMENTS**

Proizvedeno od TenCate Tecapro® tkanine. Zaštitna odeća proizvedena od tkanine s najboljim rezultatima na testu. Šiveno negorivim koncem i označeno negorivim reflektujućim trakama.

Sastav:

99% pamuk, 1% statička vlakna
Težina: 335 g/m²

Standardna boja Standard colour

- | | |
|--|--|
| | Boja vatrostalne opeke 42112 Firebrick 42112 |
| | Kobaltno plava 42114 Kobalt blue 42114 |
| | Boja plave tinte 42115 Ink blue 42115 |
| | Mandarina 42113 Mandarino 42113 |

Developed with TenCate Tecapro® fabric. Protective clothing made of fabric with highest score on the fabric test. Sewn with flame retardant thread and marked with flame retardant reflective strips.

Composition:

99% cotton, 1% static fibre

Weight: 335 g/m²

Pranje u domaćinstvu Domestic laundering



Industrijsko pranje Industrial laundering

**LACUNA WORKTIME****ETNA****MN/ETB**

BLUZA / JAKNA:
Bluza klasičnog kroja sa ruskom kragnom.
Prekriveno zatvaranje na drikere. Džepovi na
grudima sa preklopom. Našiveni prednji donji
džepovi koji se zatvaraju sa preklopom.
Mogućnost regulacije u zglobu.

BLOUSE / JACKET:
Classic cut blouse with Russian
collar. Concealed buttoning. Chest flap
pockets. Sewn front lower flap pockets. Wrist
regulation. Reflective tape in the shoulder
area and at the ends of the sleeve.

**ETNA**

EN11612



EN11611



EN1149

**Tencate**
Tecapro®**Tencate**
materials that make a difference**CE** EN 13688

VELIČINA SIZE	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL
FIREBRICK	MN/ETBFS	MN/ETBFM	MN/ETBFL	MN/ETBFXL	MN/ETBFXXL
KOBALT BLUE	MN/ETBKBS	MN/ETBKBM	MN/ETBKL	MN/ETBKBXL	MN/ETBKBXXL
INK BLUE	MN/ETBIBS	MN/ETBIBM	MN/ETBIBL	MN/ETBIBXL	MN/ETBIBXXL
MANDARINO	MN/ETBMS	MN/ETBMM	MN/ETBML	MN/ETBMLX	MN/ETBMLXXL

LACUNA WORKTIME

ETNA

PANTALONE NA TREGERE:
 Zatvaranje jednostrani zatvarač, dugme u struku. Dvostruki šavovi. Plastron džep sa preklopom. Koso ušiveni džepovi. Pojačanje na kolenima. Pozadi džep s preklopom.
 Džep za alat.



BIB TROUSERS:
 Sided zipper closing, button at the waist.
 Double seams. Jacket flap pocket. Side sewn pockets. Reinforcements on the knees. Rear flap pocket. Tool pocket.



EN11612 EN11611 EN1149



Tencate Tecapro®

Tencate

VELIČINA SIZE	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL
FIREBRICK	MN/ETPFS	MN/ETPFM	MN/ETPFL	MN/ETPFXL	MN/ETPFXL
KOBALT BLUE	MN/ETPKBS	MN/ETPKBM	MN/ETPKBL	MN/ETPKBXL	MN/ETPKBXXL
INK BLUE	MN/ETPIBS	MN/ETPIBM	MN/ETPIBL	MN/ETPIBXL	MN/ETPIBXXL
MANDARINO	MN/ETPMIS	MN/ETPMIM	MN/ETPML	MN/ETPMXL	MN/ETPMXXL

LACUNA WORKTIME

ETNA

PANTALONE KLASIČNE:
 Zatvaranje jednostrani zatvarač skriven klapnom. Dvostruki šavovi. Koso ušiveni džepovi. Pojačanje na kolenima. Pozadi džep s preklopom. Džep za alat.



CLASSIC TROUSERS:
 Closing, sided zipper hidden flap. Double seams. Side sewn pockets. Reinforcements on the knees. Rear flap pocket. Tool pocket.



EN11612 EN11611 EN1149



Tencate Tecapro®

Tencate

VELIČINA SIZE	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL
FIREBRICK	MN/ETTFS	MN/ETTFM	MN/ETTFL	MN/ETTFXL	MN/ETTXXL
KOBALT BLUE	MN/ETTKBS	MN/ETTKBM	MN/ETTKBL	MN/ETTKBXL	MN/ETTKBXXL
INK BLUE	MN/ETTIBS	MN/ETTIBM	MN/ETTIBL	MN/ETTIBXL	MN/ETTIBXXL
MANDARINO	MN/ETTMS	MN/ETTMM	MN/ETTML	MN/ETTMXL	MN/ETTXXL



ETNA 2

REGULAR MULTINORM WORKING RISK ENVIRONMENTS

Proizvedeno od TenCate Tecapro® tkanine. Zaštitna odeća proizvedena od tkanine s najboljim rezultatima na testu. Šiveno negorivim koncem i označeno negorivim reflektujućim trakama.

Sastav:
65% polieterska vlakna, 34% pamuk, 1% statička vlakna
Težina: 245 g/m²

Standardna boja Standard colour

-  Tamno zelena 61090 Bottle green 61090
-  Tamno plava 63805 Navy 63805
-  Royal box 60624 Royal box 60624

Developed with TenCate Tecapro® fabric. Protective clothing made of fabric with highest score on the fabric test. Sewn with flame retardant thread and marked with flame retardant reflective strips.

Composition:
65% pes, 34% cotton, 1% static fibre
Weight: 245 g/m²

Pranje u domaćinstvu Domestic laundering



Industrijsko pranje Industrial laundering



LACUNA WORKTIME

ETNA 2

MN/ET2B



BLUZA / JAKNA:
Bluza klasičnoga kroja sa ruskom kragnom.
Prekriveno zatvaranje na drikere. Džepovi na grudima sa preklopom. Našiveni prednji donji džepovi koji se zatvaraju sa preklopom.
Mogućnost regulacije u zglobovi.

BLOUSE / JACKET:
Classic cut blouse with Russian collar. Concealed buttoning. Chest flap pockets. Sewn front lower flap pockets. Wrist regulation. Reflective tape in the shoulder area and at the ends of the sleeve.

EN1149



Tencate
Tecapro®

Tencate
Tecapro®
Materials that make a difference

CE EN 13688

VELIČINA SIZE	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL
BOTTLE GREEN	MN/ET2BBGS	MN/ET2BBGM	MN/ET2BBGL	MN/ET2BBGXL	MN/ET2BBGXXL
NAVY	MN/ET2BNS	MN/ET2BNM	MN/ET2BNL	MN/ET2BNXL	MN/ET2BNXXL
ROYAL BOX	MN/ET2BRBS	MN/ET2BRBM	MN/ET2BRBL	MN/ET2BRBXL	MN/ET2BRBXXL

LACUNA WORKTIME

ETNA 2

MN/ET2P



PANTALONE NA TREGERE:
Zatvaranje jednostrani zatvarač, dugme u struku. Dvostruki šavovi. Plastron džep sa preklopom. Koso ušiveni džepovi. Pojačanje na kolenima. Pozadi džep s preklopom. Džep za alat.



BIB TROUSERS:
Sided zipper closing, button at the waist.
Double seams. Jacket flap pocket.
Side sewn pockets. Reinforcements on the knees. Rear flap pocket. Tool pocket.

EN1149



Tencate
Tecapro®

Tencate
Materials that make a difference

CE EN 13688

VELIČINA SIZE	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL
BOTTLE GREEN	MN/ET2PBGS	MN/ET2PBGM	MN/ET2PBGL	MN/ET2PBGXLL	MN/ET2PBGXXL
NAVY	MN/ET2PNS	MN/ET2PNM	MN/ET2PNL	MN/ET2PNXL	MN/ET2PNXXL
ROYAL BOX	MN/ET2PRBS	MN/ET2PRBM	MN/ET2PRBL	MN/ET2PRBXL	MN/ET2PRBXXL

LACUNA WORKTIME

ETNA 2

MN/ET2T



PANTALONE KLASIČNE:
Zatvaranje jednostrani zatvarač skriven klapnom. Dvostruki šavovi. Koso ušiveni džepovi. Pojačanje na kolenima. Pozadi džep s preklopom. Džep za alat.



CLASSIC TROUSERS:
Closing, sided zipper hidden flap. Double seams. Side sewn pockets. Reinforcements on the knees. Rear flap pocket. Tool pocket.

EN1149



Tencate
Tecapro®

Tencate
Materials that make a difference

CE EN 13688

VELIČINA SIZE	44/46 S	48/50 M	52/54 L	56/58 XL	60/62 XXL
BOTTLE GREEN	MN/ET2TBGS	MN/ET2TBGM	MN/ET2TBGL	MN/ET2TBGXLL	MN/ET2TBGXXL
NAVY	MN/ET2TNS	MN/ET2TNM	MN/ET2TNL	MN/ET2TNXL	MN/ET2TNXXL
ROYAL BOX	MN/ET2TRBS	MN/ET2TRBM	MN/ET2TRBL	MN/ET2TRBXL	MN/ET2TRBXXL



STAY PROTECTED

Worktime

HI VIZ ODEĆA VISOKE VIDLJIVOSTI HIGH VISIBILITY CLOTHES




HI-VIZ

Visoka vidljivost

NAŠ IZBOR MATERIJALA OUR CHOICE OF MATERIALS



Pleteno poliestersko vlakno
Knit polyester



Vodootporno poliestersko
vlakno Oxford sa premazom
paronepropusnog PU
Waterproof polyester Oxford
coated non breathable PU



Paronepropusni poliuretan
Non breathable polyurethane



Breathane®
prozračni poliuretan
Breathane®
breathable polyurethane



Polarni flis
Polar Fleece



Polipamuk
poliestersko vlakno –
pamuk 60/40%
Poly cotton
(60/40%)



Softshell

VISOKO VIDLJIVI MATERIJALI

Signalizirajuća odeća izrađena je od reflektujućih materijala koji dopušta reflektovanje svetlosti na optimalan način. Osnovni materijal izrađen je u fluorescentnim bojama kako bi odeća bila što vidljivija. Fluorescentne boje deluju svetlijе od ostalih standardnih boja i čine osobu koja ih nosi vidljivijom danju. Retroreflektivni materijal deluje kao reflektor šaljuci svetlo koje izvire kod slabog izvora nazad tom izvoru, čineći pri tome objekat lagano vidljivim, čak i u slučaju slabog svetla. Kombinirani materijal istovremeno predstavlja svojstva fluorescentnog i retroreflektirajućeg materijala (nije ponuđen u našoj kolekciji).

HIGHLY VISIBLE MATERIALS

Hi-viz clothing is made of reflective material, which allows reflecting light in an optimal way. The background material is made in fluorescent colours meant to be highly visible. The high visibility of these fabrics lies in their capacity to absorb the energy in the zones, and then to transform it into visible light. In this way, the fluorescent colours seem brighter than standard colours making the wearer of these garments more visible in daylight. The retroreflective material acts like a reflector resending the light emitted by a light source back to that source, making in this way the object enlightened "visible" even in case of slight light. The retroreflexion helps the eye to capture light when this last is weak. In this way, by reflecting the light rays back to the initial source, for example illuminated by headlights of cars, the fabric seems more bright in the eyes of the driver and makes the wearer more visible at night. The combined material presents at the same time fluorescent and retroreflective properties. (Are not offered in the collection).

EN20471 : 2003

Evropska norma za Hi-Viz
A standard meant to be seen

Odeća visoke vidljivosti namenjena je da vizualno signalizira na prisutnost osobe kako danju tako i noću.

The High visibility warning clotheings are aiming to signal the presence of the wearer visually in daylight as well as under illumination by lights at night without ambiguity in any circumstances.

HI-VIZ

High visibility

MODEL I STEPENI VIDLJIVOSTI

Odeća visoke vidljivosti podeljena je u tri razreda. Svaki razred zahteva minimalno osnovnog materijala, kao i retroreflektujućeg materijala ili kombinaciju jednog i drugog prema donjoj tabeli.

Klasa 3 sadrži najveći nivovidljivosti, a tu spadaju jakne sa dugim rukavima, parke, kabanice i odela.

Klasa 2 sadrži srednji nivo vidljivosti, koju možemo naći na prslučima ili jaknama bez retroreflektujućih traka na rukavima.

Klasa 1 sadrži najmanji nivo vidljivosti, a možemo je videti na pantalonama bez jakne, majicama ili manjim proizvodima (rukavicama ili kapama).

MODELS AND CLASSES

High visibility clothing is categorized in 3 classes. Each class requires for these garments minimal surfaces of the background material and the retroreflective material or on combined material, and this accordingly to the table here-under.

Class 3 concerns the highest level of visibility and encouts longsleeved jackets, parkas, coveralls and jacket-trousers suits.

Class 2 represents the intermediate level which can be found on waistcoats and chasubles or on jackets without retroreflective bands on the sleeves.

Class 1 is the lowest visibility level which can be found on trousers worn without jacket or vests or on small garments (gloves or caps).

	ODEĆA CLOTHES KLASA 3	ODEĆA CLOTHES KLASA 2	ODEĆA CLOTHES KLASA 1
OSNOVNI MATERIJAL BACKGROUND MATERIAL	0,80 m ²	0,50 m ²	0,14 m ²
RETROREFLEKTUJUĆI MATERIJAL RETRO-REFLECTIVE MATERIAL	0,20 m ²	0,13 m ²	0,10 m ²
KOMBINOVANI MATERIJAL COMBINED MATERIAL			0,20 m ²



Označavanje / Marking

Signalizirajuća odeća visoke vidljivosti označena je označom koju prikazuje pictogram koji pokazuje i stepen kvaliteta. Broj X pored pictograma ukazuje na razred površine pozadine materijala prema gornjoj tabeli.

High visibility warning clothing is marked with a label showing this pictogram and/or the performance levels. The number X next to the pictogram indicates the class of the surface of the background material according to the table above.

NORMA HRN EN 20471

NORM EN 20471

Metode ispitivanja i zahtevi za signalizirajuću odeću visoke vidljivosti koju koristite profesionalci.

Sertifikovana ovim standardima odeća vizuelno ukazuje na prisutnost korisnika, kako bi ga otkrili i videli ga dobro u opasnim situacijama.

Performansne potrebe pokrivaju boju, retro refleksije, minimalnu površinu i materijal za pozicioniranje.

Postoje 3 razreda signalizacije odeće definisane na osnovu korišćene površine za „propratne materijale“ (fluorescentnog materijala u boji) i „retro reflektujući materijal“ u manjem obimu.

Test methods and requirements for high-visibility warning clothes for professional use.

Clothing certified by this standard visually indicates the presence of a user in order to detect him and see him well in dangerous situations.

Performance requirements cover the color of the garment, retro reflection, minimal surfaces and materials positioning.

There are 3 signalling garment classes defined based on surfaces used for «background material» (fluorescent material color) and «retro reflective material» on smaller range.



LACUNA
WORKTIME

HI-VIZ

ISTAKNITE SE

TO STAND OUT

MODEL I STEPENI VIDLJIVOSTI

Označavanje

Personalujući standardnu odeću prilagođavamo je potrebama osobe koja je nosi, kompanije ili kupaca, ali istovremeno pojačavamo sopstveni imidž, i osećaj pripadnosti kompaniji. Svi modeli koje će naći u ovom katalogu posebno su označeni.

Pažnja pri odabiru klase: preporučljivo je ponovno ispitati odeću visoke vidljivosti nakon što je jednom označena.

TEHNIKE OZNAČAVANJA:

VEZ

Vezenje nudi najčvršću i najprestižniju personalizaciju. Danas se to radi pomoću kompjutera i zbog toga je potrebno napraviti kompjuterski program vezenja.

Moderne mašine nude vezenje sa do 12 različitih boja na istom logu. Rezultat je odličan. Može biti korišćen na bilo kom tekstilnom materijalu, ali mora imati otvor na postavi, kako bi dao bolji rezultat. Svakako oprezno sa vodootpornom odećom.

ŠTAMPA

Direktna štampa sa jednom ili više boja. Boja prolazi kroz ekran sa predmetom poput struga. Na tamnim podlogama potrebno je primeniti prvo belu boju (koja zahteva komplementarnu boju).

Boja za štampanje takođe mora biti posebna, tamnija za lakše obeležavanje ili fotografski sjajna kako bi bila vidljiva u mraku. To je najstarija i najkorišćenija tehnika obeležavanja. Za manje serije, ta tehnika se više ne koristi, a zamenilo ju je vezenje, koje je zahvaljujući kompjuterima postalo vrlo efikasno. Može biti primenjeno na velikom broju tekstilnog materijala.

INDIREKTNO DIGITALNO ŠTAMPANJE NA TEKSTIL

Logo, iako u nekoliko boja, štampa se na posebnoj podlozi ili postupkom reprografije (laser). Postavlja se na proizvod vrućim pritiskom. Taj postupak najčešće se koristi na svetlijoj jednobojnoj podlozi (bela ili bež). Mnoge opcije su moguće, sve dok je podloga otporna na temperaturu (oko 160°C u 15 sekundi zavisno od podloge). Idealan proces za male serije ili kada kompleks 4 boje ne dopušta direktnu aplikaciju na podlogu.

Napomena: Uvek utvrditi mogućnost označavanja svakog modela i napraviti test-označavanje pre štampanja serije.



MODELS AND CLASSES

Markable garments

The personalization of a standard garment allows you to obtain a professional clothing adapted to the needs of the wearer, of the company or of the customers, while promoting your image and to reinforce the feeling of belonging to the company. In order to meet these needs, all the models you find in this catalogue are markable. Attention for the respectace of the classes: it is recommended to retest a hi-viz garment once it has been marked.

MARKING TECHNIQUES:

EMBROIDERY

Embroidery offers the most solid and prestigious personalization. Today, it's guided by computer and therefore necessary to create a embroidery programme. The modern machines allow to embroider with up to 12 different colours on a same logo. The result is superb, indelible and enriches with highclass your support. It can be used on any textile support, but must have an opening in the lining in order to obtain a better result. Do however be careful with waterproof garments.

SILK SCREEN PRINTING

Direct printing with one or several colours. The ink is applied through a silkscreen with a sort of scraper. One screen per colour or per design is used with this technique. On dark supports, it is often necessary to apply a white colour first (which implies a supplementary colour). The printing ink can also be special: "swollen" for a marking in relief, or photo luminous to be visible in dark. It's the oldest and most used amongst the personalization techniques. For small series, this technique is abandoned for the benefit of embroidery which, thanks to computers, has become very performant. Can be applied on a huge number of textile supports.

INDIRECT DIGITAL TEXTILE PRINTING

The logo, even in several colours, is printed on a support "special transfer" either by silkscreen printing or by reprography process (laser). This support is applied on the object by a hot press. This process is mostly used on a clear coloured support (white, off-white or beige). Many applications are possible, as long as the support resists to the application temperature (around 160°C during 15 seconds depending on the support). Ideal process for small series or when complex four-colour printing process will not allow a direct application on the support.

Remark: Always valid the marking possibilities of each model and get realized a test-marking before launching the series.



CLASS

MARK

Indicates that the parameter has not been tested.

Indicates that the parameter has been tested.

NORMA EN 20471:2013

STANDARD EN 20471:2013

Ovaj novi standard zamenjuje staru normu EN471: 2003 + A1: 2007. Od 1. oktobra 2013. godine, nova odeća sertifikovana kao odeća „visoke vidljivosti“ mora odgovarati novom standardu. Od 1. oktobra 2013. sertifikovanje prema EN471: 2003 + A1: 2007 sertifikat više neće biti moguće. Odeća koja je sertifikovana pre 1. oktobra 2013. može biti na tržištu na neodređeno vreme. Kako bi uvek ponuditi našim klijentima najsigurnije korišćenje naših proizvoda, WEP grupa pokrenula je proces resertifikacije cele kolekcije odeće visoke vidljivosti prema novom EN20471 standardu.

Novi standard EN20471 pruža nove dokaze koji će dodatno povećati sigurnost korisnika.

Medu promenama, sledeće nam se čini najznačajnije:

Odeća koja pokriva samo torzo (prsluci, prsluk) mora imati najmanje retro reflektirajuću vodoravnu traku oko torza, uz dopunu u vidu drugog horizontalnog pojasa oko torza ili dve trake koje povezuju horizontalnu traku od napred prema natrag kroz ramena.

Odeća koja pokriva telo i ruke (prsluci, jakne, T-shirt.) mora imati najmanje retro reflektirajuću vodoravnu traku oko torza, uz dopunu u vidu drugog horizontalnog pojasa oko torza ili dve horizontalne napred-nazad preko ramena. Ako rukav ne dopušta razlikovanje trake torza, rukav mora biti okružen trakom.

Ako rukav ne dopušta razlikovanje trake torza, rukav mora biti okružen sa dve trake. Ako se radi o dugim rukavima, oni moraju biti okruženi s dve trake.

Odeća koja pokriva noge (pantalone) mora imati dve trake oko svake noge.

Odeća Razreda 3 mora:

- Pokruti torzo
- Mora imati ili duge rukave ili nogavice, ili oboje, s trakama

Test na postojanost boje na trenje i znoj materijala odeće visoke vidljivosti i kontrast je potreban za sertifikaciju.

Test na obojenja na pranje / hemijsko pranje/ pranja i peglanje materijala odeće visoke vidljivosti i kontrast su potrebni za sertifikaciju.

Test otpornosti na vodene pare je potreban za sertifikat

Definisan je novi logo:



Prijašnji logo:



Postoji više referenci kvaliteta retro reflektujućih traka na etiketi proizvoda, ali samo u klasi proizvoda:

PRIJE:

POSLIJE:



Konačno, novi standard u Dodatu A širi informacije koje se odnose na rizik i identificuje odgovarajuću klasu odeće:

Brzina vozila	Tip korisnika	Nivo rizika	Klasa odeće
> 60km/h	Pasivan	Visok	3 prema EN20471
≤ 60km/h	Pasivan	Visok	2 prema EN20471
≤ 30km/h	Pasivan	Visok	1 prema EN20471
≤ 60km/h	Aktivan	Umeren	—
≤ 15km/h	Pasivan	Umeren	—

Pasivan korisnik: osoba na putu koja ne učestvuje u kontroli saobraćaja.

PRIMER: radnik na putu, osoba u hitnoj situaciji.

Aktivan korisnik: osoba koja se kreće po putu i fokusirana je na saobraćaj.

PRIMER: biciklista, pešak

This new standard replaces EN471: 2003 + A1: 2007. As of 1 October 2013, new clothes certified «high-visibility» must meet the new standard. As of October 1, 2013, it is no longer possible to certify a product according to EN471: 2003 + A1: 2007 certified but before October 1, 2013 clothing can still be marketed indefinitely. In order to always offer our customers the safest use of our products, WEP group has initiated a process of recertifying the full range of its high visibility from the publication of the EN20471 standard.

New standard EN20471 provides new evidence that will further enhance the safety of the user.

Among the changes, the following seem most remarkable for us :

A garment covering only the torso (waistcoats, vest) must have at least a retro reflective horizontal band around the torso, supplemented either by a second horizontal band around the torso or two strips connecting the horizontal strip from front to back through the shoulders.

A garment covering the torso and arms (waistcoats, jacket, T-shirt.) must have at least a retro reflective horizontal band around the torso, supplemented either by a second horizontal band around the torso or by two bands joining the band horizontal front to back through the shoulders. If a sleeve doesn't allow distinguishing a band torso, the sleeve should be surrounded by a band. If a sleeve impossible to distinguish two bands torso, sleeves must be surrounded by two bands. If it is long sleeved, it must be surrounded by two bands.

Clothing which covers legs (pants) has to have two bands around each leg.

Clothing Class 3 must:

- Cover the torso
- Either have sleeves or legs, or both, provided with bands.

A test on the color fastness to rubbing and sweat of the material High-visibility and contrast is required for certification.

A test on the color fastness to washing / dry cleaning / laundering and ironing of the material High-visibility and contrast required for certification.

A test on the resistance to water vapor is required for the certification.

A new logo was defined:

Logo:



Previous logo:



There are more references to the quality of retro reflective tape on the labeling of the product but only the product class:

BEFORE:



AFTER:



Finally, the new standard in Appendix A diffuses information related to the risk and identifies the appropriate clothing class:

Vehicle speed	Type of user	Risk level	Clothing Class
> 60km/h	Passive	High	3 according to EN20471
≤ 60km/h	Passive	High	3 according to EN20471
≤ 30km/h	Passive	High	3 according to EN20471
≤ 60km/h	Active	Moderate	—
≤ 15km/h	Passive	Moderate	—


Passive user: person using the road, without taking part in the traffic control.

EXAMPLE: road worker, person in an emergency situation.

Active user: person using the road, taking part in the movement and is focused on traffic.

EXAMPLE: cyclist, pedestrian.

PRONAĐITE SVOJU VELIČINU FIND YOUR SIZE



Odredite veličinu A, B ili C
Mjere u cm


A GRUDI / CHEST

B STRUK / WAIST

C BOKOVI / HIP


Order the size A, B or C
Measurements in cm

Za jakne, parke, prsluke i košulje
For jackets, parkas, waistcoats and vests




A ili / or B

Za pantalone, kratke pantalone i farmerke
For trousers, shorts and bib-pants



B ili / or C

Za kombinezon
For coveralls



A, B ili / or C

MUŠKARCI / MEN

VELIČINA / SIZE	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66
A grudi / chest	81	88	89	96	97	104	105	112	113	120	121	128	129	136	137	144
B struk / waist	69	76	77	84	85	92	93	100	101	108	109	116	117	124	125	132
C bokovi / hips	85	92	93	100	101	108	109	116	117	124	125	132	133	140	141	148
Slovne o. / Letters' m.	XS	S	M	L	XL						XXL	XXXL	XXXXL			
Brojčane o. /Numerical m.	0	1	2	3	4						5	6	7			

TEHNIČKE INFORMACIJE TECHNICAL INFORMATION

TEHNIČKE KARAKTERISTIKE MATERIJALA TECHNICAL PROPERTIES OF MATERIALS



VODOOTPORNOST
Svojstvo tkanine da ne upija vodu, brzo se suši.
HYDROPHOBIC
Performant fabric which do not absorb water and easens drying after washing.



PREMAZ
Nanos slojeva (poliuretana, PVC-a) na tkaninu, omogućava materijalu da ostane vodootporan.



COATING
Application of a product (polyurethane, PVC...) on a fabric, allowing the material to become waterproof.



PAROPROPUSNOST
Svojstvo tkanine što omogućava da vлага tela izlazi kroz tkaninu.



BREATHABLE
Material which allows the body's moister to get through the fabric.



NEOSETLJIVOST NA MOLJCE
Moljci ne vole sintetička vlakna, lakše je skladištenje.



INSENSITIVITY TO CLOTH MOTHS
All synthetic materials are cloth moths free.



VARENJI ŠAVOVI
Tehnika varenja čini šavove savršeno vodootpornim.
WELDED SEAMS
Hot welding technique making the seams perfectly waterproof.



VODOODOBOJNOST
Omogućava odbijanje vode, ulja i prljavštine od tkanine. Tečnost se kreće po tkanini bez prodiranja u istu.
WATERPROOF
Finishing process which enables a fabric to resist penetration by water in its liquid form, or by oil or dirt. Liquids run off the fabrics without penetrating it.



ANTI PILLING
Završni postupak koji sprečava vlakna da se odvoje i oblikuju pahuljice na površini proizvoda. Time im daju bolju otpornost na pranje i korišćenje.



ANTI PILLING
Specific finish treatment, which prevents fibres to separate and to form fluffs on the surface of the product, thus it gives a better resistance to washing and usage.



ODRŽAVANJE OBЛИKA
Proces proizvodnje, tkanja, omogućava vlaknima vraćanje u prvobitno stanje. Nije potrebno peglanje.



KEEPS ITS SHAPE AND SMOOTHES OUT ITSELF
The manufacturing process, knitting, allows the fibres to get back in their proper place. Domestic use: ironfree.



VARENJI ŠAVOVI
Tehnika varenja čini šavove savršeno vodootpornim.
REVERSIBLE
Hot welding technique making the seams perfectly waterproof.

INDUSTRija PRIMENE INDUSTRY APPLICATION



Poljoprivreda / vrtlarstvo
Agriculture / gardening



Građevina
Construction industry



Teška industrija
Heavy industry



Laka industrija
Light industry



Pomoći poslovi / zanati
Auxiliary operations / crafts



Usluge / logistika
Services / logistics



Oznaka za nove artikle u katalogu
New items in the catalog



Unutranji dio
Inside



Artikl je prilagođen maloprodaji
The item is customized to retail



Visokokvalitetni proizvodi nastali kao rezultat razvoja, inovacije i dugogodišnjeg iskustva.
High-quality products resulting from development, innovation and years of experience.



Artikl proizveden u Evropi
The item produced in Europe

KRAGNA COLLAR



Klasična kragna
Classic collar



Visoka kragna
High-necked collar



Postavljena kragna
Lined collar



Polo kragna sa 2 dugmeta
Polo collar 2 buttons




Dugmad ispod klapne
Button under flap




Okrugla kragna
Round collar


ZATVARANJE CLOSING



Zatvarač
Zipper



Dvosmerni zatvarač
Two-ways zipper



Zatvarač + klapna s drikerima
Zipper + snap fastener flap



Dugme ispod klapne
Button under flap



Zatvarač sa Velcro® klapnom
Zipper with Velcro® flap




Dvostruko zatvaranje
2 flaps closure

RUKAVI SLEEVE



Rukavi na skidanje
Removable sleeves



Ravn rukavi
Straight sleeves



Prošiveni rukavi
Quilted sleeves

MANŽETNE CUFFS



Rebrasta manžetna
Rib cuff



Elastična manžetna
Elasticated cuff



Elastična manžetna sa zatezanjem na čičak
Elasticated cuff adjustable



Vjetrootorna manžetna
Windcheater cuff



Manžetna sa zatezanjem na dugme
Buttons cuff

VIDLJIVOST VISIBILITY



Reflektujuća traka
Retro-reflective bands



3M™ reflektujuća traka
Retro-reflective bands 3M™



Mogućnost označavanja
Markable

KAPULJAČA HOOD




Sakrivena kapuljača
Concealed hood



Kapuljača podešiva uzicom
Hood, adjustable by cord

KOPČANJE TIGHTENING



Elastično zatezjanje sa stoperima
Elasticated tightening with face block-cords




Elastično zatezjanje na ledima
Elasticated face tightening

ZATEZANJE CLOSING



Zatezjanje na užicu spreda
Cord tightening front



Elastično zatezjanje s unutrašnje strane sa stoperima
Elastic tightening with inside cords



Zatezjanje na dugmad
Button tightening

LEĐA BACK



Zaštita za leđa
Back protection

PANTALONE/FARMER PANTALONE TROUSERS / BIPANTS




Elastično zatezjanje u struku
Waist elastic tightening



Elastično zatezjanje u struku
Waist elastic tightening



Zatezjanje na dugmad s klapnom
Fly with buttons + flap



Ušice za remen
Belt straps



Zatezjanje nogavica na driker
Bottom leg snap fastener tightening



Zatvarač za podešavanje nogavica
Bottom leg zipper



Džepovi za štitnike kolena
Kneepads pockets



Držač za čekić
Hammer loop



Zadnji džep za mobitel
Back pocket, phone



SOFTSHELL

NAŠ SOFTSHELL SASTOJI SE IZ NEKOLIKO MATERIJALA, 310 G/M²:

Spoljni sloj: poliestersko vlakno i Spandex (elastansko vlakno)
Srednji sloj: provetrajući TPU premaz, sa visokim tehničkim karakteristikama vodootpornosti od 8000 mm i paropropusnosti od 800 mpv do 5000 mpv unutrašnji sloj: pričvršćeni mikro polarni flis 150 g/m²

Mešavina poliesteretskog vlakna i Spandex-a (elastansko vlakno) daje udobnost, toplinu, mekoću i omogućava elastičnost i mekoću odeće.
TPU membrana tkaninu čini vodootpornom, provetrajućom, izoluje i štiti protiv vremenskih nepogoda (kiše, snega, vetra) prilikom svakodnevnih aktivnosti.

Najčešće korišćen od strane sportista prilikom ekstremnih sportskih aktivnosti, pa zatoproširujemo Coverguard kolekciju inovativnim materijalima kako bi Vas zadovoljila svim svojim prednostima (izolacijom, laganim materijalom, paropropusnošću) i štitila prilikom bilo koje od svakodnevnih aktivnosti.

Oznaka "mm" - jedinica mere koja pokazuje otpornost tkanine na vodu, a dobijena je vodostatičnim testom. Radi se o direktnoj izloženosti materijala vodi, gde se u periodu od 24 sata meri otpornost materijala na uticaj vode.

Broj 8000 mm označava najviši stepen vode koju materijal može podneti da ne dođe do natapanja.

Oznaka "mpv" – jedinica mere koja pokazuje paropropusnost tkanine. Računa se pomoću količine kapljica znoja koju tkanina propušta kroz svoju membranu. Visoki stepen propusnosti suštinski je za efektivnu termo-regulaciju.

Standard ISO 11092* korišćen je kao referenca za označavanje karakteristike tkanine. Meri efikasnost i otpornost.

* Internacionali standard ISO 11092 pokazuje metodu koja označava termalnu otpornost i otpornost na znojenje kod tekstila, kože i nekih višeslojnih artikala (vreće za spavanje, sedišta automobila i sl.).

Oznaka "TPU" - termoplastični poliuretan



OUR SOFTSHELL FABRIC IS A GATHERING OF SEVERAL MATERIALS WEIGHING 310 G/M², COMPOSED OF:

An outer layer: polyester and Spandex
A medium layer: breathable TPU film, very technical with a high waterproofness on 8000 mm and a breathability on 800 mpv

An inside layer: bonded micro polar fleece 150 g/m²
The mixture of polyester and Spandex gives comfort, warmth, softness and ensures the elasticity and the softness of the garment. The TPU film makes the fabric waterproof, breathable, insulating and ensures a real protection against weather hazards (rain, fine snow and wind).

Usually used by high level sportsmen in their extreme sport activities, the Coverguard Collection grows with this innovative material in order to offer you all its advantages (insulation, lightness, breathability...) by protecting you at any time in all your professional activities.

Signification of "mm" - It's a measure unity indicating the fabric's water resistance, calculated by a hydrostatic test made with a water column. The column is filled with water, and the water's volume creates a pressure on the surface of 1 square inch during a period of 24 hours. The number of "mm" is equivalent to the height of the water column (measured in mm) which the fabric can support without letting the water pass through the fabric.

Signification of "mpv" - It's a measure unity indicating the breathability of a fabric, calculated with the quantity of water vapour which the fabric lets pass through the garment. A high level of breathability is essential for an efficient thermal regulation.

The Standard ISO11092* is actually used as reference to determine the performances of a textile. It measures the evaporative resistance (the blocking of the breathability).

* The international standard ISO 11092 indicates the method to determine the thermal resistance and the water vapour resistance, in stationary position of products like textiles, films, coatings, foams and leather, as well as on assemblages of multi layers which are used on garments, duvets, sleeping bags, fillings for seats and similar products.

Definition of "TPU" - Thermoplastic Polyurethane

STATION

COVERGUARD

STATION

70630-70634

70640-70643

70680-70683



Signalizirajuća softshell jakna STATION

Spoljni materijal: Softshell (94% poliestersko vlakno, 6% Spandex – elastansko vlakno), vodootporen, paropropusan

Izolacija: 100% poliestersko vlakno mikro polarni flis 310 g/m²

Postava: 100% poliestersko vlakno

Vodootpornost: 8000 mm

Paropropusnost: 3000 mpv

Trake: retroreflektivni 3M Scotchlite pojaz (2 oko struka, 2 na ramenima spreda-pozadi, 2 na svakom rukavu oko ruke)

Zatvaranje: jednosmerni zatvarač do vrha kragne

Kragna: visoka, ravna

Odvjivi rukavi: manžetne sa Velcro® čičkom

Pričvršćenje na dnu: elastično sa bočnim zatezanjem

Poledina: prođena

Džepovi: 2 donja sa vertikalnim zatvaračem, 1 gornji-vertikalni zatvarač.

Originalno pakovanje: 1/10

HI VIZ Softshell jacket STATION

OutShell: Softshell (94% polyester/6% Spandex), waterrepellant and breathable, bonded on 100% polyester micro polar fleece 310 g/m².

Lining: 100% polyester tricot

Waterproofness: 8000 mm

Breathability: 3000 mpv

Bands: retroreflective 3M Scotchlite bands (2 torso belts, 2 shoulderstraps from front to back, 2 armbelts on each sleeve)

Closing: one-way zipper up to the top of the collar

Collar: high necked


Removable sleeves: cuff with Velcro® bands

Bottom tightening: Elastic with block cords on inner sides


Back protection:

Pockets: 2 pockets bottom with vertical smooth zipper, 1 pocket up with smooth vertical zipper.

Original packaging: 1/10



Veličina Size S
EN 20471 class 2



Veličina Size M+
EN 20471 class 3



VELIČINA SIZE

	40/42 S	44/46 M	48/50 L	52/54 XL	56/58 XXL	60/62 XXXL
ŽUTA - PLAVA / YELLOW - BLUE	70629	70630	70631	70632	70633	70634
NARANĐASTO - PLAVA / ORANGE - BLUE	70639	70640	70641	70642	70643	–
CRVENO - CRNA / RED - BLACK	–	70680	70681	70682	70683	–

ARDON

REF 501

H8905

Signalizirajuća softshell jakna REF 501

Spoljni materijal: Softshell 94% poliester, 6% spandex, 310 g/m²;

Postava: 100% polar poliester;

Zatvaranje: jednosmerni zatvarač do vrha kragne;

Trake: 2 reflektujuće trake oko struka, 2 na rukavima, 2 na ramenima spreda-pozadi;

Rukavi: na skidanje

Kragna: visoka, ravna;

Džepovi: 2 donja sa vertikalnim zatvaračem, 1 gornji-vertikalni zatvarač;

Norma: EN 20471, klasa 3;

Veličina: S-XXXL;

Originalno pakovanje: 1/10

HI VIZ Softshell jacket REF 501
OutShell: Softshell 94% polyester, 6% spandex, 310g/m²;
Lining: 100% polyester polar;
Closing: one-way zipper up to the top of the collar;
Bands: 2 torso belts, 2 armbelts on each sleeve, 2 shoulderstraps from front to back;
Sleeves: detachable;
Collar: high necked;
Pockets: 2 pockets bottom with vertical smooth zipper, 1 pocket up with smooth vertical zipper;
Standard: EN 20471, class 3;
Sizes: S-XXXL;
Original packing: 1/10



NOVO
NEW

VELIČINA SIZE

	40/42 S	44/46 M	48/50 L	52/54 XL	56/58 XXL	60/62 XXXL
ŽUTA / YELLOW	H8905/S	H8905/M	H8905/L	H8905/XL	H8905/XXL	H8905/XXXL

POLARNI FLIS

Polarni flis je naftni nusproizvod. To je polimer naziva polietilen tereftalat, ili PET. Ovaj proizvod pripada porodici poliestera.

Prvi polarni tekstili su proizvedeni u 1979.

Flis je lagani, topao i udoban; konstrukcija tkanine omogućava da vazduh zarobljen između vlakana greje telo i pruža izolaciju za krajnjeg korisnika. Brzo se suši i dopušta koži da diše.

Iako je to tekstil izrađen od petrohemikalija, može se beskonačno reciklirati.

Paropropusnost proizvoda, sa izvrsnom izolacijom od hladnoće, zadržava oblik. Termička izolacija održava telo toplim, istovremeno daje veliku proventrenost. Termička izolacija predstavlja sposobnost vlakana da zadrži vazduh i omogućavaju paropropusnost kao i oslobađanje telesne vlage kroz površinu tkanine.

Sintetička vlakna omogućavaju visoku otpornost prilikom nošenja. „Anti pilling“ tretman vlaknu pruža stabilnu strukturu uprkos velikom broju pranja. Ima mnogo veću izdržljivost nego vuneni proizvod.

POLIESTER

Sintetičko vlakno hemijskog izvora sa svilenkastim odsjajem. Može se koristiti samo ili mešano, uglavnom sa prirodnim vlaknima (pamuk ili vuna) no može se mešati sa veštačkim vlaknima (poliviskoza) ili mikrofiber. Odlikuje ga visoka elastičnost, ne gužva se, ne skuplja se u pranju. Ima dobru termičku izolaciju, lako se održava, brzo se suši i otporan je na većinu hemikalija.

Oxford tkanina

Tkanina mekana na dodir, sa mrežicom. Brzo sušenje, komforna za nošenje.

POLAR FLEECE

Polar fleece is a petroleum by-product. It is a polymer called polyethylene or terephthalate or PET. This product belongs to the family of polyesters.

The first polar textiles were manufactured in 1979. Fleece garments are lightweight, warm and comfortable; the fabric construction allows air to be trapped between the fibers and heated by the body to provide insulation to the end user.

They dry quickly and allow the skin to breathe.

Although this textile is made from petrochemicals, it is infinitely recyclable.

Breathable product with an excellent cold insulation, keeps its shape. Thermic insulation keeps the warmth of the body while it also has a certain breathability. The thermic resistance is the capacity of the fibers to keep tiny air spaces which is the insulator of polar fleece fabric and its breathability which permits the humidity of the body to get through the fabric.

Made in synthetic fibres gives a very high resistance in use. Note: the anti pilling treatment gives this fibre a stable aspect despite numerous washings. Much higher resistance than wool products.

POLYESTER

Synthetic fiber of chemical origine with a silky aspect. Can be used pure or melted, principally with natural fibers (cotton or wool) but also with artificial fibers (polyviscose) or as microfiber. Polyester fiber has a good elasticity. It doesn't crumple and doesn't get into felt when washed. A strong, soft yarn with a good thermic memory (crumplefree, retains heat-set pleats) and easily washed with quick drying (hydrofobic) without shrinking : and is resistant to most chemicals. The fiber forming substance is any long-chain synthetic polymer composed of at least 85 % by weight of an ester of a substituted aromatic carboxylic acid, including but not restricted to substituted terephthalic units.

Oxford weaving

Offers a fabric with a softer feel and a dotted aspect composed of small square patterns. The warp yarns are bulkier than the weft creating a textured surface.

STATION POLAIRE
HI-WAY
HI-WAY XTRA
ROADWAY
PATROL
AIRPORT

COVERGUARD

HI-WAY

Signalizirajući prsluk žuti

Spoljni materijal: PU obložen poliester 300D Oxford fluorescentan (70% poliester / 30% poliuretan) 180g / m²
Postava: crni Fleece 100% poliester 280 g / m²
Kragna: visoka, od crnog flisa
Zatvaranje: patent zatvarač na vrhu kragne
Džepovi: dva donja džepa + 1 vertikalni na grudima
Originalno pakovanje: 1/10

Hi viz softshell waistcoat yellow

Outshell: PU coated polyester 300D Oxford fluorescent (70% polyester/30% polyurethane) 180g/m²
Lining: black fleece 100% polyester 280 g/m²
Collar: high-necked in black fleece
Closing: zipper to the top of the collar
Pockets: two lower hand pockets + 1 vertical chest pocket with zipper
Original packaging: 1/10

70500 - 70504

70510 - 70514



3M Scotchlite
Reflective Material

CE EN 20471 class 2



VELIČINA SIZE	44/46 M	48/50 L	52/54 XL	56/58 XXL	60/62 XXXL
ŽUTI / YELLOW	70500	70501	70502	70503	70504
NARANĐASTI / YELLOW	70510	70511	70512	70513	70514

ARDON

REF 401

Signalizirajući flis jakna žuto-plava REF 401

Spoljni materijal: 100% poliester flis, 300 g/m²; **Trake:** 2 reflektujuće trake oko struka, 2 na rukavima, 2 na ramenima spreda-pozadi; **Zatvaranje:** patent zatvarač do vrha kragne; **Kragna:** visoka, ravnata; **Norma:** EN20471, klasa 3; **Džepovi:** 2 spoljna sa zatvaračem, 1 unutrašnji; **Veličine:** S-XXXL;

HI VIZ fleece jacket yellow-blue

Outshell: 100% polyester fleece 300 g/m²; **Bands:** 2 torso belts, 2 armbelts on each sleeve; **2 shoulderstraps from front to back;** **Closing:** zipper to the top of the collar; **Collar:** high collar; **Norm:** EN20471, class 3; **Pockets:** 2 low pockets with zipper, 1 inner pocket; **Sizes:** S-XXXL;

H8904



NOVO
NEW



VELIČINA SIZE	S	M	L	XL	XXL	XXXL
ŽUTO - PLAVA / YELLOW - BLUE	H8904/S	H8904/M	H8904/L	H8904/XL	H8904/XXL	H8904/XXXL

CE EN 20471 class 3

COVERGUARD	HI-WAY	7HWBY	7HWBO	COVERGUARD	HI-WAY XTRA	7HWXY	7HWXO				
Signalizirajuća jakna HI WAY 2u1 Spoljni materijal: 100% poliester Oxford fluorescentno, Spoljna crna strana: 100% Taslan najlon Postava: 100% poliester taffeta, Izolacija : 100% poliester 160 g / m ² Džepovi na fluo strani: 2 džepa na dnu (zatvaranje strane sa zatvaračem), 1 džep pod preklopom, Džepovi crna strana: 2 džepa na dnu zatvaranje s patentnim zatvaračima, 2 na grudima s preklopom Zatvaranje: patent zatvarač spreda na vrhu kraga pod preklopom Kraga: visoka, crna na obe strane Dno: pojas elastični Manžetne: elastične sa čičak trakama Originalno pakovanje: 1/10				Signalizirajuća jakna extra 2u1 HI-WAY Spoljni materijal: PU obloženi poliester 300D Oxford fluorescentno, vodootporni 180g / m ² Tamna boja: PU obloženi poliester 300D Oxford Postava: 210T taft Ovratnik obloga: polarni flis 280 g / m ² Prošivanje: 100% poliester Trake: retroreflektujuće trake (2 na pojusu, na ramenima, 2 na rukvima) Kragna: visoki (unutrašnjost crni flis) Kapuljača: unutrašnja na izvlačenje Zatvaranje: Frontalno sa zatvaračem i zatvarač na vrhu kragne Rukavi se mogu skinuti: fluo Manžetne: trake na čičak Leda: zaštićena Pojas: elastičan Spoljni džepovi: 2 džepa sa čičak trakama za grijanje ruku, 1 gornji vertikalni džep s vodootpornim patentnim zatvaračem Unutrašnji džepovi: 1 novčanik džep, zatvaranje s trakama, patentni zatvarač na dnu za obeležavanje Originalno pakovanje: 1/10							
Hi-viz jacket HI WAY 2in1 Outshell reflective side: 100% polyester oxford fluorescent, Outshell black side: 100 % Taslan nylon Lining: 100% polyester taffeta, Insulation: 100% polyester 160g/m ² Pockets fluo side: 2 bottom pockets closing by zippers, under flap, 1 chest pocket under flap pockets black side: 2 bottom pockets closing with zippers under flap, 2 chest pockets with flap Closing: Front zipper fastener to the top of the collar under flap Collar: high-necked, black on both sides Bottom tightening: Waistband elasticated Cuffs: elasticated with velcro bands Original packaging: 1/10				Hi viz jacket extra 2in1 HI WAY Outshell: PU coated polyester 300D Oxford fluorescent, waterproof 180g/m ² Dark colour: PU coated polyester 300D Oxford Lining: 210T taffeta Collar lining: polar fl eece 280g/m ² Quilting: 100% polyester Bands: retrorefl ective bands (2 belts, shoulders, 2 armbands) Collar: high-necked (inside black polar fleece) Hood: conceal hood with closing cord>draw cord Closing by zipper: Front zipper fastener to the top of the collar Removable sleeves: fluo Cuffs: cuff by scratch bands Back: back protection Waistband: elasticated on front Outer pockets: 2 lower handwarmer pockets with velcro bands 1 upper vertical chest pocket with waterproof zipper Interior pockets: 1 wallet pocket, closing by scratch bands, zipper on the bottom of the lining for marking Original packaging: 1/10							
											
VELIČINA SIZE ŽUTO - CRNA / YELLOW - BLACK NARANDŽASTO - CRNA / ORANGE - BLACK	44/46 M 7HWBYM	48/50 L 7HWBYL	52/54 XL 7HWBYXL	56/58 XXL 7HWBYXXL	VELIČINA SIZE ŽUTO - CRNA / YELLOW - BLACK NARANDŽASTO - CRNA / ORANGE -	40/42 S 7HWYS	44/46 M 7HWXYM	48/50 L 7HWXYL	52/54 XL 7HWXYXL	56/58 XXL 7HWXYXXL	60/62 XXXL 7HWYXXXL
	7HWBOM	7HWBOL	7HWBOXL	7HWBOXXL		7HWXOS	7HWXOM	7HWXOL	7HWXOXL	7HWXOXXL	-

COVERGUARD HI-WAY

Signalizirajući prsluk HI WAY
Spolja strana (Hi-Viz strana): 150d poliester Oxford s PU premazom, 140 g / m²
Spolja strana (crna prsluk strana): 240T poli-ester sirova svila s AC premaza, 85 g / m²
Postava: 100% Polyester 160 g / m²
Trake: retroreflektivne trake (2 trake vodoravno, i 2 trake preko ramena)
Kragna: visoka
Zatvaranje: patentni zatvarač
Dno prsluka: Podesivo, elastično stezanje sa vezicom sa strane
Džepovi (Hi-Viz strana): 2 bočna dole
Džepovi (crna prsluk strana): 2 bočna dole + 1 na grudima, džep sa zatvaračem
Standardi: HRN EN 20471: 2013 Klasa 2

Hi viz waistcoat HI WAY
Outshell (Hi-Viz side): 150D Polyester Oxford with PU coating, 140 g/m²
Outshell (Black waistcoat side): 240T Polyester Pongee with AC coating, 85 g / m²
Padding: 100% Polyester 160 g / m²
Bands: Retroreflective bands (2 belts, and 2 shoulderstraps from front to back)
Collar: High-necked
Closing: Zipper
Bottom tightening: Adjustable elastic tightening with cord block on sides
Pockets & holder (Hi-Viz side): bottom 2 rest-hand
Pockets & holder (Black waistcoat side): bottom 2 rest-hand + 1 chest pocket with vertical zipper
Standards: EN 20471:2013 Class 2



Moguća štampa i vez zbog zatvarača na dnu postave
 MARKING thanks to a zipper on the bottom of the lining



VELIČINA SIZE	44/46 M	48/50 L	52/54 XL	56/58 XXL	56/58 XXXL
ŽUTA / YELLOW	7HWVYM	7HWVYL	7HWVYXL	7HWVYXXL	7HWVYXXXL
NARANDŽASTA / ORANGE	7HWVOM	7HWVOL	7HWVOXL	7HWVOXXL	7HWVOXXXL



CE EN 20471:2013
class 2

7HWVO

7HWVY

COVERGUARD HI-WAY

HI-WAY

70549 – 70555

70559 – 70564

HI-WAY PARKA 4/1

Polyester parka 4 u 1
Spoljni materijal: PU obložen fluorescent Oxford poliester 300D (70% poliester / 30% poliuretan) 180g / m²
Tamna boja: PVC obloženi Oxford poliester 300D Oxford (70% poliester / 30% PVC). Zatvoreni šavovi

Postava: 190T tafta

Izolacija: Odjeljiva Hi-viz flis jakna
Trake: retroreflektujuće 3M Scotchlite (2 pojasa, 2 narukvice na svakom rukavu, 2 naramenice od napred ka pozadi)

Kragna: visoka + skrivena kapuljača
Kapuljača: zatvaranje putem vezice
Prednji zatvarač: zatvarač s preklopom u dva smera
Rukavi: kimono s rebrastim rukavom oblogama
Džepovi: 2 prednja džepa - u unutrašnjosti novčanik džep + 1 vertikalni sa strane i džep s patentnim zatvaračem.
Originalno pakovanje: 1/10

Unutrašnja jakna
Spoljni materijal: PU obložen fluorescent Oxford poliester 300D Oxford FL uorescent (70% poliester / 30% poliuretan)

Postava: crni flis 100% poliester 280 g / m² Trake: retroreflective 3M Scotchlite (2 pojasa, 2 narukvice na svakom rukavu, 2 naramenice od napred ka pozadi)

Kragna: visoka u crnom flisu
Prednji zatvarač: na vrhu kragne
Rukavi na skidanje: fluo+ narukvice - elastične 100% poliester 340 g / m²
Džepovi: 2 niže handwarmer džepa, 1 vertikalni sa stane džep s patentnim zatvaračem
Originalno pakovanje: 1/10

Polyester parka 4 in 1

OutShell: PU coated fluorescent oxford polyester 300D (70% polyester/30% polyurethane) 180g/m²
Dark colour: PVC coated oxford polyester 300D Oxford (70% polyester / 30% PVC). Sealed seams
Lining: 190T Taffeta


Insulation: removable hi-viz fleece jacket
Bands: retroreflective 3M Scotchlite bands (2 belts, 2 armbands on each sleeve, 2 shoulderstraps from front to back)

Collar: high-necked concealed hood
Hood: draw cord
Front zipper fastener: 2-way with snap fastener closure
Sleeves: kimono with ribbed sleeve lining
Pockets: 2 front flap pockets - inside left wallet pocket + 1 vertical chest pocket with zipper.
Original packaging: 1/10

Inside jacket

OutShell: PU coated fluorescent oxford polyester 300D Oxford fluorescent (70% polyester/30% polyurethane)
Lining: black fleece 100% polyester 280 g/m²
Bands: retroreflective 3M Scotchlite bands (2 belts, 2 shoulderstraps from front to back, 2 armbands on each sleeve)

Collar: high-necked in black fleece
Front zipper fastener: to the top of the collar
Removable sleeves: fluo + armbands – elasticated 100% polyester 340 g/m²
Pockets: 2 lower handwarmer pockets with zipper. 1 vertical chest pocket with zipper
Original packaging: 1/10



3M Scotchlite
Reflective Material

EN 343:2003
class 1.1

EN 20471
class 3

EN 14058
class 1.3.x.x



VELIČINA SIZE	40/42 S	44/46 M	48/50 L	52/54 XL	56/58 XXL	60/62 XXXL	62/64 XXXXL
ŽUTA - PLAVA / YELLOW - BLUE	70549	70550	70551	70552	70553	70554	70555
NARANDŽASTO- PLAVA / ORANGE - BLUE	70559	70560	70561	70562	70563	70564	–





LACUNA

WORKTIME

COVERGUARD HI-WAY

70580 - 70584

70599 - 70604

HI-WAY signalizirajuća parka 4u1

Spoljni materijal: PU obložen fluorescent Oxford poliester 300D (70% poliester / 30% poliuretan) 180g / m²**Tamna boja:** PVC obloženi Oxford poliester 300D Oxford (70% poliester / 30% PVC). Zatvoreni šavovi**Postava:** 190T tafta**Izolacija:** Odvojiva Hi-viz flis jakna**Trake:** retroreflektujuće 3M Scotchlite (2 pojasa, 2 narukvice na svakom rukavu, 2 naramenice od napred ka pozadi)**Kragna:** visoka + skrivena kapuljača**Kapuljača:** zatvaranje putem vezice**Prednji zatvarač:** zatvarač s preklopom u dva smera**Rukavi:** kimono s rebrastim rukavima oblogama**Džepovi:** 2 prednja džepa - u unutrašnjosti novčanik džep + 1 vertikalni sa stane na džepu s patentnim zatvaračem.**Originalno pakovanje:** 1/10

Unutrašnja jakna

Spoljni materijal: PU obložen fluorescent Oxford poliester 300D Oxford FL uorescent (70% poliester / 30% poliuretan)**Postava:** crni flis 100% poliester 280 g / m²**Trake:** retroreflektujuće 3M Scotchlite (2 pojasa, 2 narukvice na svakom rukavu, 2 naramenice od napred ka pozadi)**Kragna:** visoki u crnom flisu**Prednji zatvarač:** na vrhu kragne**Rukavi na skidanje:** fluo + narukvice - elastične 100% poliester 340 g / m²**Džepovi:** 2 niže handwarmer džepa, 1 vertikalni sa stane džep s patentnim zatvaračem**Originalno pakovanje:** 1/10

HI-WAY hi viz parka 4in1

OutShell: PU coated fluorescent oxford polyester 300D (70% polyester/30% polyurethane) 180g/m²**Dark colour:** PVC coated oxford polyester 300D Oxford (70% polyester / 30% PVC). Sealed seams**Lining:** 190T Taffeta**Insulation:** removable hi-viz fl ece jacket**Bands:** retroreflektive 3M Scotchlite bands (2 belts, 2 armbands on each sleeve, 2 shoulderstraps from front to back)**Collar:** high-necked concealed hood**Hood:** draw cord**Front zipper fastener:** 2-way with snap fastener closure**Sleeves:** kimono with ribbed sleeve lining**Pockets:** 2 front flap pockets - inside left wallet pocket + 1 vertical chest pocket with zipper.**Original packaging:** 1/10

Inside jacket

OutShell: PU coated fluorescent oxford polyester 300D Oxford fluorescent (70% polyester/30% polyurethane)**Lining:** black fl ece 100% poliester 280 g/m²**Bands:** retroreflektive 3M Scotchlite bands (2 belts, 2 shoulderstraps from front to back, 2 armbands on each sleeve)**Collar:** high-necked in black fl ece**Front zipper fastener:** to the top of the collar**Removable sleeves:** fluo + armbands - elastične 100% poliester 340 g/m²**Pockets:** 2 lower handwarmer pockets with zipper. 1 vertical chest pocket with zipper.**Original packaging:** 1/10

4u1

3M Scotchlite
Reflective MaterialEN 343:2003
class 1.1EN 20471
class 3EN 14058
class 1.3.x.x

VELIČINA SIZE

	40/42 S	44/46 M	48/50 L	52/54 XL	56/58 XXL	60/62 XXXL	62/64 XXXXL
CRVENO - CRNA / RED - BLACK	—	70580	70581	70582	70583	70584	—
CRVENO - SIVA / RED - GREY	70599	70600	70601	70602	70603	70604	—

COVERGUARD

HI-WAY

7HWRY

7HWRO



HI-WAY signalizirajuće kišno odelo

Spoljni materijal: 100% Oxford poliester 150d par oipropustan, fluorescent. PU obložene 120g / m²**Vodootporan:** 2000 mm - **Paropropustan:** 2000**MVP** Zapečaćeni i zavareni šavovi.**Džep skladišni:** 30x26cm**Originalno pakovanje:** 1/10


Jakna

Trake: ušivene retroreflektujuće trake (2 na pojasa 2 na rukavu)**Prednji zatvarač:** na vrhu kragne**Kragna:** visoki ovratnik sa spojenom kapuljačom**Kapuljača:** skrivena**Dvojbojni rukavi:** elastični**Pričvršćivanje:** pomoću unutrašnjih trakica**Džepovi:** 2 donja spoljna preklopna džepa sa čičići zatvaranjem.**Originalno pakovanje:** 1/10

Pantalone

Trake: ušivene na retro reflektujuće trake (1 na kolenima + 1 na nogavicama)**Pojas:** elastičan oko struka, 2 bočna otvora**Donji deo nogavica:** zatvaranje pomoću trake**Originalno pakovanje:** 1/10

HI-WAY hi viz rainwear

Outer shell: 100% oxford polyester 150D breathable, fluorescent. PU coated 120g/m²**Waterproof :** 2000 mm - **Breathable :** 2000 mvp**Sealed and welded seams.****Storage pocket:** 30x26cm**Original packaging:** 1/10**Jacket**
Bands: sewed-on retroreflective bands (2 belts, 2 armbands)
Front zipper fastener: to the top of the collar
Collar: high necked with concealed hood
Hood: concealed, draw cord with stoppers
Two-tone sleeves: elasticated cuffs
Waistband: drawcord with stoppers
Pockets: 2 lower exterior flap pockets with velcro closures.
Original packaging: 1/10**Trousers**
Bands: sewed-on retroreflective bands (1 knee bands + 1 leg bands)
Waistband: elasticated waist 2 side openings
Exterior calves: snap fastener
Original packaging: 1/10

VELIČINA SIZE

	40/42 S	44/46 M	48/50 L	52/54 XL	56/58 XXL	60/62 XXXL
ŽUTO - PLAVA / YELLOW - BLUE	7HWRYS	7HWRYM	7HWRYL	7HWRYXL	7HWRYXXL	7HWRYXXXL
NARANDŽASTO - PLAVA / ORANGE - BLUE	7HWROS	7HWROM	7HWROL	7HWROXL	7HWROXXL	—



LACUNA

WORKTIME

COVERGUARD

AIRPORT

AIRPORT

Breathane jakna
Spoljni materijal: 300D poliester Oxford / PU fluorescentski paropropusna

Tamna boja: 210D najlon Oxford / PU ne-prozračna
Termo-zavareni-šavovi.

Vodootpornost: 5000 mm

Paropropusnost: 5000 MVP

Trake: ušiveni retroreflektujuće 3M Scotchlite trake torzo (2 trake, 2 narukvice na svakom rukavu, 2 na ramenima od napred ka natrag)

Telo obloge: flis 100% poliester 250 g / m²

Rukavi obloge: taft 140 g / m²

Kragna: visoka sa kopčama Kapuljača: skrivena

Prednji zatvarač: s 2 krilca: 1 spoljni s čičak trakama i 1 unutrašnji

Rukavi: ravni s čičak trakama

Džepovi: 2 spoljna džepa sa krilcima, 1 vertikalni patentni zatvarač džep

Originalno pakovanje: 1/10



Breathane jacket

Outer shell: 300D polyester Oxford/ PU fluorescent breathable

Dark colour: 210D nylon Oxford/PU nonbreathable

Thermo-welded seams.

Waterproof : 5000 mm

Breathable : 5000 mvp

Bands: sewed-on retroreflective 3M Scotchlite bands torso and braces (2 belts, 2 armbands on each sleeve, 2 shoulderstraps from front to back)

Body lining: fleece 100 % polyester 250 g/m²

Sleeves lining: taffeta 140g/m²

Collar: high-necked with snap fasteners

Hood: concealed with drawcord with stoppers

Front zipper fastener: with 2 flaps : 1 external with velcro bands and 1 interior

Sleeves: straight with velcro bands

Pockets: 2 external pockets with flaps, 1 vertical zipped pocket

Original packaging: 1/10

EN 343
class 3.2EN 20471
class 3

CE



7AIPIY

7AIPO



VELIČINA SIZE

40/42 S 44/46 M 48/50 L 52/54 XL 56/58 XXL

7AIPIYS 7AIPIYM 7AIPIYL 7AIPIYXL 7AIPIYXXL

7AIPOS 7AIPOPM 7AIPOL 7AIPOXL 7AIPOXXL

ŽUTO - PLAVA / YELLOW - BLUE

NARANDŽASTO - PLAVA / ORANGE - BLUE

7PAJV

COVERGUARD PATROL

PATROL

Jakna

Spoljni materijal: 60% pamuk / 40% poliester fluorescentno - 245g / m²

Tamna boja: 35% pamuk / 65% poliester

Trake: retroreflektujuće trake (2 trake, 2 narukvice na svakom rukavu)

Kragna: klasična

Zatvaranje: na zatvarač

Rukavi: zatezanje sa dugmetom na ivicama

Džepovi: 1 vertikalni sa strane u džep s patentnim zatvaračem

Originalno pakovanje: 1/10

Jacket

OutShell: 60% cotton / 40% polyester fluorescent - 245 g/m²

Dark colour : 35% cotton / 65% polyester

Bands: retroreflective bands (2 belts, 2 armbands on each sleeve)

Collar: classic.

Closing: zipper

Sleeves: bottom tightening with a button

Pockets: 1 vertical chest pocket with zipper

Original packaging: 1/10



VELIČINA SIZE

40/42 S 44/46 M 48/50 L 52/54 XL 56/58 XXL 60/62 XXXL

7PAJV 7PAJVL 7PAJVXL 7PAJVXXL 7PAJVXXXL

7PAOV 7PAOVL 7PAOVXL 7PAOPVXLL 7PAOPVXXXL

COVERGUARD

PATROL

PATROL

Duge i kratke pantalone

Spoljni materijal: 60% pamuk / 40% poliester fluorescentno - 245 g / m².

Tamna boja: 35% pamuk / 65% poliester 245 g / m²

Trake: retroreflektujuće trake (2 trake oko svakog lista noge)

Zatvaranje: na dugmad s preklopom. Pojas-trake.

Džepovi: 2 ravnih, 1 zadnji desni s preklopom

Original pakovanje: 1/10



Trousers / Short

OutShell: 60% cotton/40% polyester fluorescent - 245 g/m².

Dark colour : 35% cotton / 65% polyester

245 g/m²


Bands: retroreflective bands (2 bands around each calf)

Closing: Waist : button. Fly : buttons with flap. Belt-straps.

Pockets: 2 rest-hands - 1 back right with flap -

1 metre right leg

Original packaging: 1/10



VELIČINA SIZE


36/38 S 40/42 S 44/46 M 48/50 L 52/54 XL 56/58 XXL

7PAJPXS 7PAJPS 7PAJPM 7PAJPL 7PAJPXL 7PAJPXXXL

7PAOPS 7PAOPM 7PAOPV 7PAOPVPL 7PAOPVXL 7PAOPVXXXL

—

7PAOPV



HI-VIZ OSTALO HI-VIZ OTHER

RAINWEAR / YARD

ARMYARD / CAPYARD

COVERHEAD / COVERCAP

ARDON

MAXWELL

H1140

Jakna Hi Viz narančasta Maxwell

Opis: Reflektujuća jakna sa skidajućom kapuljačom;

Zatvaranje: sa zatvaračem;

Unutrašnji materijal: 100% poliester sa PU premazom;

Donji delovi rukava: 100% najlon sa PVC premazom;

Izolacija: 100% poliester; skidajuća flis podloga;

Vel. M-XXXL

Pakovanje: 1/10 kom

Jacket Hi viz orange Maxwell

Description: Reflective jacket detachable hood

Closure: with zipper

Inner material: 100% polyester with PU coating
The lower parts of the sleeve: 100% nylon PVC coating

Insulation: 100% polyester; detachable fleece background

Size: M-XXXL

Packing: 1/10 pieces



EN 343
klasa 3:1

EN 20471
2:2



CE

VELIČINA SIZE

NARANŽASTA / ORANGE

M

H1140/M

L

H1140/L

XL

H1140/XL

XXL

H1140/XXL

XXXL

H1140/XXXL

ARDON

Jakna zimska žuto-plava REF 601

H89106

JAKNA ZIMSKA

Materijal: 100% 300D Oxford poliester, PU premaz;

Postava: 100% poliester, 60 g/m²;

Punjene: 100% poliester, 170 g/m²;

Trake: 2 reflektujuće trake oko struka, 2 na rukavima, 2 na ramenima spreda- pozadi;

Kragna: uspravna;

Kapuljača: na skidanje u kragni;

Zatvaranje: patent zatvarač;

Norma: EN 20471, klasa 3;

Veličina: S-XXXL;



NOVO
NEW

WINTER JACKET

Outshell: 100% 300D Oxford polyester, PU coated;

Lining: 100% polyester, 60 g/m²s;

Insulation: 100% poliester, 170 g/m²;

Bands: 2 torso belts, 2 armbelts on each sleeve, 2 shoulderstraps from front to back;

Collar: high-necked;

Hood: detachable hood in collar;

Closing: by zipper to the top of the collar;

Norm: RN 20471, class 3;

Sizes: S-XXXL;



CE EN 20471 class 3

VELIČINA SIZE

ŽUTO-CRNA / YELLOW-BLACK

S

H8906/S

M

H8906/M

L

H8906/L

XL

H8906/XL

XXL

H8906/XXL

XXXL

H8906/XXXL



LACUNA

WORKTIME

ARDON

AQUA HI VIZ

JAKNA JACKET

Jakna kišna Ardon Aqua hi viz fluorescent

Opis: Vodootporni materijal: Plavitex, PVC/poliester, 350g/m²; dvostruka postava omogućava zaštitu protiv jake kiše i vetrata; Fluorescentno žuta boja; Jakna sa kapuljačom;

Vel. M-XXXL

Pakovanje: 1/25 kom



H1179



VELIČINA SIZE

M

L

XL

XXL

XXXL

ŽUTA / YELLOW

H1179/M

H1179/L

H1179/XL

H1179/XXL

H1179/XXXL

ARDON

AQUA HI VIZ

KABANICA RAINCOAT

Kišna kabanica Ardon Aqua Hi viz fluorescent

Opis: Vodootporni materijal: Plavitex, PVC/poliester, 350g/m²; dvostruka postava omogućava zaštitu protiv jake kiše i vetrata; Fluorescentno žuta boja;

Jakna sa kapuljačom;

Vel. M-XXXL

Pakovanje: 1/25 kom



H1181



VELIČINA SIZE

M

L

XL

XXL

XXXL

ŽUTA / YELLOW

H1181/M

H1181/L

H1181/XL

H1181/XXL

H1181/XXXL

ARDON

AQUA HI VIZ

PANTALONE RAINPANTS

Pantalone za kišu Ardon Aqua Hi viz fluorescent


Opis: Vodootporni materijal: Plavitex, PVC/poliester, 350g/m²; dvostruka postava omogućava zaštitu protiv jake kiše i vetrata; Fluorescentno žuta; Visoke pantalone sa elastičnom gumicom;

Vel. M-XXXL

Pakovanje: 1/25 kom



H1180



VELIČINA SIZE

M

L

XL

XXL

XXXL

ŽUTA / YELLOW

H1180/M

H1180/L

H1180/XL

H1180/XXL

H1180/XXXL

COVERGUARD

YARD POLO

YARD POLO

Polo majica kratki rukav

Spoljni materijal: 100% poliester birdeye fluorescentan 140 g/m²

Trake: na torzu retroreflektujuće trake (2 pojas), 2 naramenice od napred prema natrag)

Kragna: 100% pamuk s 2 dugmeta za otvaranje
Rukavi: kratki
Originalno pakovanje: 1/10

Polo shirt short sleeves
Outshell: 100 % polyester birdeye fluorescent 140 g/m²
Bands: torso/braces retroreflective bands (2 belts, 2 shoulderstraps from front to back)
Collar: navy 100% cotton with 2 buttons opening
Sleeves: short, braces navy bands
Original packaging: 1/10



70270-70274

70280-70283

VELIČINA SIZE

44/46 M

48/50 L

52/54 XL

56/58 XXL

60/62 XXXL

YARD POLO ŽUTA / YELLOW

70270

70271

70272

70273

70274

YARD POLO NARANDŽASTA / ORANGE

70280

70281

70282

70283

—

COVERGUARD

YARD T-SHIRT

YARD T-SHIRT

T-shirt majica kratki rukav

Spoljni materijal: 100% poliester birdeye fluorescentno 140 g/m²

Trake: torzo retroreflektujuće trake (2 trake, 2 od napred prema natrag)

Kragna: V kragna
Rukavi: kratki
Originalno pakovanje: 1/10

T-shirt short sleeves
Outshell: 100 % polyester birdeye fluorescent 140 g/m²
Bands: torso/braces retroreflective bands (2 belts, 2 braces from front to back)
Collar: V
Sleeves: short, navy bands
Original packaging: 1/10



VELIČINA SIZE

44/46 M

48/50 L

52/54 XL

56/58 XXL

60/62 XXXL

YARD T-SHIRT ŽUTA / YELLOW

7YAVYM

7YAVYL

7YAVYXL

7YAVYXXL

7YAVYXXXL

YARD T-SHIRT NARANDŽASTA / ORANGE

7YAVOM

7YAVOL

7YAVOXL

7YAVOXXL

—

ARDON

REF 301

Materijal: 65% poliester, 35% pamuk, 300 g/m²;
Dodatak: reflektujuće trake;
Norma: EN 20471, klasa 3;
Dostupne veličine: S-XXXL;
Originalno pakovanje: 1/10

Fabric: 65% polyester, 35% cotton, 300 g/m²;
Additional: retroreflective stripes;
Standard: EN 20471, class 3;
Available sizes: S-XXXL;
Original packing: 1/10



H8903

VELIČINA SIZE

S

M

L

XL

XXL

XXXL

ŽUTA / YELLOW

H8903/S

H8903/M

H8903/L

H8903/XL

H8903/XXL

H8903/XXXL

LACUNA WORTIME KANES

7KANEY



Prsluk signalizirajući

Materijal: poliester 120g/m², velcro zatvaranje; narandžasta boja,

Pakovanje: 1/100 kom

Stara šifra / old code:

H2017/H2018

Vest hi-viz
Material: Polyester 120g / m², velcro closing; orange
Packing: 1/10 pieces

VELIČINA

S

M

L

XL

XXL

XXXL

ALEX PRSLUK ŽUTI / YELLOW

7KANEYS

7KANEYM

7KANEYL

7KANEYXL

7KANEYXXL

7KANEYXXXL

ALEX PRSLUK NARANDŽASTI / ORANGE

7KANEOS

7KANEOM

7KANEOL

7KANEOLX

7KANEOLXXL

7KANEOLXXXL



LACUNA

WORKTIME

COVERGUARD

ARMYARD

7ARMY

7ARMO

7ARMG

TRAKA ZA RUKE

Spoljni materijal: 300D poliestersko vlakno Oxford/PU
Trake: retroreflektujući 3M Scotchlite
Veličina: podesiva Velcro® čičkom, 45x10 cm
Originalno pakovanje: 1/20



NAZIV ARTIKLA	NAME	ŠIFRA	CODE
ARMYARD ŽUTA / YELLOW		7ARMY	
ARMYARD NARANDŽASTA / ORANGE		7ARMO	
ARMYARD ZELENA / GREEN		7ARMG	

CE EN 13356 : 2001
Type 2

COVERGUARD KAČKET

ŠILT KAPA S UNUTRAŠNjom
ZAŠTITOM OD UDARACA

Ne štiti od padajućih predmeta!
Spoljna tkanina: 65% poliestersko
vlakno, 35% pamuk
Zaštitni šilt: ABS
Spoljni jastuci: EVA
Unutrašnji jastuci: polietilen Metalne
trake
Originalno pakovanje: 1/60



NAZIV ARTIKLA	NAME	ŠIFRA	CODE
ŠILT KAPA ŽUTA / YELLOW		57307	
ŠILT KAPA NARANDŽASTA / ORANGE		57308	



CE EN 812 : 1997

COVERGUARD HI-VIZ TORBA (KOMPLET)

HI-VIZ SIGURNOSNA TORBA ZA PUT:

Prsluk + Sigurnosni trougao + Torba

Spoljni materijal: pleteno poliestersko vlakno

120 g/m², fluorescentski

Trake : 2 oko trupa, klasa 2

Zatvaranje: podesiva traka na čičak s prednje strane 1

X PRSLUK S DVOSTRUJKIM TRAKAMA

1X SIGURNOSNI TROUGAO

Spoljna strana u crvenoj boji, unutrašnja strana fluorescentsko crvena.

Metalna osovina za lakše postavljanje (samostojeći)

Originalno pakovanje: 1/1

HI-VIZ ROAD SAFETY KIT:

Waistcoat + Safety Triangle + Bag

Material : knit polyester 120 g/m² yellow fluo

Bands : 2 reflective torso bands, class 2

Closening : by adjustable Velcro® bands horizontal.

1X DOUBLE BANDS WAISTCOAT

1X SAFETY TRIANGLE

Outer triangle catadioptic red. Inner triangle fluorescent red. Foldable metal swivel foot for easy setup (self-standing).

Original packaging: 1/1



NAZIV ARTIKLA	NAME	ŠIFRA	CODE
SIGURNOSNA TORBA SAFETY KIT		7WARY	

Prsluk Waistcoat
CE EN 20471

7WARY




GPLAST

HI-VIZ VRPCA

70010-70050

Hi-Viz signalizacijska traka Materijal :
polietilen
Boja: crveno/bela
Dužina: 100 m
Širina: 50 mm
Originalno pakovanje:
 70010 - 1/36
 70020 - 1/36
 70050 - 1/12

Hi-Viz traffic cone
Material : plastic (polyethylene)
Colour : fluorescent red with white stripe
Original packaging:
 70010 - 1/36
 70020 - 1/36
 70050 - 1/12



NAZIV ARTIKLA	NAME	ŠIFRA	CODE
SIGNALNA VRPCA BARICADE TAPE		70010	70020
			70050

GPLAST

HI-VIZ LANAC

70305

LANAC
Materijal: plastika
Boja: crveno/bela
Otpornost na temperaturu: -10°C +75°C
 vodootporan, otpornost na so
Prečnik lanca: 5,5mm
Dimenzija prstena: 24x40mm
Pakovanje: 25 m
Originalno pakovanje: 1/4

PLASTIC CHAIN
Material: plastic
Colour: red/white
Temperature resistivity: -10°C +75°C
 Waterproff, salt resistance
Strip: 5,5mm
Ring: 24x40mm
Pack: 25 m
Original packaging: 1/4

NAZIV ARTIKLA	NAME	ŠIFRA	CODE
SIGNALIZACIJSKI LANAC CHAIN		70305	



GPLAST

HI-VIZ ČUNJ

70301-70300

PLASTIČNI ČUNJ
Materijal: plastika (polietilen)
Boja: crveno/bela
Originalno pakovanje:
 70301 - 1/20
 70300 - 1/10

TRAFFIC CONE
Material: plastic (polyethylene)
Colour: fluorescent red with white stripe
Original packaging:
 70301 - 1/20
 70300 - 1/10

NAZIV ARTIKLA	NAME	ŠIFRA	CODE
PLASTIČNI ČUNJ TRAFFIC CONE		70301	70300



GPLAST

HI-VIZ KOMPLET

70302KOMP

SIGNALIZIRAJUĆI PLASTIČNI ŠTAP
Materijal: plastika
Dimenzija: visina 90 cm
Boja: crveno/bela

PLASTIC POST
Material: plastic
Dimension: height: 90cm
Colour: red/white



KAPICA ZA PLASTIČNI ŠTAP
Materijal: plastika
Boja: crvena
Visina: 8 cm

CAP FOR POST
Material: plastic
Colour: red
Height: 8 cm

POSTOLJE ZA SIGNALIZIRAJUĆI ŠTAP
Materijal: plastika
Boja: crna
Dimenziije: 27,5 x 27,5 x h 8,5cm

PLASTIC BASE
Material: plastic
Colour: black
Dimension: 27,5 x 27,5 x h 8,5cm

SIGNALIZIRAJUĆI PLASTIČNI LANAC
Materijal: plastika
Boja: crveno/bela
Otpornost na temperaturu: -10°C +75°C
Prečnik lanca: 5,5mm
Dimenzija prstena: 24x40mm
Pakovanje: 25 m
Original pakovanje: 1/10

PLASTIC CHAIN
Material: plastic
Colour: red/white
Temperature resistivity: -10°C +75°C
Strip: 5,5mm
Ring: 24x40mm
Pack: 25 m
Original packaging: 1/10

NAZIV ARTIKLA	NAME	ŠIFRA	CODE
SIGNALIZIRAJUĆI PLASTIČNI ŠTAP PLASTIC POST			
KAPICA ZA PLASTIČNI ŠTAP CAP FOR POST			
POSTOLJE ZA SIGNALIZIRAJUĆI ŠTAP PLASTIC BASE			
SIGNALIZIRAJUĆI PLASTIČNI LANAC PLASTIC CHAIN			

NAZIV ARTIKLA	NAME	ŠIFRA	CODE
70302KOMP			





STAY PROTECTED

Corporatetime

CORPORATE WEAR CORPORATE WEAR



CORPORATE WEAR

Kod radnika u servisnim industrijskim profesijama profesionalan i elegantan izgled posebno je važan. Zbog toga je njihova odeća izrađena od tkanina koje svojim svojstvima doprinose lepotom i profesionalnom izgledu čak i nakon dugotrajnog nošenja i ponovljenih pranja.

TenCate tkanine jedinstvene su po svojoj beloj boji i blistavosti, a dostupne su u paleti modernih i industrijskih boja koje ostaju potpuno postojane nakon pranja. Na taj način tkanine zadržavaju svoj profesionalni izgled.

CORPORATE WEAR

For workers in service industries, a professional and elegant look is particularly important. Because of this, their clothes are made of fabrics that contribute to their appealing and professional appearance, even after prolonged wear and frequent washing.

TenCate fabrics are unique for their white colour and brilliance and are available in a palette of modern and industrial colours that remain completely intact after washing. In this way the fabrics retain their professional look.



LACUNA CORPORATE

TenCate KG317 215g/m², 65% poliester, 35% pamuk

Lacuna Corporate odeća izrađena je od TenCate tkanina koje svojim svojstvima doprinose profesionalnom izgledu.

Tokom više vekova, TenCate Tecawork – KG 317 tkanine su nosile na hiljade ugostiteljskih, medicinskih i zdravstvenih radnika, svakodnevno.

Klijenti su zadovoljni kvalitetom TenCate materijala: proizvodi se najsvetlijia i najtrajnija bela tkanina, gotovo neprovidna za tako laganu tkaninu i s visokim nivoom otpornosti na gužvanje čak i u uslovima industrijskih peronica. To su samo neki od razloga zbog kojih te tkanine imaju široku primenu u izradi radne odeće za ugostiteljske objekte, dečje vrtiće, doktorske ordinacije i bolnice. TenCate podvrgava TenCate Tecawor- kTM – KG 317 tkanine strogim ispitivanjima kvaliteta. Ispunjeni su svi standardi koje je postavilo Evropsko udruženje proizvođača tekstila (eng. European Textile Services Association- ETSA). To znači da ne postoje ograničenja u smislu primene tkanina pa su sprovedena ispitivanja u vezi sa : čvrstinom, skupljanje i otpornost na gužvanje i trošenje. Uz ovakve rezultate sprovedenih ispitivanja, možete biti sigurni da su tkanine vrlo prikladne za radnu odeću koja se održava u industrijskim peronicama veša.

TenCate Tecawork tkanine ostvaruju najbolje rezultate u sledećem:

- Otpornost na gužvanje
- Čvrstina
- Otpornost na trošenje
- Promenu boje nakon pranja (75°C)
- Otpornost boje na bleđenje
- Otpornost boje na tragove znojenja

TenCate KG317 215g/m², 65% pes, 35% cotton

Lacuna Corporate garments are made of TenCate Tecawork fabrics which thanks to its impressive properties contribute to a professional look. For many decades, the TenCate Tecawork – KG 317 fabrics have been worn by thousands of medical and health professionals, day after day.

Customers take satisfaction at the quality of TenCate materials: the brightest and most durable white fabric is produced, with a low translucency for such a lightweight fabric and with a high crease resistance even in industrial laundering conditions. These are just a few reasons why this fabric is widely used in catering and hotel industry as well as in medical care garments for hospitals, nurseries and medical practices. TenCate subjects the TenCate TecaworkTM – KG 317 fabrics to highly stringent tests. All the requirements established by ETSA (the European Textile Services Association) are full led and the highest ranking is achieved. This means that there are no limits to what the fabrics can be used for, and that they have been evaluated on strength, shrinkage and resistance to pilling or abrasion. With these test results, you can be sure that the fabric is highly suitable for garments intended for the industrial laundry process.

TenCate Tecawork fabric achieves the highest score in following:

- Resistance to creasing
- Strength
- Abrasion resistance
- Color change after laundering (75°C)
- Color resistance to bleaching
- Color resistance to perspiration / sweating



PREHRAMBENA INDUSTRIJA
FOOD INDUSTRY



HIGIJENA
HYGIENE



UGOSTITELJSTVO
HOSPITALITY



RETAIL
MALOPRODAJA
Artikl je prilagođen maloprodaji
The item is customized to retail




NOVO
NEW
Oznaka za nove artikle u katalogu
New items in the catalog



Visokokvalitetni proizvodi nastali kao rezultat razvoja, inovacije i dugogodišnjeg iskustva.
High-quality products resulting from development, innovation and years of experience.



Artikl proizveden u Evropi
The item produced in Europe



Koja je moja veličina?

Koristite se standardima veličina i ispravno naručite!

OBIM GRUDI: na najširem mestu

OBIM STRUKA: stavite metar (ne pretesno) oko struka

OBIM BOKOVA: na mestu gde su vam bokovi i stražnica najširi

DUŽINA RUKAVA: od ramena celom dužinom ruke do zgloba

DUŽINA NOGAVICE: od struka preko bokova do tabana

OBIM VRATA: stavite metar (ne pretesno) na donji širi deo vrata

What is my size?

Use a standard size and the correct order!

CHEST: the widest area

WAIST: Put a meter (not too tight) around the waist

HIPS: where the hips and buttocks are widest

SLEEVE LENGTH: From shoulder, down the entire length of the hand, to wrist

LENGTH OF PANTS: from the waist through the hips and feet

NECK: Put a meter (not too tight) on the lower wider part of the neck

MUŠKARCI / MEN

	46	48	50	52	54	56	58	60	62	64
1. Obim grudi / Chest	92	96	100	104	108	112	116	120	124	128
2. Obim struka / Waist	80	84	88	92	96	100	104	108	112	116
3. Obim bokova / Hips	100	104	108	112	116	120	124	128	132	136
4. Dužina do struka / Length to waist (chest)	44	44,5	45	45,5	46	46,5	47	47,5	48	48,5
5. Širina leđa / Back width	47	48	49	50	51	52	53	54	55	56
6. Dužina rukava / Sleeve lenght	61	62	63	64	65	66	67	68	69	70
7. Dužina pantalona / Pants lenght	98	99,5	101	102,5	104	105,5	107	108,5	110	111,5
8. Obim nogavice / Leg circumference	23	23,5	24	24,5	25	25,5	26	26,5	27	27,5
9. Obim vrata / Neck	38	39	40	41	42	43	44	45	46	47

ŽENE / WOMEN

	36	38	40	42	44	46	48	50	52	54
1. Obim grudi / Chest	84	88	92	96	100	104	110	116	122	128
2. Obim struka / Waist	66	70	74	78	82	86	92	98	104	110
3. Obim bokova / Hips	90	94	98	102	106	110	116	122	128	134
4. Dubina grudi / Chest depth	26	27	28	29	30	31	32	33	34	35
5. Dužina do struka / Length to waist (chest)	44	45	46	47	48	49	50	51	52	53
6. Dužina do struka / Length to waist (back)	41	42	42	43	43	44	44	45	45	46
7. Širina leđa / Back width	36	37	38	39	40	42	44	46	47	48
8. Dužina rukava / Sleeve lenght	59	60	60	61	61	61	62	62	63	
9. Obim nadlaktice / Arm circumference	27	28	29	30	31	32	34	36	38	40
10. Obim vrata / Neck	35	36	37	38	39	40	41	42	43	44
11. Dužina suknje / Skirt lenght	53	54,5	57	58	58,5	59,5	60,5	61	61,5	61,5
12. Dužina hlača / Pants lenght	102	102,5	103	104	104,5	105	105,5	106	106	107



LACUNA CORPORATE

ADRIATIC BLUZA MUŠKA

G33031B

Muška bluza ADRIATIC bela chef
Materijal: 65% poliester, 35% pamuk, 215 g/m²
Kopčanje: dvostruko, dugmad
Džepovi: 1 na rukavu
Opis: ruska kragna, dugi rukav
Veličine: 48-60
Boja: bela
Originalno pakovanje: 1/10

Men's blouse ADRIATIC white chef
Material: 65% polyester, 35% cotton, 215 g/m²
Closure: buttons in two line
Pockets: 1 on sleeve
Description: collar up, long sleeve
Size: 48-60
Color: white
Original packing: 1/10



 LACUNA
CORPORATE


Tencate Tecawork™ materials that make a difference

Lauffenmühle textile innovation

 215 g/m²

 CE EN 13688

LACUNA CORPORATE

ADRIATIC BLUZA MUŠKA

G33031C

Muška bluza ADRIATIC crna chef
Materijal: 65% poliester, 35% pamuk, 215 g/m²
Kopčanje: dvostruko, dugmad
Džepovi: 1 na rukavu
Opis: ruska kragna, dugi rukav
Veličine: 48-60
Boja: crna
Originalno pakovanje: 1/10

Men's blouse ADRIATIC black chef
Material: 65% polyester, 35% cotton, 215 g/m²
Closure: buttons in two line
Pockets: 1 on sleeve
Description: collar up, long sleeve
Size: 48-60
Color: black
Original packing: 1/10



 LACUNA
CORPORATE


Tencate Tecawork™ materials that make a difference

Lauffenmühle textile innovation

 215 g/m²

 CE EN 13688



LACUNA CORPORATE

ADRIATIC BLUZA MUŠKA

G33032B

Muška bluza ADRIATIC bela

Materijal: 65% poliester, 35% pamuk, 215 g/m²
Kopčanje: sakriveno, drikri
Džepovi: 1 na rukavu
Opis: ruska kragna, dugi rukav
Veličine: 48-60
Boja: bela
Originalno pakovanje: 1/10

Men's blouse ADRIATIC white
Material: 65% polyester, 35% cotton, 215 g/m²
Closure: hidden with snap buttons
Pockets: 1 on sleeve
Description: collar up, long sleeve
Size: 48-60
Color: white
Original packing: 1/10



LACUNA
CORPORATE

215 g/m²
CE EN 13688

LACUNA CORPORATE

ADRIATIC BLUZA MUŠKA

G33032C

Muška bluza ADRIATIC crna

Materijal: 65% poliester, 35% pamuk, 215 g/m²
Kopčanje: sakriveno, drikri
Džepovi: 1 na rukavu
Opis: ruska kragna, dugi rukav
Veličine: 48-60
Boja: crna
Originalno pakovanje: 1/10

Men's blouse ADRIATIC black
Material: 65% polyester, 35% cotton, 215 g/m²
Closure: hidden with snap buttons
Pockets: 1 on sleeve
Description: collar up, long sleeve
Size: 48-60
Color: black
Original packing: 1/10



LACUNA
CORPORATE

215 g/m²
CE EN 13688



Tecawork™

Tencate™
materials that make a difference

Lauffenmühle
textile innovation



LACUNA CORPORATE

ADRIATIC BLUZA ŽENSKA

G33031BŽ

Ženska bluza ADRIATIC bela chef

Materijal: 65% poliester, 35% pamuk, 215 g/m²
Kopčanje: dvostruko, dugmad
Džepovi: 1 na rukavu
Opis: ruska kragna, dugi rukav
Veličine: 36-48
Boja: bela
Originalno pakovanje: 1/10

Women's blouse ADRIATIC white chef
 Material: 65% polyester, 35% cotton, 215 g/m²
 Closure: buttons in two line
 Pockets: 1 on sleeve
 Description: collar up, long sleeve
 Size: 36-48
 Color: white
 Original packing: 1/10



 LACUNA
CORPORATE

 215 g/m²
 EN 13688

LACUNA CORPORATE

ADRIATIC BLUZA ŽENSKA

G33031CŽ

Ženska bluza ADRIATIC crna chef

Materijal: 65% poliester, 35% pamuk, 215 g/m²
Kopčanje: dvostruko, dugmad
Džepovi: 1 na rukavu
Opis: ruska kragna, dugi rukav
Veličine: 36-48
Boja: crna
Originalno pakovanje: 1/10

Women's blouse ADRIATIC black chef
 Material: 65% polyester, 35% cotton, 215 g/m²
 Closure: buttons in two line
 Pockets: 1 on sleeve
 Description: collar up, long sleeve
 Size: 36-48
 Color: black
 Original packing: 1/10



 LACUNA
CORPORATE

 215 g/m²
 EN 13688


Tecawork™

Tencate

 Lauffenmühle
textile innovation



LACUNA CORPORATE

ADRIATIC BLUZA ŽENSKA

G33032BŽ

Ženska bluza ADRIATIC bela

Materijal: 65% poliester, 35% pamuk, 215 g/m²
Kopčanje: sakriveno, drikeri
Džepovi: 1 na rukavu
Opis: ruska kragna, dugi rukav
Veličine: 36-48
Boja: bela
Originalno pakovanje: 1/10

Women's blouse ADRIATIC white
Material: 65% polyester, 35% cotton, 215 g/m²
Closure: hidden with snap buttons
Pockets: 1 on sleeve
Description: collar up, long sleeve
Size: 36-48
Color: white
Original packing: 1/10



LACUNA
CORPORATE

215 g/m²
 EN 13688

LACUNA CORPORATE

ADRIATIC BLUZA ŽENSKA

G33032CŽ

Ženska bluza ADRIATIC crna chef

Materijal: 65% poliester, 35% pamuk, 215 g/m²
Kopčanje: dvostruko, dugmad
Džepovi: 1 na rukavu
Opis: ruska kragna, dugi rukav
Veličine: 36-48
Boja: crna
Originalno pakovanje: 1/10

Women's blouse ADRIATIC black chef
Material: 65% polyester, 35% cotton, 215 g/m²
Closure: buttons in two line
Pockets: 1 on sleeve
Description: collar up, long sleeve
Size: 36-48
Color: black
Original packing: 1/10



LACUNA
CORPORATE

215 g/m²
 EN 13688



Tecawork™

Tencate
materials that make a difference

Lauffenmühle
textile innovation



LACUNA CORPORATE

ADRIATIC PANTALONE MUŠKE

G33033B

Muške pantalone ADRIATIC bele
Materijal: 65% poliester, 35% pamuk, 215 g/m²
Zatvaranje: patent zatvarač
Džepovi: 2 prednja, 1 pozadi
Veličine: 48-60
Boja: bela
Originalno pakovanje: 1/10

ADRIATIC men's white pants
Material: 65% polyester, 35% cotton, 215 g/m²
Closure: zipper
Pockets: 2 front pockets, 1 back pocket
Size: 48-60
Color: white
Original packing: 1/10



TENCATE
materials that make a difference

TENCATE
Tecawork™

Lauffenmühle
textile innovation



LACUNA
CORPORATE

215 g/m²
CE EN 13688

LACUNA CORPORATE

ADRIATIC PANTALONE MUŠKE

G33033C

Muške pantalone ADRIATIC crne
Materijal: 65% poliester, 35% pamuk, 215 g/m²
Zatvaranje: patent zatvarač
Džepovi: 2 prednja, 1 pozadi
Veličine: 48-60
Boja: crna
Originalno pakovanje: 1/10

ADRIATIC men's black pants
Material: 65% polyester, 35% cotton, 215 g/m²
Closure: zipper
Pockets: 2 front pockets, 1 back pocket
Size: 48-60
Color: black
Original packing: 1/10



TENCATE
materials that make a difference

TENCATE
Tecawork™



LACUNA
CORPORATE

215 g/m²
CE EN 13688

LACUNA CORPORATE

ADRIATIC PANTALONE MUŠKE

G33033P

Muške pantalone ADRIATIC prugaste
Materijal: 65% poliester, 35% pamuk, 215 g/m²
Zatvaranje: patent zatvarač
Džepovi: 2 prednja, 1 pozadi
Veličine: 48-60
Boja: crna sa prugama
Originalno pakovanje: 1/10

ADRIATIC men's pants striped
Material: 65% polyester, 35% cotton, 215 g/m²
Closure: zipper
Pockets: 2 front pockets, 1 back pocket
Size: 48-60
Color: black with stripes
Original packing: 1/10



TENCATE
materials that make a difference

TENCATE
Tecawork™



LACUNA
CORPORATE

215 g/m²
CE EN 13688

ADRIATIC PANTALONE ŽENSKE

Ženske pantalone ADRIATIC bele
Materijal: 65% poliester, 35% pamuk, 215 g/m²
Zatvaranje: patent zatvarač
Džepovi: 2 prednja, 1 pozadi
Veličine: 36-48
Boja: bela
Originalno pakovanje: 1/10

ADRIATIC women's pants white
Material: 65% polyester, 35% cotton, 215 g/m²
Closure: zipper
Pockets: 2 front pockets, 1 back pocket
Size: 36-48
Color: white
Original packing: 1/10



G33030B

LACUNA
CORPORATE

</



LACUNA CORPORATE

KAPA ADRIATIC BELA

G33018/1

Materijal: 65% poliester, 35% pamuk, 215 g/m²
Veličine: univerzalna
Boja: bela
Originalno pakovanje: 1/10

Cap ADRIATIC white
Material: 65% polyester, 35% cotton, 215 g/m²
Size: one size
Color: white
Original packing: 1/10

LACUNA
CORPORATE

TENCATE
Tecawork™

TENCATE
Tecawork™

Lauffenmühle
 textile innovation

215 g/m²
CE EN 13688

LACUNA CORPORATE

KAPA ADRIATIC CRNA

G33018/2

Materijal: 65% poliester, 35% pamuk, 215 g/m²
Veličine: univerzalna
Boja: crna
Originalno pakovanje: 1/10

Cap ADRIATIC black
Material: 65% polyester, 35% cotton, 215 g/m²
Size: one size
Color: black
Original packing: 1/10

LACUNA
CORPORATE

TENCATE
Tecawork™

TENCATE
Tecawork™

Lauffenmühle
 textile innovation

215 g/m²
CE EN 13688



LACUNA

CORPORATE

LACUNA CORPORATE

KECELJA ADRIATIC

G33008/1

Kecelja kratka bela ADRIATIC

Materijal: 65% poliester, 35% pamuk, 215 g/m²

Opis: pritezanje u struku, jedan džep za olovku

Veličina: univerzalna

Boja: bela

Originalno pakovanje: 1/10

Apron short white ADRIATIC

Fabric: 65% polyester, 35% cotton, 215 g/m²

Description: waist tightening, one pen pocket

Size: one size

Color: white

Original packing: 1/10

Tencate
Tecawork™Tencate
materials that make a differenceLauffenmühle
textile innovation215 g/m²
CE EN 13688LACUNA
CORPORATE

LACUNA CORPORATE

KECELJA ADRIATIC

G33008/2

Kecelja kratka crna ADRIATIC

Materijal: 65% poliester, 35% pamuk, 215 g/m²

Opis: pritezanje u struku, jedan džep za olovku

Veličina: univerzalna

Boja: crna

Originalno pakovanje: 1/10

Apron short black ADRIATIC

Fabric: 65% polyester, 35% cotton, 215 g/m²

Description: waist tightening, one pen pocket

Size: one size

Color: black

Original packing: 1/10

Tencate
Tecawork™Tencate
materials that make a differenceLauffenmühle
textile innovation215 g/m²
CE EN 13688LACUNA
CORPORATE



LACUNA CORPORATE

KECELJA ADRIATIC

G33055/1

Kecelja duga crna ADRIATIC half line
Materijal: 65% poliester, 35% pamuk, 215 g/m²
Opis: Pritezanje u struku, jedan džep za olovku
Veličina: univerzalna
Boja: crna
Originalno pakovanje: 1/10

Apron long black ADRIATIC half line
Fabric: 65% polyester, 35% cotton, 215 g/m²
Description: Waist tightening, one pen pocket
Size: one size
Color: black
Original packing: 1/10



LACUNA
CORPORATE



215 g/m²
CE EN 13688

LACUNA CORPORATE

KECELJA ADRIATIC

G33055/2

Kecelja duga crna ADRIATIC full line
Materijal: 65% poliester, 35% pamuk, 215 g/m²
Opis: pritezanje u struku, jedan džep za olovku
Veličina: univerzalna
Boja: crna
Originalno pakovanje: 1/10

Apron long black ADRIATIC full line
Fabric: 65% polyester, 35% cotton, 215 g/m²
Description: waist tightening, one pen pocket
Size: one size
Color: black
Original packing: 1/10



LACUNA
CORPORATE



215 g/m²
CE EN 13688

LACUNA CORPORATE

KECELJA ADRIATIC

G33054/1

Kecelja duga bela ADRIATIC half line
Materijal: 65% poliester, 35% pamuk, 215 g/m²
Opis: Pritezanje u struku, jedan džep za olovku
Veličina: univerzalna
Boja: bela
Originalno pakovanje: 1/10

Apron long white ADRIATIC half line
Fabric: 65% polyester, 35% cotton, 215 g/m²
Description: Waist tightening, one pen pocket
Size: one size
Color: white
Original packing: 1/10



LACUNA
CORPORATE



215 g/m²
CE EN 13688

LACUNA CORPORATE

KECELJA ADRIATIC

G33054/2

Kecelja duga bela ADRIATIC full line
Materijal: 65% poliester, 35% pamuk, 215 g/m²
Opis: pritezanje u struku, jedan džep za olovku
Veličina: univerzalna
Boja: bela
Originalno pakovanje: 1/10

Apron long white ADRIATIC full line
Fabric: 65% polyester, 35% cotton, 215 g/m²
Description: waist tightening, one pen pocket
Size: one size
Color: white
Original packing: 1/10



LACUNA
CORPORATE



215 g/m²
CE EN 13688



LACUNA CORPORATE

PRO LINE PANTALONE

G33029

Pantaloni pepito muške Pro Line
Kopčanje: patent zatvarač
Džepovi: 2 prednja
Veličine: 44-64
Boja: pepito šara
Originalno pakovanje: 1/10

Man Pro Line Trousers
Closure: zipper
Pockets: 2 front
Sizes: 46-64
Colors: pepito pattern
Original packaging: 1/10



CE EN 13688

LACUNA CORPORATE

PRO LINE PANTALONE

G33029Ž

Pantaloni pepito ženske Pro Line
Kopčanje: patent zatvarač
Džepovi: 2 prednja
Veličine: 36-56
Boja: pepito šara
Originalno pakovanje: 1/10

Woman Pro Line Trousers
Closure: zipper
Pockets: 2 front
Sizes: 36-56
Colors: pepito pattern
Original packaging: 1/10



CE EN 13688

LACUNA CORPORATE

CLASSIC PANTALONE

G33033

Pantaloni gastro muške Classic
Kopčanje: patent zatvarač
Džepovi: 2 prednja
Veličine: 44-66
Boja: bela
Originalno pakovanje: 1/10

Man Classic Trousers
Closure: zipper
Pockets: 2 front
Sizes: 44-66
Color: white
Original packaging: 1/10



TENCATE
materials that make a difference

TENCATE Tecawork™



CE EN 13688



LACUNA

CORPORATE

LACUNA CORPORATE

CLASSIC PANTALONE

G33030

Pantalone gastro ženske Classic
Kopčanje: patent zatvarač
Džepovi: 2 prednja
Veličine: 34-56
Boja: bela
Originalno pakovanje: 1/10

Woman Classic Trousers
Closure: zipper
Pockets: 2 front
Sizes: 34-56
Color: white
Original packaging: 1/10


TENCATE
materials that make a difference
Tecawork™


CE EN 13688

LACUNA CORPORATE

CLASSIC SUKNJA

G33010

Suknja gastro Classic
Kopčanje: patent zatvarač
Veličine: 36-56
Boja: bela
Originalno pakovanje: 1/10

Gastro Classic Skirt
Closure: zipper
Sizes: 36-56
Color: white
Original packaging: 1/10


TENCATE
materials that make a difference
Tecawork™


CE EN 13688

LACUNA CORPORATE

CLASSIC MANTIL

G33021

Mantil gastro muška Classic
Kopčanje: dugmad
Džepovi: 3
Opis: kragna klasična, dugi rukav
Veličine: 46-64
Boja: bela
Originalno pakovanje: 1/10

Man Classic Coat
Closure: buttons
Pockets: 3 outside
Description: collar classic, long sleeve
Sizes: 46-64
Color: white
Original packaging: 1/10


TENCATE
materials that make a difference
Tecawork™


CE EN 13688

LACUNA CORPORATE

CLASSIC MANTIL

G33013

Mantil gastro ženski Classic
Kopčanje: dugmad
Džepovi: 3
Opis: kragna klasična, dugi rukav
Veličine: 36-54
Boja: bela
Originalno pakovanje: 1/10

Woman Classic Coat
Closure: buttons
Pockets: 3
Description: collar classic, long sleeve
Sizes: 36-54
Color: white
Original packaging: 1/10


TENCATE
materials that make a difference
Tecawork™


CE EN 13688

LACUNA CORPORATE

CLASSIC BLUZA

G33017

Bluza gastro muška Classic
Kopčanje: dvostruko, dugmad
Opis: uspravna kragna, dugi rukav
Veličine: 46-64
Boja: bela
Originalno pakovanje: 1/10

Man Classic Blouse
Closure: double buttons
Description: collar up, long sleeve
Sizes: 46-64
Color: white
Original packaging: 1/10


TENCATE
materials that make a difference
Tecawork™


CE EN 13688

LACUNA CORPORATE

PRO LINE BLUZA

G33019

Bluza pepito muška Pro Line
Kopčanje: dvostruko, dugmad
Džepovi: 2
Opis: uspravna pepito kragna, dugi rukav
Veličine: 46-64
Boja: bela s pepito šarom oko kragne
Originalno pakovanje: 1/10

Man Pro Line Blouse oine
Closure: double, buttons
Pockets: 2
Description: collar up, long sleeve
Sizes: 46-64
Color: white with pepito pattern round collar
Original packaging: 1/10


TENCATE
materials that make a difference
Tecawork™


CE EN 13688



LACUNA CORPORATE

GASTRO KAPA

G33015

Kapa Gastro mrežasta
Veličina: univerzalna
Boja: bela
Originalno pakovanje: 1/1

Gastro cap with net
Size: universal
Color: white
Original packaging: 1/1



CE EN 13688

CLASSIC KAPA

G33022

Kapa gastro Classic kapetan muška
Boja: bela
Originalno pakovanje: 1/1

Man Classic Captain cap
Color: white
Original packaging: 1/1



CE EN 13688

PRO LINE KAPA

G33018

Kapa kuvarska visoka Pro Line
Veličine: univerzalna
Boja: bela
Originalno pakovanje: 1/1

Cooking Pro Line High Cap
Size: universal
Color: white
Original packaging: 1/1



CE EN 13688



TENCATE
Tecawork™



LACUNA CORPORATE

GASTRO KECELJA

G33014

Kecelja Gastro s otvorenim za vrat
Pritezanje u struku, fiksni okovratnik
Veličine: univerzalna
Šifra:
 2 G33014 -65/35 – W (bela)
Originalno pakovanje: 1/10

Gastro apron around neck
 Tightening on the waist, fixed collar
 Size: universal
 Art.:
 2 G33014 -65/35 – W (white)
 Original packaging: 1/1



CE EN 13688

LACUNA CORPORATE

GASTRO KECELJA

G33054

Kecelja duga
Pritezanje u struku
Veličine: univerzalna
Šifra:
 2 G33054 -65/35 – W (bela)
Originalno pakovanje: 1/1

Long apron
 Tightening on waist
 Size: universal
 Art.:
 2 G33054 -65/35 – W (white)
 Original packaging: 1/1



CE EN 13688

LACUNA CORPORATE

GASTRO KECELJA

G33008

Kecelja kratka
Pritezanje u struku
Veličine: univerzalna
Šifra:
 2 G33008 -65/35 – W (bela)
Originalno pakovanje: 1/1

Short apron
 Tightening on waist
 Size: universal
 Art.:
 2 G33008 -65/35 – W (white)
 Original packaging: 1/1



CE EN 13688

- 1 50% pamuk, 50% poliester, 205g/m², bela boja
 2 65% poliestersko vlakno, 35% pamuk, 245g/m²

- 1 50% cotton, 50% polyester, 205g/m², white
 2 65% polyester, 35% cotton, 245gms

* DOSTUPNE BOJE AVAILABLE COLOURS

Royal, winter dublin, buttercup bottle, green, marmelade, mole, grey, china, black

BROKULA

Brokula proizvodi nastali su od prirodnih, organskih i održivih materijala:

Organски pamuk – pamuk uzgajan isključivo ekološkim procesima, od ne genetski modifikovanih biljaka, bez korišćenja ikakvih sintetičkih hemikalija (gnojiva i pesticida). Lyocell Tencel Sun (UV zaštita) – vlakno izrađeno od prirodne sirovine (pulpe) drveta, 100% biorazgradivo.

Dodatak pigmenta minerala, osigurava dugoročnu zaštitu od štetnog UV zračenja. Efekat zaštite je postojan i nakon učestalog pranja i uticaja vlage.

Elastan ili Lycra – u sastavu materijala maksimalno prisutno sa 4%, sintetičko vlakno koje materijalima produžava trajnost/nošenje.

“Green mark” – garancija ekološke i društvene osvešćenosti i rada sa stvarnim ekološkim efektima.

Društvena odgovornost – doprinos održivom razvoju – odgovorno postupanje u svim fazama poslovanja u odnosu na društvo, životnu sredinu i prirodu.

Boje za pletivo – ne sadrže hemijska sredstva štetna za kožu.

Boje za štampu – proizvedene u skladu s najvišim ekološkim standardima, ISO 14001 i Oeko-Tex Standard 100.

BROKULA

Brokula products are made out of natural, organic and sustainable fabrics.

Organic cotton – cotton cultivated exclusively with ecological processes, not from genetically modified plants, without any synthetic chemicals (fertilizers or pesticides).

Lyocell Tencel Sun (UV protection) – the fiber manufactured from the natural raw (pulp) of wood, 100% biodegradable. With the addition of mineral pigments, the fiber ensures a long-term protection from the harmful UV rays. The protection effect is stable even after frequent washing and in high humidity.

Elastane or Lycra – the maximum of 4% in the material contents, a synthetic fiber that extends the duration/wear time for the fabric.

“Green Mark” – a guarantee of the ecological and social responsibility – a contribution to the sustainable development, socially responsible actions in all business phases in relation to the society, living environment and the nature.

Fabric dyes – do not contain chemical agents damaging for the skin.

Print dyes – produced in accordance with the highest ecological standards, ISO 14001 and Oeko-Tex Standard 100.





BROKULA

MUŠKA MAJICA BROKULA ORGANIC LINE

KRATKI RUKAV

MEN'S T-SHIRT BROKULA ORGANIC LINE

SHORT SLEEVE

Opis: Muška majica BROKULA organic line;**Materijal:** 100% organski pamuk, GOTS

sertifikat;

Gramaza: 160 g/m²;**Boja:** bela, crna, plava, siva, crvena;**Veličina:** S-XXL;**Originalno pakovanje:** 1/100 kom;**Description:** Men T-shirt BROKULA organic line;**Fabric:** 100% organic cotton, GOTS certificate;**Color:** white, black, navy, grey, red;**Size:** S-XXL;**Original packaging:** 1/100;

ORGANIC

TOP
QUALITY

BROKULA

ŽENSKA MAJICA BROKULA ORGANIC LINE

KRATKI RUKAV

WOMEN'S T-SHIRT BROKULA ORGANIC LINE

SHORT SLEEVE

Opis: Ženska majica BROKULA organic line;**Materijal:** 100% organski pamuk, GOTS sertifikat;**Gramaza:** 160 g/m²;**Boja:** bela, crna, plava, siva, crvena;**Veličina:** S-XXL;**Originalno pakovanje:** 1/100 kom;**Description:** Men T-shirt BROKULA organic line;**Fabric:** 100% organic cotton, GOTS certificate;**Color:** white, black, navy, grey, red;**Size:** S-XXL;**Original packaging:** 1/100;

ORGANIC

TOP
QUALITY



BROKULA

MUŠKE MAJICE ORGANIC KRATKI RUKAV
MEN'S T-SHIRT ORGANIC SHORT SLEEVE

Opis: muška t-shirt basic organic
Materijal: 96% organski pamuk, 4% elastin, 190 gr
Dostupne veličine: S - XXL

Description: men's t-shirt basic organic
Material: 96% organic cotton, 4% elastane, 190 gr
Available sizes: S - XXL

ORGANIC

WH

BK

BL

BR

GR

G



80005MB+

BROKULA

MUŠKE MAJICE ORGANIC DUGI RUKAV
MEN'S T-SHIRT ORGANIC LONG SLEEVE

Opis: muška t-shirt basic organic
Materijal: 96% organski pamuk, 4% elastin, 190 gr
Dostupne veličine: S - XXL

Description: men's t-shirt basic organic
Material: 96% organic cotton, 4% elastane, 190 gr
Available sizes: S - XXL

ORGANIC

WH

BK

BL

BR

GR

G



81000M+

BROKULA

MUŠKE MAJICE PROTECT KRATKI RUKAV
MEN'S T-SHIRT PROTECT SHORT SLEEVE

Opis: muška t-shirt basic protect
Materijal: 50% organski pamuk, 48% liocelno vlakno tencel sun, 2% elastin, 190 gr
Dostupne veličine: S - XXL

Description: men's t-shirt basic protect
Material: 50% organic cotton, 48% lyocell tencel sun, 2% elastane, 190 gr
Available sizes: S - XXL

PROTECT

G

BK

BL

BR

RD

NY

YL



P80005MB+

BROKULA

MUŠKE MAJICE PROTECT DUGI RUKAV
MEN'S T-SHIRT PROTECT LONG SLEEVE

Opis: muška t-shirt basic protect dugi rukav
Materijal: 50% organski pamuk, 48% liocelno vlakno tencel sun, 2% elastin, 190 gr
Dostupne veličine: S - XXL

Description: men's t-shirt basic protect long sleeve
Material: 50% organic cotton, 48% lyocell tencel sun, 2% elastane, 190 gr
Available sizes: S - XXL

PROTECT

G

BK

BL

BR

RD

NY

YL



P8100M+

finess / finoča
exceptionally comfortable wear / izuzetno ugodno za nošenje
perfect fitting / odlično pristaje
ECO friendly and self sustained / EKO prijateljski i samoodrživo
durable quality-long-term wear / postojana kvaliteta dugotrajno nošenje

resistant to frequent washing / otporno na učestalo pranje
breathable fabric / prozračnost
moisture evaporates / vлага isparava
dries quickly / brzo se suši
light fabric / lagana tkanina
cooling effect / cooling efekt
permanent uv protection / trajna uv zaštita

resistant to frequent washing / otporno na učestalo pranje
breathable fabric / prozračnost
moisture evaporates / vлага isparava
dries quickly / brzo se suši
light fabric / lagana tkanina
cooling effect / cooling efekt
permanent uv protection / trajna uv zaštita



BROKULA

ORGANIC

80006ŽB+

ŽENSKE MAJICE ORGANIC KRATKI RUKAV
WOMEN'S T-SHIRT ORGANIC SHORT SLEEVE

Opis: ženska t-shirt basic organic
Materijal: 96% organski pamuk, 4% elastin, 190 gr
Dostupne veličine: S - XXL

Description: women's t-shirt basic organic
Material: 96% organic cotton, 4% elastane, 190 gr
Available sizes: S-XXL



BROKULA

ORGANIC

81100Ž+

ŽENSKE MAJICE ORGANIC DUGI RUKAV
WOMEN'S T-SHIRT ORGANIC LONG SLEEVE

Opis: ženska t-shirt basic organic
Materijal: 96% organski pamuk, 4% elastin, 190 gr
Dostupne veličine: S - XXL

Description: women's t-shirt basic organic
Material: 96% organic cotton, 4% elastane, 190 gr
Available sizes: S-XXL



BROKULA

PROTECT

P80006ŽB+

ŽENSKE MAJICE PROTECT KRATKI RUKAV
WOMEN'S T-SHIRT PROTECT SHORT SLEEVE

Opis: ženska t-shirt protect
Materijal: 96% organski pamuk, 4% elastin, 190 gr
Veličine: S-XXL

Description: women's t-shirt protect
Material: 96% organic cotton, 4% elastane, 190 gr
Available sizes: S-XXL



BROKULA

PROTECT

P81100Ž+

ŽENSKE MAJICE PROTECT DUGI RUKAV
WOMEN'S T-SHIRT PROTECT LONG SLEEVE

Opis: ženska t-shirt basic protect
Materijal: 96% organski pamuk, 4% elastin, 190 gr
Veličine: S-XXL

Description: women's t-shirt protect
Material: 96% organic cotton, 4% elastane, 190 gr
Available sizes: S-XXL



BROKULA


PROTECT

P80006ŽB+

ŽENSKE MAJICE PROTECT KRATKI RUKAV
WOMEN'S T-SHIRT PROTECT SHORT SLEEVE

Opis: ženska t-shirt basic protect
Materijal: 96% organski pamuk, 4% elastin, 190 gr
Veličine: S-XXL

Description: women's t-shirt protect
Material: 96% organic cotton, 4% elastane, 190 gr
Available sizes: S-XXL





BROKULA

TENCEL PEŠKIRI

BRKL

BROKULA PEŠKIRI

Sastav materijala: Potka 50% organski pamuk, 50% Tencel™ / Osnova: 100% pamuk;

Težina: 450 gr;

Održavanje: pranje belih peškira na 90 °, obojenih na 60 stepeni;

Dostupne boje: bele, bež, svetlo plava, tamnoplava, kraljevski plava, svetlosiva, tamno siva, žuta; Dostupne dimenzije: 30 * 50, 50 * 100, 70 * 140, 100 * 150;

Prednosti: Kombinacija organskog, prirodno gajenog pamuka + Tencel - proizvedenog prirodnog celuloznog vlakna od jezgra stabla eukaliptusa apsorbuju više vlage, daju osećaj finoće, otporna su na česta pranja, nepovoljna za rast bakterija, izdržljiv kvalitet, mekoća nakon mnogih pranja na 90 ° za bele i 60 ° za obojene peškire, brzo se suše. ECO friendly. Izrađeni od obnovljivih prirodnih izvora;

BROKULA TOWEL

Composition of material: Pile 50% Organic Cotton, 50% Tencel / Base: 100% Cotton;

Weight: 450 gr;

Maintenance: white color wash at 90, color wash at 60 degrees;

Available colors: white, beige, light blue, dark blue, royal blue, light grey, dark grey, yellow;

Available dimensions: 30*50, 50*100, 70*140, 100*150;

Advantages: Combination of Organic, naturally grown cotton + Tencel - natural cellulose fiber produced from the nucleus of the eucalyptus tree provides more moisture absorbent, fineness, resistant to frequent washing, Unfavorable for bacterial growth, durable quality, softness after many washes on 90° for white and 60° for colored towels, it dries quickly and they are ECO friendly made from renewable natural sources;



TENCEL PEŠKIRI / TANCEL TOWEL

	30*50	50*100	70*140	100*150
● BELA / WHITE	BRKL/WH30*50	BRKL/WH50*100	BRKL/WH70*140	BRKL/WH100*150
● BEŽ / BEIGE	BRKL/BE30*50	BRKL/BE50*100	BRKL/BE30*50	BRKL/BE30*50
● SVETLO PLAVA / LIGHT BLUE	BRKL/LB30*50	BRKL/LB50*100	BRKL/LB30*50	BRKL/LB30*50
● TAMNO PLAVA / DARK BLUE	BRKL/DB30*50	BRKL/DB50*100	BRKL/DB30*50	BRKL/DB30*50
● ROYAL PLAVA / ROYAL BLUE	BRKL/RB30*50	BRKL/RB50*100	BRKL/RB30*50	BRKL/RB30*50
● SIVA / GREY	BRKL/LG30*50	BRKL/LG50*100	BRKL/LG30*50	BRKL/LG30*50
● TAMNO SIVA / DARK GREY	BRKL/DG30*50	BRKL/DG50*100	BRKL/DG30*50	BRKL/DG30*50
● ŽUTA / YELLOW	BRKL/YE30*50	BRKL/YE50*100	BRKL/YE30*50	BRKL/YE30*50





STAY PROTECTED

Getout

SEZONSKA ZAŠTITNA ODEĆA SEASONS OUTDOOR CLOTHES



TEHNIČKE KARAKTERISTIKE MATERIJALA

TECHNICAL PROPERTIES OF OUR MATERIALS

**SOFTSHELL**

Mešavina poliesterskog vlakna i Spandex-a (elastansko vlakno) daje udobnost, topлоту, mekoću i omogućava elastičnost i mekoću odeće. TPU membrana tkaninu čini vodootpornom, propusnom, izolacijskom i štiti protiv vremenskih nepogoda (kiše, snega, veta) prilikom svakodnevnih aktivnosti.

**POLARNI FLIS**

Tip dvostrukog tkane bukle tkanine, ojačane na jednoj ili obe strane, stvarajući efekat mekoće, debljine i izolacije. Mikro polarni flis: polarni flis načinjen iz mikro vlakana.

**TASLAN 320D**

Taslan pređa, naoko vlaknasta i pozamašna, nabavljenja već i u komprimiranoj tubi.

**POLIESTERSKO VLAKNO**

Sintetičko vlakno, čvrst, mekan, ne gužva se, lako se pere i brzo suši.

**POLIAMIDNO VLAKNO**

Sintetičko vlakno, dobijeno pomalo grubljim tkanjem što daje veoma otpornu tkaninu sa vidljivom strukturom.

**POLIURETAN (PU)**

Poliuretan ili PU je alveolarni izolator što ga izjednačava sa ostalim izolatorima te daje vitkost materijalu.

**RIPSTOP**

Sintetička vlakna (poliamidno ili poliestersko) napravljen sa većim ili manjim mrežama od uzdužno ili poprečno prepletenim vlaknima, koje ojačavaju strukturu materijala od kidanja.

**OXFORD**

Tkanina mekana na dodir, sa mrežicom. Brzo sušenje, komforna za nošenje.

**BREATHANE®**

Paropropusna i vodootporna tkanina, sa mikroporoznim slojem poliuretana. Daje veoma mekanu tkaninu sa odličnom paropropusnošću te vodootpornošću.

SOFTSHELL

The mixture of polyester and Spandex gives comfort, warmth, softness and ensures the elasticity and the softness of the garment. The TPU film makes the fabric waterproof, breathable, insulating and ensures a real protection against weather hazards (rain, fine snow and wind) through daily activities.

POLAR FLEECE

Type of double-knit boucle fabric, intensely raised on one face or on both, producing a fleece effect, soft bulky and insulating.

Micro polar fleece: polar fleece made of microfibers

TASLAN 320D

Taslan yarn with a bulky and fibrous aspect, obtained in a compressed-air tube.

POLYESTER

Synthetic material, strong, soft, crumple free, easily washed and dried.

POLYAMIDE

Synthetic material, the result of a slightly rougher weaving process. This gives a very resistant fabric with visible grain.

POLYURETHANE

The polyurethane or PU is an alveolar insulator which, to lower thickness, brings a heat insulation equal to other insulators.

RIPSTOP

Synthetic fabrics (polyamide or polyester) made with a more or less large grid by crossing lengthwise and widthwise yarns, which reinforces the fabric structure and avoids the tear extension when tear occurs.

OXFORD

A fabric with a softer feel and a dotted aspect composed of small square patterns. Dry fast, very easy to use.

BREATHANE®


Breathable and waterproof fabric, coated with a microporous polyurethane membrane. Offering a very soft fabric with a perfect breathable impermeability.

TEHNIČKE KARAKTERISTIKE MATERIJALA - ZOOMS**TECHNICAL PROPERTIES OF OUR MATERIALS - ZOOMS**

Vezice za pritezanje: na kapuljači, u struku ili pri dnu odeće te smanjuje učinke lošeg vremena. Imaju blokade koje regulišu pričvršćenje.
The tightening cord: placed on the hood, on the waist or bottom of the garment, the tightening cords allows to lock out foul weather. They have block cords which ensure the stability of the wanted tightening.




Kapuljača u obliku kape: ušiveni kruti obod omogućava veću izdržljivost i bolju vidljivost. Podesivo zatezanje sa vezicom za pričvršćenje.
The cap formed hood: a sewed rigid shaft allows its well bearing and a better visibility. Adjustable closing by tightening cord and block cords.



Manžetne: da li je to Velcro® pojaz ili driker, zatvaranje na zglobovima štiti protiv kiše, veta i snega. Podesive su i zato omogućavaju veći komfor, naročito dok nosite rukavice.
The bottom of the sleeves: would it be Velcro® bands or snap fasteners, the closing on the wrist protect against rain, wind and snow. They are adjustable and give therefore bigger comfort, notably when wearing gloves. the stability of the wanted tightening.



Patent zatvarači ispod klapne: klapna preko zatvarača, preko džepa ili prednjeg zatvaranja daju dodatnu zaštitu od veta i vode.
Zippers under flap: flaps over the zippers, would it be over the pocket or over the frontal closing, ensure a supplementary wind and water proofness on the garment.



Trake: daju stilski aspekt odeći. Zahvaljujući tom dodatku, klasičan model postaje moderniji.
The pipings: the pipings add a stylish touch to the garment. Thanks to this addition, a model of more classic shape becomes a modern style, more fashion.



Kragna postavljena flisom: sa spoljnestrane, greje vrat i tako daje veću udobnost.
Fleece lined collar: placed on the outside parka, it gives more warmth on the neck and ensure in this way bigger comfort



Dvosmerni patent zatvarači: doprinose udobnosti i jednostavnosti odevanja, naročito prilikom sedenja.
Two-ways zipper: the two-way zipper has been tough to give even more comfort and ease for the wearer, especially when sitting.



Vertikalni džepovi na zatvarač: mogu poslužiti za papir, ključeve, itd.
Vertical zipper pockets: they offer a smart tidying for papers, keys, etc.



Prsluk s dva lica: (prsluk) s njime možete menjati izgled. Vodootporni su i štite od veta kako bi održali telo suvim i toplim.
Reversible: the reversible waistcoats allow you to change look at any time! They are waterproof and wind cheater in order to keep the body dry and made with warm linings.

NORME

STANDARDS

EN ISO 13688

ZAŠTITNA ODEĆA - OPŠTI ZAHTEVI
PROTECTIVE CLOTHING - GENERAL REQUIREMENTS

**EN 343**

ISO 13688: 2012/ - Zaštitna odeća – Opšti zahtevi/ specifikuje opšte uslove performansi za ergonomiju, dizajn i udobnost, način označavanja veličina, kompatibilnosti i obeležavanje zaštitne odeće. Uključuje opšte informacije i simbole održavanja koje se isporučuju od strane proizvođača zaštitne odeće.

ISO 13688: 2012: Protective clothing -- General requirements/specifies the general requirements of performance in ergonomics, design and comfort, marking size, compatibility and marking of protective clothing. Includes general information and symbols maintenance to be supplied by the manufacturer of protective clothing.

**EN 14058****ZAŠTITA RADNE ODEĆE OD KIŠE**

Norma se sastoji od niza metoda testiranja materijala i šavova odeće namenjene zaštiti od vode, magle i vlage.

Metode su: otpornost na prodor vode (pre i nakon testiranja), snaga isparavanja, zatezna čvrstoća, otpornost na cepanje šavova i promene dimenzije odeće.

Sertifikovana odeća, označena je posebnim pikogramom:

X : otpornost na prodor vode (1-3)

Y : snaga isparavanja (1-3)

PROTECTIO N AGAINST RAIN FOR PROTECTIVE CLOTHING

This standard sets the requirements and test methods applicable to materials and seams of clothing for protection against the weather, fog and soil moisture.

The tests are: resistance to penetration of water (before and after treatment), evaporative strength, tensile strength, resistance to the tear resistance of the seams and dimensional changes.

Certified clothes are marked by a specific pictogram:

X : resistance to penetration of water (1-3)

Y : évaporative resistance (from 1 to 3)

ODEĆA NAMENJENA ZAŠТИ OD HLADNOĆE

Hladnu klimu karakteriše kombinacija vlage i veta s temperaturom do -5°C.

PROTECTION AGAINST COOL ENVIRONMENTS - CLOTHING

Cool climate is an environment generally characterized by a combination of humidity and wind at a temperature of -5°C and more.

Artikli sertifikovani na ovaj standard sadrže sledeći pikrogram:
Clothing certified to this standard includes the following pictogram:



Termička otpornost
 Propusnost zraka
 Prodornost vode
 Otpornost na vodenu paru
 Termička izolacija

Thermal resistance
 Air permeability
 Penetration of water
 Water vapour resistance
 Thermal insulation

X u normi označava da parametar nije ispitana.

X in norm is a mark that parameter wasn't tested.

Rct (m ² K/W)	CLASS	
0.06 ≤ Rct < 0.12	1	Proizvodi su podeljeni u 3 klase u zavisnosti od njihove termičke otpornosti. Proizvodi čija je termička otpornost veća od 0.25 m ² K/W, generalno se koriste za hladna područja (EN342).
0.12 ≤ Rct < 0.18	2	Products are divided into three classes depending on their thermal resistance. Products whose thermal resistance is greater than 0.25m ² K/W are generally intended for cold environments (EN342).
0.18 ≤ Rct < 0.25	3	

AP (mm/s)	CLASS	
100 < AP	1	Proizvodi su podijeljeni u tri grupe sukladno njihovoj otpornosti na propusnost zraka.
5 < AP < 100	2	Products are also divided into three classes depending on their air permeability.
AP ≤ 5	3	

AP (mm/s)	CLASS	
800 ≤ WP < 13000	1	Proizvodi su podijeljeni u dvije grupe sukladno njihovoj otpornosti na prodor vode.
WP > 13000	2	Products are divided into two classes according to their resistance to water penetration.

Testiranja se mogu provesti i na dva dodatna parametra: otpornost na isparavanje i termička otpornost.
 Two optional features can be tested: the water vapour resistance and thermal insulation.



Artikl je prilagođen maloprodaji
 The item is customized to retail



Visokokvalitetni proizvodi nastali kao rezultat razvoja, inovacija i dugogodišnjeg iskustva.
 High-quality products resulting from development, innovation and years of experience.



Oznaka za nove artikle u katalogu
 New items in the catalog





GETOUT

Lacuna GETOUT, odeća namenjena je zaštiti u svakodnevnim aktivnostima, bilo na poslu, bilo u slobodno vreme. Visok kvalitet i raznolikost materijala omogućavaju da rad na otvorenom, rekreaciju i slobodno vreme pretvorite u zadovoljstvo u svim vremenskim uvjetima.

Želja za očuvanjem slobode kretanja, sigurnost i udobnost nošenja glavne su odrednice Lacuna GETOUT asortimana. Brinemo o vašoj sigurnosti i udobnosti kontinuiranim praćenjem noviteta i razvijanjem znanja o novim tehnologijama materijala kako bi vama omogućili kvalitetan dizajn proizvoda visokih tehničkih karakteristika i funkcionalnosti.

GETOUT

Lacuna GETOUT clothing is designed to protect you in everyday activities, during your working hours or in your free time. High quality and variety of materials allows for working outdoors or your free time outdoors is made comfortable in different weather conditions

Desire for preserving freedom of movement, safety and comfort are prime goals of Lacuna GETOUT assortment.

We care about your safety and comfort and for that reason we are monitoring trends and innovations and developing knowledge about new fabrics technologies to provide you with quality designed products with high technical characteristics and functionality.





LACUNA GETOUT

SPEKTAR

FTG053BK FTG053NY FTG053GM FTG053RB FTG053RD

 GETOUT™

SOFTSHELL JAKNA

Materijal: 96% poliester, 4% elastan (Spandex),
TPU 3 sloja, 100D 310 g/m²
Postava: 100% poliester flis
Zatvaranje: vodootporni zatvarač
Kapuljača: elastično pričvršćenje
Rukavi: elastične manžetne
Kragna: brušeni mikroflis
Originalno pakovanje: 1/10



SOFTSHELL JACKET

Material: 96% polyester, 4% elastane (Spandex),
TPU – 3 LAYER , 310 g/m²
Lining: 100% polyester fleece
Fastening: waterproof zipper
Hood: with elastic tightening
Sleeves: elastic cuff
Collar: brushed micro polar fleece
Original packaging: 1/10



8000MM&4000MVP

 EN ISO 13688

VELIČINA / SIZE	S	M	L	XL	XXL	XXXL
● CRNA / BLACK	FTG053BKS	FTG053BKM	FTG053BKL	FTG053BKXL	FTG053BKXXL	FTG053BKXXXL
● PLAVA / NAVY	FTG053NYS	FTG053NYM	FTG053NYL	FTG053NYXL	FTG053NYXXL	FTG053NYXXXL
● SIVA / GREY	FTG053GMS	FTG053GMM	FTG053GML	FTG053GMXL	FTG053GMXXL	FTG053GMXXXL
● ROYAL PLAVA / ROYAL BLUE	FTG053RBS	FTG053RBM	FTG053RBL	FTG053RBXL	FTG053RBXXL	FTG053RBXXXL
● CRVENA / RED	FTG053RDS	FTG053RDM	FTG053RDL	FTG053RDXL	FTG053RDXL	FTG053RDXL



LACUNA GETOUT

WILLIAM

FTG027

FTG010

GETOUT

RETAIL
MALOPRODAJA

SOFTSHELL JAKNA

Materijal: 93% poliester, 7% Spandex,

TPU membrana, 310 g/m², 3 sloja

Postava: 100% poliester

Zatvaranje: vodootporni zatvarač

Kapuljača: elastično pričvršćenje

Rukavi: elastične manžetne s Velcro® čičkom

Kragna: brušeni mikroflis

Originalno pakovanje: 1/10

SOFTSHELL JACKET

Material: 93% polyester, 7% Spandex,

TPU membrane, 310 g/m², 3 layers

Lining: 100% polyester

Fastening: waterproof zipper

Hood: with elastic tightening

Sleeves: elastic cuff with Velcro® bands

Collar: brushed micro polar fl ecce

Original packaging: 1/10



8000MM&3000MVP

EN ISO 13688

VELIČINA / SIZE	XS	S	M	L	XL	XXL	XXXL
CRVENA / RED	FTG027XS	FTG027S	FTG027M	FTG027L	FTG027XL	FTG027XXL	FTG027XXXL
CRNA / BLACK	FTG010XS	FTG010S	FTG010M	FTG010L	FTG010XL	FTG010XXL	FTG010XXXL



LACUNA GETOUT

ROLAND

FTG023

FTG028

FTG048

GETOUT

RETAIL
MALOPRODAJA

SOFTSHELL JAKNA

Materijal: 93% poliester, 7% Spandex,

TPU membrana, 310 g/m², 3 sloja

Postava: 100% poliester

Zatvaranje: vodootporni zatvarač

Rukavi: elastične manžetne s Velcro® čičkom

Kragna: brušeni mikroflis

Originalno pakovanje: 1/10

SOFTSHELL JACKET

Material: 93% polyester, 7% Spandex,
TPU membrane, 310 g/m², 3 layers

Lining: 100% polyester

Fastening: waterproof zipper

Sleeves: elastic cuff with Velcro® bands

Collar: brushed tricot micro polar fleece

Original packaging: 1/10



8000MM&1000MVP

EN ISO 13688

VELIČINA / SIZE

CRVENA / RED

CRNA / BLACK

SIVA / GREY

S

M

L

XL

XXL

FTG028S

FTG028M

FTG028L

FTG028XL

FTG028XXL

FTG023S

FTG023M

FTG023L

FTG023XL

FTG023XXL

FTG048S

FTG048M

FTG048L

FTG048XL

FTG048XXL



LACUNA GETOUT

DANTE

FTG012

FTG049

GETOUT
**RETAIL
MALOPRODAJA**

SOFTSHELL JAKNA

Materijal: 93% poliester, 7% Spandex, TPU membrana, 310 g/m², 3 sloja**Postava:** 100% poliester**Zatvaranje:** vodootporni zatvarač**Kapuljača:** elastično pričvršćenje**Rukavi:** elastične manžetne s Velcro® čičkom**Kragna:** brušeni mikroflis**Originalno pakovanje:** 1/10

SOFTSHELL JACKET

Material: 93% polyester, 7% Spandex, TPU membrane, 310 g/m², 3 layers**Lining:** 100% polyester**Fastening:** waterproof zipper**Hood:** with elastic tightening**Sleeves:** elastic cuff with Velcro® bands**Collar:** brushed micro polar fleece**Original packaging:** 1/10

8000MM&3000MVP

CE EN ISO 13688

VELIČINA / SIZE	XS	S	M	L	XL	XXL	XXXL
CRNO CRVENA / BLACK-RED	FTG012XS	FTG012S	FTG012M	FTG012L	FTG012XL	FTG012XXL	FTG012XXXL
PLAVO CRNA / BLUE-BLACK	FTG049XS	FTG049S	FTG049M	FTG049L	FTG049XL	FTG049XXL	FTG049XXXL



LACUNA GETOUT

BARTON

FTG016

GETOUT

RETAIL
MALOPRODAJA

SOFTSHELL PRSLUK

Postava: 100% poliester
Materijal: 93% poliester, 7% elastan (Spandex),
280 g/m², 2 sloja
Zatvaranje: reverzibilni zatvarač
Kragna: brušeni mikroflis
Originalno pakovanje: 1/10

SOFTSHELL VEST

Material: 93% polyester, 7% elastane (Spandex),
310 g/m², 3 layers
Lining: 100% polyester
Fastening: reversible zipper
Collar: brushed micro polar fleece
Original packaging: 1/10



EN ISO 13688

VELIČINA / SIZE

CRNA / BLACK

S

FTG016S

M

FTG016M

L

FTG016L

XL

FTG016XL

XXL

FTG016XXL

BARTON

371



LACUNA GETOUT

SPEKTAR WINTER

FTG054BK


FTG054NY



SOFTSHELL ZIMSKA JAKNA

Materijal: 96% poliester, 4% elastan (Spandex), TPU 3 sloja, 100D 310 g/m²**Postava:** 100% poliester flis**Utopljenje:** 100% poliester**Zatvaranje:** zatvarač**Kapuljača:** skida se, elastično pričvršćena**Rukavi:** elastične manžetne**Originalno pakovanje:** 1/10

SOFTSHELL WINTER JACKET

Material: 96% polyester, 4% elastane (Spandex), TPU – 3 LAYER, 310 g/m²**Lining:** 100% polyester fleece**Drowning:** 100% polyester**Fastening:** zipper**Hood:** removable with elastic tightening**Sleeves:** elastic cuff**Original packaging:** 1/10

8000MM&4000MVP

CE EN ISO 13688

VELIČINA / SIZE	S	M	L	XL	XXL	XXXL
● CRNA / BLACK	FTG054BKS	FTG054BKM	FTG054BKL	FTG054BKXL	FTG054BKXXL	FTG054BKXXXL
● PLAVA / NAVY	FTG054NYS	FTG054NYM	FTG054NYL	FTG054NYXL	FTG054NYXXL	FTG054NYXXXL



LACUNA GETOUT

QUITO

5QUITB

5QUITR

GETOUT™

RETAIL
MALOPRODAJA

TOP
QUALITY

SOFTSHELL ZIMSKA JAKNA

Materijal: 94% poliester, 6% spandex (elastan), TPU film
Vodonepropusan, paropropustan
Utopljenje: 100% mikropolarni flis, 120 g/m²
Postava: 100% poliester
Zatvaranje: jednosmerni zatvarač do ovratnika
Kragna: ravna, sakrivena kapuljača
Rukavi: elastične manžetne s Velcro® čičkom
Originalno pakovanje: 1/10

SOFTSHELL WINTER JACKET

Material: 94% polyester, 6% Spandex, TPU film
Waterrepellant, breathable
Bonded: 100% polyester tricot 120g/m²
Lining: 100% polyester
Fastening: zipper up to the top of the collar
Collar: straight with concealed hood
Sleeves: adjustment by Velcro® bands
Original packaging: 1/10



8000MM&3000MVP

EN ISO 13688

VELIČINA / SIZE	S	M	L	XL	XXL	XXXL
● CRNA / BLACK	5QUITBS	5QUITBM	5QUITBL	5QUITBXL	5QUITBXXL	5QUITBXXXL
● CRVENA / RED	5QUITRS	5QUITRM	5QUITRL	5QUITRXL	5QUITRXL	5QUITRXXXL



LACUNA GETOUT

SHIELD

FTG055BK

FTG055RB

GETOUTTM

ZIMSKA JAKNA

Materijal: 100% poliester
Postava: 100% poliester
Utopljenje: 100% poliester
Zatvaranje: patentni zatvarač
Rukavi: elastična gumica
Originalno pakovanje: 1/10

WINTER JACKET

Material: 100% polyester
Lining: 100% polyester
Drowning: 100% polyester
Fastening: zipper
Sleeves: elastic tightening
Original packaging: 1/10



CE EN ISO 13688

VELIČINA / SIZE	S	M	L	XL	XXL	XXXL
CRNA / BLACK	FTG055BKS	FTG055BKM	FTG055BKL	FTG055BKXL	FTG055BKXXL	FTG055BKXXXL
ROYAL PLAVA / ROYAL BLUE	FTG055RBS	FTG055RBM	FTG055RBL	FTG055RBXL	FTG055RBXXL	FTG055RBXXXL



LACUNA GETOUT

LIMA

SLIMB

SLIMC

GETOUT™



LIMA JAKNA

Spoljni materijal: 100% poliester sa slojem PVC-a
Postava: 100% poliester
Utopljenje: Polar Flis
Kapuljača: na elastično zatezanje Vodootpornizatvarači
Dostupne boje: Crvena i plava Dostupne veličine: S-XXL
Original pakovanje: 1/10

LIMA JACKET

Material: 100% polyester pongee with PVC
Lining: 100% polyester
Drowning: Polar Fleece
Hoodie with elastic tension watertight closures
Available colors: red and blue
Available sizes: S-XXL
Original packaging: 1/10



CE EN ISO 13688

VELIČINA / SIZE	S	M	L	XL	XXL	XXXL
PLAVA / NAVY	5LIMBS	5LIMBM	5LIMBL	5LIMBXL	5LIMBXXL	5LIMBXXXL
CRVENA / RED	5LIMCS	5LIMCM	5LIMCL	5LIMCXL	5LIMCXXL	5LIMCXXXL



LACUNA GETOUT

NORWAY

5NORWC

5NORWB

5NORWR

NORWAY JAKNA

Materijal: 100% poliestersko vlakno s PVC slojem, vodonepropusan, vareni šavovi

Postava: 100% poliestersko vlakno

Izolacija: mrežasto pletivo, poliestersko vlakno

Zatvaranje: dvosmerni patent zatvarač s preklopom

Kapuljača: pripojena uz kragnu, sa trakom za zatezanje

Rukavi: elastična manžetna, pričvršćenje u struku, elastično spreda i pozadi

Veličina: S-XXL

Boja: 5OUEP-tamno plava, 5NORP-crvena



NORWAY JACKET

Material: 100% polyester with PVC water resistant, sealed seams

Lining: 100% polyester

Padding: polyester mesh lining

Fastening: two-ways zipper, snap fastener

Hood: concealed, adjustable with elastic tightening

Sleeves: edged by elastic cuff, tightening in waist by front and elastic cord

Size: S-XXL

Color: 5OUEP–navy, 5NORP-red

Stara šifra/ old code:
5NORP/5OUEP



NOVO
NEW



CE EN ISO 13688

VELIČINA / SIZE	XS	S	M	L	XL	XXL
PLAVA / BLUE	5NORWPXS	5NORWPS	5NORWPM	5NORWPL	5NORWPXL	5NORWPXXL
CRVENA / RED	5NORWRXS	5NORWRS	5NORWRM	5NORWRL	5NORWRXL	5NORWRXXL
CRNA / BLACK	5NORWBXS	5NORWBS	5NORWBM	5NORWBL	5NORWBXL	5NORWBXXL





GETOUT

LACUNA GETOUT

WARMY

5WARNY

5WARRD

FLIS VESTA WARMY

Spoljni materijal: ispunjeni mikro polarni flis 450 g/m², 100% poliester

Zatvaranje: patent zatvarač**Rukavi:** elastična manžetna**Pričvršćenje na dnu:** elastično sa unutrašnje strane**Originalno pakovanje:** 1/10"

FLEECE JACKET WARMY

Material: filled micro polar fleece
450 g / m², 100% polyester

Closure: patent zipper**Sleeves:** elastic cuff**Bottom tightening:** elastic on the inside**Original packaging:** 1/10"**Stara šifra/ old code:**

5VANB/5VANR



CE EN ISO 13688

VELIČINA / SIZE	XS	S	M	L	XL	XXL
PLAVA / BLUE	5WARNYXS	5WARNYS	5WARNYM	5WARNYL	5WARNYXL	5WARNYXXL
CRVENA / RED	5WARRDXS	5WARRDS	5WARRDM	5WARRDL	5WARRDXL	5WARRDXXL

LACUNA GETOUT BINAS 5BINWTP 5BINWTP

FLIS VESTA BINAS
Spoljni materijal: mikro polarni flis 340 g/m², 100% poliester
Zatvaranje: patent zatvarač
Rukavi: elastična manžetna
Originalno pakovanje: 1/10"

FLEECE JACKET BINAS

Material: micro polar fleece
340 g / m², 100% polyester
Closure: patent zipper
Sleeves: elastic cuff
Original packaging: 1/10"



CE EN ISO 13688

VELIČINA / SIZE	XS	S	M	L	XL	XXL	XXXL
PLAVA / BLUE	5BINWTSXS	5WARNYM	5WARNYM	5WARNYL	5WARNYXL	5WARNYXXL	5BINWTSXXXL
SIVA / GREY	5BINWTPXS	5WARRDM	5WARRDM	5WARRDL	5WARRDXL	5WARRDXXL	5BINWTPXXXL

LACUNA GETOUT KRILAS 5KRIWTC 5KRIWTS

FLIS PRSLUK KRILAS
Spoljni materijal: mikro polarni flis 340 g/m², 100% poliester
Zatvaranje: patent zatvarač
Rukavi: porubljeni otvori
Originalno pakovanje: 1/10"

FLEECE WAISTCOAT KRILAS
Material: micro polar fleece
340 g / m², 100% polyester
Closure: patent zipper
Sleeves: hemmed armholes
Original packaging: 1/10"

VELIČINA / SIZE	XS	S	M	L	XL	XXL	XXXL
PLAVA / BLUE	5KRIWTPXS	5KRIWTPS	5KRIWTPM	5KRIWTPL	5KRIWTPXL	5KRIWTPXXL	5KRIWTPXXXL
SIVA / GREY	5KRIWTSXS	5KRIWTSS	5KRIWTSM	5KRIWTSL	5KRIWTSXL	5KRIWTSXXL	5KRIWTSXXXL

CE EN ISO 13688

VELIČINA / SIZE	S	M	L	XL	XXL	XXXL
CRNA / BLACK	5RONWTCS	5RONWTCM	5RONWTCL	5RONWTCXL	5RONWTCXXL	5RONWTCXXXL
T. PLAVA / NAVY	5RONWTPS	5RONWTPM	5RONWTPL	5RONWTPXL	5RONWTPXXL	5RONWTPXXXL
ZELENA / GREEN	5RONWTZS	5RONWTZM	5RONWTZL	5RONWTZXL	5RONWTZXXL	5RONWTZXXXL
SIVA / GREY	5RONWTSS	5RONWTSM	5RONWTSL	5RONWTSXL	5RONWTSXXL	5RONWTSXXXL

LACUNA GETOUT

RONDO

5RONWTP

5RONWTZ

5RONWTC

5RONWTS



RONDO PRSLUK

Spoljni materijal: 65% poliester, 35% pamuk**Postava:** 100% poliamid**Utopljenje:** 100% poliester, 200 g/m²**Zatvaranje:** patent zatvarač sa drikerima**Leđa:** produžena**Pričvršćenje:** u struku, elastično sa strane**Original pakovanje:** 1/10

RONDO WAISTCOAT

Material: 65% polyester, 35% cotton**Lining:** 100% polyamide**Padding:** 100% polyester, 200g/m²**Fastening:** zipper with snap fastener**Back:** back protection**Tightening:** in waist, elastic on sides**Original packaging:** 1/10

CE EN ISO 13688

LACUNA GETOUT

PORTE

5SPORTNY 5SPORTRB 5SPORTBK 5SPORTGM 5SPORTRD

PORTE PRSLUK

Sirovinski sastav: spoljni 100% najlon, unutrašnjost 100% poliester, punjenje 100% poliester
Zatvaranje: patentni zatvarač
Pričvršćenje na dnu: elastično s unutrašnje strane
Originalno pakovanje: 1/10"

PORTE WAISTCOAT

Material composition: 100% nylon, 100% polyester interior padding 100% polyester
Closure: patent zipper
Bottom tightening: elastic on the inside
Original packaging: 1/10"



GETOUT

NOVO
NEWRETAIL
MALOPRODAJARETAIL
MALOPRODAJA

CE EN ISO 13688

VELIČINA / SIZE	XS	S	M	L	XL	XXL	XXXL
PLAVA / BLUE	5PORTNYXS	5PORTNYS	5PORTNYM	5PORTNYL	5PORTNYXL	5PORTNYXXL	5PORTNYXXXL
SIVA / GREY	5PORTGMS	5PORTGMS	5PORTGMM	5PORTGML	5PORTGML	5PORTGML	5PORTGML
CRNA / BLACK	5PORTBKXS	5PORTBKS	5PORTBKM	5PORTBKL	5PORTBKL	5PORTBKL	5PORTBKL
CRVENA / RED	5PORTRDXS	5PORTRDS	5PORTRDM	5PORTRDL	5PORTRDL	5PORTRDL	5PORTRDL
ROYAL	5PORTRBXS	5PORTRBS	5PORTRBM	5PORTRBL	5PORTRBL	5PORTRBL	5PORTRBL

LACUNA GETOUT

VODAN

5VODWTP

5VODWTS

POLAIRE
FLEECE - POLAR

GETOUT

RETAIL
MALOPRODAJA

VODAN PRSLUK
Spoljni materijal: 100% poliester sa slojem PVC-a, vodoodbojan
Postava: 100% poliester, polarni flis 200 g/m²
Zatvaranje: patent zatvarač
Rukavi: porubljeni otvori za ruke
Poledina: produžena
Pričvršćenje na dnu: elastično sa strane
Original pakovanje: 1/10"



CE EN ISO 13688



VELIČINA / SIZE	S	M	L	XL	XXL
PLAVA / NAVY	5VODWTPS	5VODWTPM	5VODWTPL	5VODWTPXL	5VODWTPXXL
SIVA / GREY	5VODWTSS	5VODWTSM	5VODWTSL	5VODWTSXL	5VODWTSXXL

LACUNA GETOUT

WORKER

5WORWB

5WORWG

RETAIL
MALOPRODAJA

GETOUT

WORKER PRSLUK

Spoljni materijal: Ripstop 100% poliester sa PVC slojem, vareni šavovi, vodoootporan
Reflektirajuće trake:

Postava: gore: polarni flis 280 g/m², 100% poliester; dole: 120 g/m² 100% poliester

Zatvaranje: patent zatvarač

Kragna: ravna

Poledina: produžena

Original pakovanje: 1/10



WORKER WAISTCOAT

Material: 100% polyester Ripstop, PVC coating, water resistant, sealed seams

Reflective piping:

Lining: upper: polar fleece 280 g/m² 100% polyester, bottom: quilted, 120 g/m² 100% polyester

Fastening: zipper up to the top of collar

Collar: straight

Back: protection

Original packaging: 1/10

Stara šifra/ old code:
5GRIP



CE EN ISO 13688

VELIČINA / SIZE	S	M	L	XL	XXL	XXXL
PLAVA / NAVY	5WORWBS	5WORWBM	5WORWBL	5WORWBXL	5WORWBXXL	5WORWBXXXL
SIVA / GREY	5WORWGS	5WORWGM	5WORWGL	5WORWGXL	5WORWGXXL	5WORWGXXXL

LACUNA GETOUT

WORKER

5WORG

5WORR

5WORB

WORKER JAKNA

Spoljni materijal: 100% poliester
 Ripstop, PVC sloj, vodoootporna, vareni šavovi

Reflektirajuće trake:

Postava: gore: crni polarni flis 100% poliester 280 g/m²; dole: 100% poliamid 120 g/m²

Zatvaranje: patent zatvarač sa VelcroR preklopom

Kapuljača: sakrivena, postavljena, podesiva elastičnom vezicom

Rukavi: elastična manžetna, pričvršćenje

Pričvršćenje u struku: elastično spreda

Pričvršćenje na dnu: elastično s unutrašnje strane

Original pakovanje: 1/10

RETAIL
MALOPRODAJA

WORKER JACKET

Material: 100% polyester Ripstop, PVC coating, water resistant, sealed seams

Reflective piping:

Padding: upper: black polar fleece 100% polyester 280 g/m², bottom: quilted, 100% polyamide 120 g/m²

Fastening: zipper with VelcroR flap

Hood: concealed, lined cord tightening, adjustable with block cords

Sleeves: quilted lining, adjustable

Tightening: waist – elastic in front

Bottom: elastic on front and sides

Original packaging: 1/10

Stara šifra/ old code:
5RIPB/5RIPG/5RIPS



CE EN ISO 13688

VELIČINA / SIZE	S	M	L	XL	XXL	XXXL
PLAVA / NAVY	5WORBS	5WORBM	5WORBL	5WORBXL	5WORBXXL	5WORBXXXL
SIVA / GREY	5WORG	5WORGM	5WORGL	5WORGXL	5WORGXXL	5WORGXXXL
CRVENA / RED	5WORRS	5WORRM	5WORRL	5WORRXL	5WORRXXL	5WORRXXXL

LACUNA GETOUT

PRIME

5PRIM

PRIME JAKNA 3 U 1
Spoljni materijal: 100% poliamid Taslan 320D, PU sloj, propušta zrak, vodootporan, varen šavovi

Postava: 100% poliamid, mrežasto pletivo

Podloga: skida se, crni prsluk 280g/m² 100% poliester

Zatvaranje: dvostruki patent zatvarač sa preklopom

Kapuljača: fiksirana, postavljena, traka za pritezanje

Rukavi: 100% poliamid Taffeta, elastična manžetna, 2 drikera za pričvršćenje polarnog prsluka

CRNI FLIS PRSLUK NA SKIDANJE

Spoljni materijal: polarni flis 100% poliester, 330 g/m², ne gužva se

Zatvaranje: patent zatvarač

Vodootporan: 2000mm,

Paropropusnost: 3000mvp

Original pakovanje: 1/10

PRIME JACKET 3 IN 1

Material: 100% polyamide Taslan 320D
breathable PU coating, sealed seams, water resistant

Lining: 100% polyamide mesh

Padding: removable and concealed black polar fleece jacket, 280g/m², 100% polyester

Fastening: two-ways zipper with scratch flap

Hood: fixed, lining with cord tightening and neckprotection

Sleeves: 100% polyamide taffetas, edged by elastic
scratch, 2 snap fastener to maintain polar jacket.

INSIDE BLACK FLEECE JACKET

Material: 100% polyester black fleece 330 g/m² anti-pilling

Fastening: zipper up to the collar

Bottom tightening: with elastic cord on sides

Waterproof: 2000mm,

Breathable: 3000mvp

Original packaging: 1/10

Stara šifra/ old code:
5AMER



CE EN ISO 13688

VELIČINA / SIZE	S	M	L	XL	XXL	XXXL
PLAVA / NAVY	5PRIMS	5PRIMM	5PRIML	5PRIMXL	5PRIMXXL	5PRIMXXXL
CRNA / BLACK	5PRIMS	5PRIMM	5PRIML	5PRIMXL	5PRIMXXL	5PRIMXXXL

LACUNA GETOUT

TURA

STURWTP

STURWTC

**TURA JAKNA**

Spoljni materijal: 100% poliester OXFORD 210T, PVC premaz

Postava: krzno skida se, 70% akril, 30% poliester

Podloga: 100% poliester;

Rukavi: postava poliamid 60g/m², skidaju se

Zatvaranje: dvostruki patentni zatvarač

Kapuljača: pripojena, sa trakom za zatezanje

Pričvršćenje na dnu: elastično

Original pakovanje: 1/10

TURA JACKET

Material: 100% polyester OXFORD 210T, PVC coated

Removable fur jacket: 70% acrylic, 30% polyester

Lining: 100% polyester;

Sleeves: quilted

polyamide 60g/m², removable

Fastening: two-ways zipper

Hood: adjustable with elastic tightening with cord block

Bottom tightening: elastic

Original packaging: 1/10



CE EN ISO 13688

VELIČINA / SIZE	S	M	L	XL	XXL	XXXL
T. PLAVA / DARK BLUE	5TURWTPS	55TURWTPM	5TURWTPL	5TURWTPXL	5TURWTPXXL	5TURWTPXXXL
CRNA / BLACK	5TURWTCS	5TURWTCM	5TURWTCL	5TURWTCXL	5TURWTCXXL	5TURWTCXXXL

LACUNA GETOUT

RONDO

5RSNWTP

**RONDO Jakna s rukavima na skidanje**

Spoljni materijal: 65% poliester, 35% pamuk

Postava: 100% poliamid

Utopljenje: 100% poliester, 200 g/m²

Zatvaranje: patent zatvarač sa drikerima

Rukavi: skidaju se, elastična manžetna

Leda: produžena

Pričvršćenje: u struku, elastično sa strane

Original pakovanje: 1/10

RONDO SLEEVES Jacket

Material: 65% polyester, 35% cotton

Lining: 100% polyamide

Padding: 100% polyester, 200g/m²

Fastening: zipper with snap fastener

Sleeves: removable, elastic cuff

Back: back protection

Tightening: in waist, elastic on sides

Original packaging: 1/10



CE EN ISO 13688

VELIČINA / SIZE	S	M	L	XL	XXL	XXXL
PLAVA / BLUE	5RSNWTPS	5RSNWTPM	5RSNWTPL	5RSNWTPXL	5RSNWTPXXL	5RSNWTPXXXL





LACUNA GETOUT

GETOUT I, II, III

FTG036

FTG037

FTG038

GETOUTTM
**RETAIL
MALOPRODAJA**
ZIMSKA KAPA GETOUT

Opis: zimska kapa
Materijal: 100% akril
Originalno pakovanje: 10/60

WINTER CAP GETOUT

Description: winter cap
Material: 100% acryl
Original packaging: 10/60



BOJA / COLOR	ARTIKL / ARTICLE	ŠIFRA / CODE
• SIVA / GREY	GETOUT I	FTG036
• SIVA / GREY	GETOUT II	FTG037
• SIVA / GREY	GETOUT III	FTG038

CE EN ISO 13688

LACUNA GETOUT

GETOUT IV, V

FTG051

FTG052

GETOUTTM
**RETAIL
MALOPRODAJA**
**NOVO
NEW**
ZIMSKA KAPA GETOUT

Opis: zimska kapa
Materijal: 100% akril
Originalno pakovanje: 10/60

WINTER CAP GETOUT

Description: winter cap
Material: 100% acryl
Original packaging: 10/60



BOJA / COLOR	ARTIKL / ARTICLE	ŠIFRA / CODE
• SIVA / GREY	GETOUT IV	FTG051
• CRNA / BLACK	GETOUT V	FTG052

CE EN ISO 13688



LACUNA GETOUT

ZIMSKA KAPA

5KZWTP

5KZWTC

5KZWTS

 GETOUT

The logo consists of a red octagonal border containing the word "RETAIL" in large red capital letters, with "MALOPRODAJA" in smaller red capital letters below it.

ZIMSKA KAPA

Opis: zimska kapa
Materijal: 100% akril, 40g/m²
Originalno pakovanje: 10/60

WINTER CAP

Description: winter cap
Material: 100% acryl, 40g/m²
Original packaging: 10/60



BOJA / COLOR	ŠIFRA / CODE
 TAMNO PLAVA / NAVY	5KZWTP
 CRNA / BLACK	5KZWTС
 SIVA / GREY	5KZWTS

CE EN ISO 13688

LACUNA GETOUT

KAPA NORTH

NORTH I/1-NORTH I /2

 GETOUT

RETAIL
MALOPRODAJA

ZIMSKA KAPA

Opis: zimska kapa
Materijal: super rastezljivi 100% akril
Originalno pakovanje: 10/60


WINTER CAP

Description: winter cap
Material: extra stretching 100% acryl
Original packaging: 10/60



BOJA / COLOR	ŠIFRA / CODE
TAMNO PLAVA / NAVY	NORTH-I/2
CRNA / BLACK	NORTH-I/1

CE EN ISO 13688



CAREWEAR
UVTM
PROTECTION





CAREWARE UV

UV ŠEŠIR BASIC

UV414

ODRASLI UV/ADULTS UV

UV ŠEŠIR BEIGE ODRASLI-BASIC ONE SIZE**Opis:** zaštitni šešir. Zaštita od UV zračenja / UPF40+.

Efekt hlađenja, proveravajući, paropropustan

Materijal: 100% poliester microfibra (moist wick UPF40+)**Veličina:** univerzalna 61 cm, prilagodljivo**Originalno pakovanje:** 1/1**UV HAT BEIGE ADULT-BASIC ONE SIZE****Description:** protective hat. Protection from UV/UPF40+.

Cooling effect, breathability

Material: 100% polyester microfibre (moist wick UPF40+)**Size:** Universal, 61 cm, flexible**Original packaging:** 1/1

BEŽ / BEIGE

UV414

 HRN EN 13758-1:2008
HRN EN 13758-2:2008


CAREWARE UV

ADULTS UV

UV436

UV435

ODRASLI UV/ADULTS UV

Opis: lagani šešir s obodom koji štiti od UV zračenja, UPF40+**Materijal:** 100% Polyester, Microfibra – moist wick**Veličina:** univerzalna, 61 cm prilagodljivo**Originalno pakovanje:** 1/1**Description:** The lightweight hat with a brim with UV protection, UPF40 +**Material:** 100% Polyester, microfibre – moist wick**Size:** universal, flexible 61 cm**Original packing:** 1/1

VELIČINA / SIZE

BELA / WHITE

BEŽ / BEIGE

U

UV435/ONE SIZE

UV436/ONE SIZE

 HRN EN 13758-1:2008
HRN EN 13758-2:2008


CAREWARE UV

UV KAPA ACTIVE

UV424

ODRASLI UV/ADULTS UV

UV KAPA BEIGE ODRASLI - ACTIVE ONE SIZE**Opis:** Zaštita od UV zračenja /UPF40+. Efekat hlađenja, proveravajući, paropropustan**Materijal:** 100% Polyester Microfiber (Moist-Wick, UPF40+)**Veličina:** univerzalna, 61 cm, prilagodljivo**Originalno pakovanje:** 1/1**UV HAT BEIGE ADULT - ACTIVE ONE SIZE****Description:** Protection from UV / UPF40 +.

Cooling effect, dišnost, breathability

Material: 100% Polyester microfibre (Moist-Wick, UPF40 +)**Size:** Universal, 61 cm, flexible**Original packaging:** 1/1

VELIČINA / SIZE

BEŽ / BEIGE

U

UV424/ONE SIZE

 HRN EN 13758-1:2008
HRN EN 13758-2:2008




CAREWARE UV

ODRASLI UV/ADULTS UV

Opis: Zaštita od UV zračenja /UPF40+. Efekat hlađenja, provetrvajuća , paropropusna
Materijal: Poliester Microfibra (Moist-Wick, UPF40+) univerzalna,
Veličina: 61 cm, prilagodljivo/1
Originalno pakovanje: 1/1

UV HAT WHITE ADULT - ACTIVE
Description: Protection from UV / UPF40 +. Cooling effect, dišnost, breathability
Material: 100% Polyester microfibre (Moist-Wick, UPF40 +)
Size: Universal, 61 cm, flexible
Original packaging: 1/1



VELIČINA / SIZE	U
BIJELA / WHITE	UV425/ONE SIZE

CE HRN EN 13758-1:2008
HRN EN 13758-2:2008



UV425



CAREWARE UV

ODRASLI UV/ADULTS UV

UV KAPA BEIGE ODRASLI - ACTIVE SPORT
Opis: Plašta na skidanje. Zaštita od UV zračenja /UPF40+. Efekat hlađenja, provetrvajuća, paropropusna
Materijal: 100% Poliester Microfibra (Moist-Wick, UPF40+)
Veličina: univerzalna, 61 cm, prilagodljivo
Originalno pakovanje: 1/1

UV CAP BEIGE ADULTS – ACTIVE SPORT
Description: Sheath to remove. Protection from UV / UPF40 +. Cooling effect, dišnost, breathability
Material: 100% Polyester microfibre (Moist-Wick, UPF40 +)
Size: Universal, 61 cm, flexible
Original packaging: 1/1



VELIČINA / SIZE	U
BEŽ / BEIGE	UV433/ONE SIZE

CE HRN EN 13758-1:2008
HRN EN 13758-2:2008



UV433



CAREWARE UV

ODRASLI UV/ADULTS UV

UV KAPA ŠILT BELA ODRASLI
Opis: Zaštita od UV zračenja /UPF40+. Efekat hlađenja, provetrvajući, paropropustan
Materijal: 100% Poliester Microfibra (Moist-Wick, UPF40+)
Veličina: univerzalna, 61 cm, prilagodljivo
Originalno pakovanje: 1/1

UV CAP VISOR WHITE ADULTS
Description: Protection from UV / UPF40 +. Cooling effect, dišnost, breathability
Material: 100% Polyester microfibre (Moist-Wick, UPF40 +)
Size: Universal, 61 cm, flexible
Original packaging: 1/1



VELIČINA / SIZE	U
BIJELA / WHITE	UV434/ONE SIZE

CE HRN EN 13758-1:2008
HRN EN 13758-2:2008



UV434





JHK **POLO** **PORA210**

MUŠKA K.R./MEN S.S./210G

MUŠKA POLO
Majica polo kratki rukav. Kopčanje pod vratom sa dva dugmeta. Prorezni sa strane. 1x1 rebrasti steznici rukava i kragne.
Materijal: 100% Predprani češljani pamuk 210 g/m²
Grey melange: 85% cotton/15% polyester
Ash melange: 98% cotton, 2% polyester
Originalno pakovanje: 5/5

MEN POLO
Men short sleeve polo shirt. Two buttons placket.
1x1 rib collar and cuffs. Side slits.
Materijal: 100% preshrunk combed cotton 210 g/m²
Grey melange: 85% cotton/15% polyester
Ash melange: 98% cotton, 2% polyester
Original packaging: 5/5

W

*XXXL / SAMO / ONLY: BK,NY,RB,WH,RD, GM

TABLICA VELIČINE / SIZE CHART

MERE U CM / MEASURES IN CM	XS	S	M	L	XL	2XL	3XL
GRUDI / CHEST	48,00	52,00	54,00	56,00	60,00	64,00	66,00
DONJA IVICA / BOTTOM	48,00	52,00	54,00	56,00	60,00	64,00	66,00
DUŽINA / LENGTH	68,00	70,00	72,00	74,00	76,00	82,00	84,00

W

**RETAIL
MALOPRODAJA**

JHK **POLO** **POPL200**

ŽENSKA K.R./LADIES S.S./200G

ŽENSKA POLO
Majica polo kratki rukav, kopčanje pod vratom sa tri dugmeta, strukturirana sa prorezima sa strane. 1x1 rebrasta kragna i steznici rukava.
Materijal: 100% predprani češljani pamuk 200 g/m²
Grey melange: 85% cotton/15% polyester
Originalno pakovanje: 5/5

LADIES POLO
Ladies short sleeve polo. Body fitted with side slits. Three buttons placket. 1x1 rib collar and cuffs.
Materijal:
100% preshrunk combed cotton 200 g/m²
Grey melange: 85% cotton, 15% polyester
Original packaging: 5/50

W

*XXXL / SAMO / ONLY: BK, NY, RB, WH, RD

TABLICA VELIČINE / SIZE CHART

MERE U CM / MEASURES IN CM	S	M	L	XL	XXL	XXXL
GRUDI / CHEST	42,00	44,00	46,00	48,00	50,00	54,00
DONJA IVICA / BOTTOM	42,00	44,00	46,00	48,00	50,00	54,00
DUŽINA / LENGTH	61,00	63,00	65,00	67,00	69,00	73,00



JHK

MUŠKA D.R./MEN L.S./155-160G

MUŠKA T-SHIRT
Muška T-shirt majica dugi rukav, dvostruki šav na rukavima i donjoj ivici. Pojačanje trakom od ramena do ramena, rebrasta likra kragna
Materijal: 100% predprani pamuk
Grey melange: 85% pamuk, 15% poliestersko vlakno
*približno 155-160g/m²
Originalno pakovanje: 10/50

MEN T-SHIRT
Adult long sleeve T-shirt without cuffs. Double stitch on sleeves and bottom. Shoulder on shoulder tape. Lycra rib neck
Material: 100% preshrunk cotton
Grey melange: 85% cotton, 15% polyester
*approx 155-160g/m²
Original packaging: 10/50

T-SHIRT

TSRA150LS

W

WH
BK
NY
RB
RD
GM

XS **S** **M** **L** **XL** **2XL**

MERE U CM / MEASURES IN CM	XS	S	M	L	XL	2XL
GRUDI / CHEST	48,00	51,00	53,50	56,00	58,50	61,00
DONJA IVICA / BOTTOM	48,00	51,00	53,50	56,00	58,50	61,00
DUŽINA / LENGTH	68,00	70,00	72,00	74,00	76,00	78,00

TABLICA VELIČINE / SIZE CHART

TOLERANCE 2% (+)

W

S	M
L	XL
XXL	

GRUDI / CHEST

STRUK / WAIST

DONJA IVICA / BOTTOM

DUŽINA / LENGTH

JHK

ŽENSKA D.R./LADIES L.S./155G

ŽENSKA T-SHIRT
Ženska T-shirt majica dugi rukav, strukturani model, dvostruki šav na rukavima i donjoj ivici.
Materijal: 100% predprani pamuk
*približno 155 g/m²
Originalno pakovanje: 10/50

LADIES T-SHIRT
Ladies long sleeve T-shirt without cuffs, slim model. Double stitch on sleeves and bottom. 1x1 Rib neck.
Material: 100% preshrunk cotton
*approx. 155 g/m²
Original packaging: 10/50

T-SHIRT

TSRL150LS

W

WH
BK
NY
RD

S **M** **L** **XL** **XXL**

MERE U CM / MEASURES IN CM	S	M	L	XL	XXL
GRUDI / CHEST	40,00	42,00	44,00	46,00	48,00
STRUK / WAIST	36,00	38,00	40,00	42,00	44,00
DONJA IVICA / BOTTOM	40,00	42,00	44,00	46,00	48,00
DUŽINA / LENGTH	59,50	62,00	62,00	64,00	66,00

TABLICA VELIČINE / SIZE CHART

W

S	M
L	XL
XXL	

GRUDI / CHEST

STRUK / WAIST

DONJA IVICA / BOTTOM

DUŽINA / LENGTH



**POLO MAJICE
DUGIH RUKAVA
MUŠKE I ŽENSKE /
POLO LONG SLEEVE
MEN AND WOMEN**

JHK	POLO	PORA210LS
MUŠKA D.R./MAN L.S./200-210G		
MUŠKA POLO Muška polo majica dugi rukav. Kopčanje pod vratom sa dva dugmeta. Prorezi sa strane. Rebrasta kragna i steznici rukava Materijal: 100% Predprani češljani pamuk *200-210 g/m ² Grey melange: 85% pamuk/15% poliester Originalno pakovanje: 5/50		
XS i 3XL* 		
MEN POLO Man long sleeve polo shirt with cuffs. Honey combed fabric. Two buttons placket. Side slits and back tail Material: 100% preshrunk combed cotton *200-210 g/m ² Grey melange: 85% cotton /15% polyester Original packaging: 5/50		
		
		
*XS i XXXL / SAMO / ONLY: BK, NY, RB, WH, RD		

TABLICA VELIČINE / SIZE CHART								TOLERANCE 2% (+ -)	
MERE U CM / MEASURES IN CM	XS	S	M	L	XL	2XL	3XL		
GRUDI / CHEST	48,00	52,00	54,00	56,00	60,00	64,00	66,00		
DONJA IVICA / BOTTOM	48,00	52,00	54,00	56,00	60,00	64,00	66,00		
DUŽINA / LENGTH	68,00	70,00	72,00	74,00	76,00	82,00	84,00		

JHK	POLO	POPL200LS
ŽENSKA D.R./LADIES L.S./ 200-210G		
ŽENSKA POLO Ženska polo majica dugi rukav, kopčanje pod vratom sa tri dugmeta, strukturana sa prorezima sa strane, rebrasta kragna i steznici rukava Materijal: Predprani češljani pamuk *200-210 g/m ² Grey melange: 85% pamuk/15% poliester Originalno pakovanje: 5/50		
		
LADIES POLO Ladies long fitted polo shirt. Body fitted. Three buttons placket. 1x1 rib collar and cuffs. Side slits Material: 100% preshrunk combed cotton *200-210 g/m ² Grey melange: 85% cotton /15% polyester Original packaging: 5/50		
		
		

TABLICA VELIČINE / SIZE CHART							
MERE U CM / MEASURES IN CM	XS	S	M	L	XL	XXL	
GRUDI / CHEST	40,00	42,00	44,00	46,00	48,00	50,00	
DONJA IVICA / BOTTOM	40,00	42,00	44,00	46,00	48,00	50,00	
DUŽINA / LENGTH	59,00	61,00	63,00	65,00	67,00	69,00	

KAPE HATS



KARIBAN

KAČKET KAPA

Opis: kačket kapa
Materijal: poliestersko vlakno, pamuk
 260 g/m², brušeni pamuk keper
 6 panela
 Sandwich kačket, obod u kontrastnoj boji
Regulator veličine: metalna kopča

US CAP

Description: US Cap
Material: polyester, cotton
 260 g/m², brushed cotton twill
 6 panels
 Sandwich visor, brim in contrasting color
Controller size: metal buckle
Original packaging: 25/100

VELIČINA / SIZE	U
■ BELO/PLAVA	KA011WHNY
■ CRVENO/BELA	KA011RDWH
■ T.ZELENO/BEŽ	KA011FGBE
■ CRNO/ BELA	KA011BKWH
■ CRNO/CRNA	KA011BKBK
■ T.SIVA/CRNA	KA011DGBK
■ PLAVO/PLAVA	KA011NYNY
■ CRVENO/CRNA	KA011RDBK
■ PLAVO/BELA	KA011NYWH
■ BELO/CRVENA	KA011WHRD

KAČKET ORLANDO

KA011



RETAIL
MALOPRODAJA

CE EN ISO 13688

KARIBAN

KAČKET KAPA

Opis: kačket kapa
Materijal: poliestersko vlakno, pamuk
 155 g/m², 100% pamuk keper
 5 panela
Regulator veličine: plastična traka
Originalno pakovanje: 25/100

US CAP

Description: US Cap
Material: polyester, cotton
 155 g/m², 100% cotton twill
 5 panel
Controller size: plastic tape
Original packaging: 25/100

VELIČINA / SIZE	U
■ BELA	KA034WH
■ PLAVA	KA034NY
■ T.ZELENA	KA034FG
■ CRVENA	KA034RD
■ CRNA	KA034BK

KAČKET FIRST

KA034



RETAIL
MALOPRODAJA

CE EN ISO 13688



STAY PROTECTED

Worktime

POLICE/CERADE/OSTALA OPREMA SHELVES/TARPAULIN/OTHER EQUIPMENT



LACUNA

WORKTIME

PROFESSIONALNA POLICA PROFESSIONAL SHELF

Materijal: metalni okvir
Dimenzija: 180x100x45 cm
Nosivost police: 100 kg
Broj polica: 4 kom debljine 8mm

Material: metal
Dimension: 180x100x45 cm
Load capacity: 100 kg
Number of shelves: 4 pcs 8mm thickness

RNDU 4510/4/100



PROFESSIONALNA POLICA PROFESSIONAL SHELF

Materijal: metalni okvir i police
Dimenzija: 150x75x30 cm
Nosivost police: 50 kg
Broj polica: 4
 Jednostavno slaganje bez vijaka
 Originalno pakovanje: 1/1

Material: metal frame and shelves
Dimensions : 150x75x30 cm
Load capacity shelves: 50 kg
Number of shelves: 4
 Easy stacking screws
 Original packaging: 1/1

RP6



PROFESSIONALNA POLICA PROFESSIONAL SHELF

Materijal: metalni okvir
Dimenzija: 180x90x30 cm
Nosivost police: 150 kg
Broj polica: 5 kom debljine 8mm

Material: metal
Dimension: 180x90x30 cm
Load capacity: 150kg
Number of shelves: 5 pcs 8mm thickness

RNDU-KCA30/5/150 ZN



PROFESSIONALNA POLICA PROFESSIONAL SHELF

Materijal: metalni okvir
Dimenzija: 180x90x40 cm
Nosivost police: 175 kg
Broj polica: 5 kom debljine 8mm

Material: metal
Dimension: 180x90x40 cm
Load capacity: 175kg
Number of shelves: 5 pcs 8mm thickness

RNDU-KCA 40/5/175



PROFESSIONALNA POLICA PROFESSIONAL SHELF

Materijal: metalni okvir
Dimenzija: 180x90x40 cm
Nosivost police: 265 kg
Broj polica: 5 kom debljine 8mm

Material: metal
Dimension: 180x90x40 cm
Load capacity: 265kg
Number of shelves: 5 pcs 8mm thickness

RNDU-KCA 40/5/265



PROFESSIONALNA POLICA PROFESSIONAL SHELF

Materijal: metalni okvir
Dimenzija: 180x90x40 cm
Nosivost police: 400 kg
Broj polica: 5 kom debljine 8mm

Material: metal
Dimension: 180x90x40 cm
Load capacity: 400 kg
Number of shelves: 5 pcs 8mm thickness

RR2-KLB 40/5/400



GARDEROBNI METALNI ORMAR WARDROBE METAL CABINETS

Materijal: metal
Dimenzija: 180x60x50 cm
Model: dvokrilni ormari s mogućnošću zaključavanja
 Originalno pakovanje: 1/1

Material: Metal
Dimension: 180x60x50 cm
Model: Double wardrobe with lockable
 Original packaging: 1/1

SS2-2009



GARDEROBNI METALNI ORMAR WARDROBE METAL CABINETS

Materijal: metal
Dimenzija: 180x30x50 cm
Model: jednokrilni ormari s mogućnošću zaključavanja
 Originalno pakovanje: 1/1

Material: Metal
Dimension: 180x30x50 cm
Model: single-winged wardrobe with lockable
 Original packaging: 1/1

SS1-2009



GARDEROBNI METALNI ORMAR WARDROBE METAL CABINETS

Opis: metalni garderobni ormari SETA3301A3311 za unutrašnju upotrebu;

Osnovna konstrukcija: police, vrata, oblikovani čelični lim 1 mm, vešalica čelična žica 6 mm, bravica s ključem;

Površinska obrada: lak za metal;

Spoljne dimenzije: 1800x600x500 mm;

Unutrašnja dimenzija odjeljka: 840x232x460 mm;

Nosivost police: gornja: 10 kg, donja: 20 kg;

Težina artikla: 44 kg;

Description: metal wardrobe SETA3301A3311 for indoor use;

Basic construction: shelves, doors, shaped steel sheet 1 mm, hanger steel wire 6 mm, key lock;

Surface treatment: metal varnish;

Exterior dimensions: 1800x600x500 mm;

Internal dimension of the compartment: 840x232x460 mm;

Load capacity: upper: 10 kg, lower: 20 kg;

Weight: 44 kg

SETA3301A3311



METALNA TRANSPORTNA KOLICA S01 SACKTRUCK S01

S01

Materijal: metal obložen puderom, drške od PU

Točkovi: PU, prečnik 260mm

Nosivost: za terete do 250 kg

Material: powdercoated metal, handle in PU

Wheels: PU, diam 260mm

Load capacity: for weight till 250 kg



POLIETILENSKA CERADA POLYETHYLENE TARPAULIN

7CER16WT-7CER812WT

Polietilenska cerada

Pletena, dvobojava (plavo/zelena)

Vodonepropusna, vrlo otporna

Pojačane ivice / metalni prsteni za

pričvršćivanje

Originalno pakovanje: 1/10

Polyethylene tarpaulin

Knitted, two-color (blue / green)

waterproof, highly resistant

reinforced edges / metal rings for

attaching



VELIČINA SIZE	1,5 x 6 m	2 x 3 m	3 x 5 m	4 x 6 m	5 x 8 m	8 x 12 m
CERADE TRAMPULIN	7CER16WT	7CER23WT	7CER35WT	7CER46WT	7CER58WT	7CER812WT

ORMARIĆ PRVE POMOĆI FIRST AID CABINET

11000

PVC ormarić prve pomoći

Sadržaj dovoljan za 2 osobe

Dimenzije: 370 x 220 x 140 mm

Originalno pakovanje: 1/1

PVC First aid cabinet

Contents sufficient for 2 persons

Dimensions: 370 x 220 x 140 mm

Original packaging: 1/1



Punjene za ormarić
Originalno pakovanje: 1/1

First aid cabinet charging
Original packaging: 1/1

11100





STAY PROTECTED

Worktime

LACUNA WORK&FREE TIME PREZENTACIJA LACUNA WORK&FREE TIME PRESENTATION

**POLICA ZA ROBU
GOODS DISPLAY**

Dimenzije: 225x103x60cm
Dimensions: 225x103x60cm

MLPOL01
**KUKICA ZA POLICU
DISPLAY HOOK**

Duljina: 20 cm
Lenght: 20 cm

KUKICA01

**STALAK ZA NAOČARE
GLASSES DISPLAY**

Dimenzije: 191x50cm
Dimensions: 191x50cm

MLNAO/01

**STALAK ZA TEKSTIL
TEXTILE DISPLAY**

Dimenzije: 188x120x46cm
Dimensions: 188x120x46cm

MLTEK

**STALAK ZA RUKAVICE
GLOVES DISPLAY**

Dimenzije: š60/v170/d40
Kapacitet cca: 144 para

MLSTALATG

Dimension: w60/h170/d40
Capacity cca.: 144 pairs


**KARTONSKI PULT STALAK ZA RUKAVICE A3199
GLOVES COUNTER CARDBOARD DISPLAY**

Dimenzije: 30x30x7 cm
Dimensions: 30x30x7 cm

A3199




WE PROTECT YOU OUTSIDE
YOU FEEL GREAT INSIDE.

**LACUNA d.o.o.**

Milutina Milankovića 23

11070 Novi Beograd

Serbia

T1: +381 11 220 1620

T2: +381 11 220 1660

F: +381 11 220 1661

E: info@lacuna.rs

W: www.lacuna.rs

LACUNA d.o.o.

Pustodol Začretske 18F

49223 Sveti Križ Začretje

Croatia

T1: +385 (49) 200 800

T2: +385 (49) 200 801

F: +385 (49) 200 810

E: info@lacuna.hr

W: www.lacuna.hr

ZG OFFICE

Banjavčićeva 22

10000 Zagreb

Croatia

T: +385 1 6445 696

LACUNA d.o.o.

Potoklinica 26

71000 Sarajevo

Bosnia & Herzegovina

T: +387 33 756 676

F: +387 33 756 676

E: info@lacuna.ba

W: www.lacuna.ba

SKLADIŠTE:

Hasana Merdžanovića bb,

71320 Vogošća



LACUNA
WORKTIME



LACUNA
CORPORATE



LACUNA
FREETIME

WE PROTECT YOU OUTSIDE.
YOU FEEL GREAT INSIDE.

